GENERAL INDEX

LEAFLETS OF PHILIPPINE BOTANY

(VOLUMES I TO X)

(The host, family and genus index of the Fungi in volume VI, page 2169 and in volume VII, page 2531 are not included in this general index. Neither are the lists of Ficus in volume IV, page 1235 and in volume IX, page 3427 included).

(Synonyms and binomials cited in the text matter, in keys, in the errata and correction list are in italics. New species and varieties or new combinations are in small capital letters).

A

Abelmoschus *haenkeanus*, VIII 2754
todayensis, VIII (3107)
TODAYENSIS, VIII 2752
Abrus *precatorius*, VI 2073: VII 2425
Absidia coerulea, VI 2147
Acacia *farnesiana*, VI 2240
Acalypha *cardiophylla*, VII 2632
stipulacea, IV 1275
stipulacea, V 1545: VI 2082, 2097: VII 2432
SUBCINEREA, VII 2631
Acanthostigma bambusae, VIII 2951
Acer *niveum*, IV 1159: VI 2146
philippinum, VI 2138: VII 2497
Acerbia *culmigena*, VIII 2954
donacina, VI 2264: VII 2463
MAYDIS, VIII 2953
Achrostichum aureum, II 415: III 850
cumingii, II 417
decurrens, II 416
obtusifolium, II 416, 417
Acmella *grandiflora*, I 168
Acoridium *curranii*, IX 3143
Acrophorus stipellatus, II 389
Acrosorus exaltatus, III 835
Acrospermum elmeri, VI 2137
ELMERI, VI 1931
latissimum, VI 2137
LATISSIMUM, V 1544
Actephila dispersa, IV 1273
dispersa, V 1543: VI 2094
gigantifolia, III 905
GITINGENSIS, III 903
MAGNIFOLIA, III 904
Actinodaphne CINEREA, V 1795
conferta, X 3751
COPELANDII, X 3750
MICROPHYLLA, II 375
Actinodothis piperis, VII 2451
Actinorhytis calapparia, VIII 3010
Actinothyrium maculosum, IX 3138
Adelmeria ALBIDUM, VIII 2964
ALPINUM, VIII 2885
BIFIDA, II 603
gigantifolium, VIII 2965
GIGANTIFOLIUM, VIII 2963
Adenosacme APOENSIS, III 1001
cauliflora, III 1002
longifolia, III 1003
mindanaensis, V 1855
MINDANAENSIS, III 1002
sortechinii, III 1002
Adenostemma viscosum, I 99
Adenostylis *affinis*, V 1551, 1552
benguetensis, V 1552
BENGUETENSIS, V 1551
elmeri, V 1552
ELMERI, V 1552
marivelensis, V 1552
Adiantum caudatum, II 405
CUPREUM, IV 1152

3849

MISSOURI BOTANICAL GARDEN LIBRARY. RECEIVED NOV 9 1940

SHOUT
SHARE
IT

diaphanum, III 831: IX 3150
opacum, IV 1152
philippense, II 404
scabripes, V 1683
Adina GARCIAE, III 986
MINDANAENSIS, III 1002
multiflora, I 3
multifolia, III 987
philippinensis, III 989
polycephala, III 988
ZSCHOKKEI, III 987
Adinandra APOENSIS, VIII 2833
CORIACEA, I 322
elliptica, VIII 2837
loheri, VIII 2836
MERRILLII, VIII 2834
montana, VIII 2838
ROBINSONII, VIII 2836
urdanetensis, X 3810
URDANETENSIS, VIII 2837
Aecidium banosense, VI 2067: VII 2419
blumeae, VI 2067: VII 2419
clerodendri, VI 2067: VII 2419
desmium, VI 2074
dioscoreae, VI 2074
flavidum, IX 3133
kaernbachii, VI 1921, 2068: VII 2419
lagunense, VI 2068
luzoniense, VI 2068
machili, VI 2068: VII 2420
nummulare, VI 2069: VII 2020
paederiae, VI 2069: VII 2420
parile, VII 2420
phaseolorum, VII 2426
phyllanthinum, VI 2069: VII 2420
plucheae, VI 2069: VII 2420
rhytismoideum, VII 2420
torae, VI 2069: VII 2420
uvariae-rufae, VI 2069: VII 2421
Aegiceras *corniculatum*, VI 2156
Aeschnanthus *motleyi*, III 953
Afzelia *bijuga*, VI 2103
Aganosma APOENSIS, IV 1445
Agathis *philippinensis*, II 532
Agelaea *everettii*, X 3718
PLATYPHYLLA, X 3717
Ageratum conyzoides, I 100
quadriflorum, I 96
Aglaia *acuminata*, IX 3287
affinis, IX 3275
affinis, IX 3291, 3292, 3321
AGUSANENSIS, IX 3275
aherniana, IX 3277
aherniana, IX 3282
alternifolia, IX 3310
anonoides, IX 3300
antonii, IX 3280
ANTONII, IX 3278
apoana, IX 3280
banahaensis, IX 3292, 3321
BANAHAENSIS, IX 3281
bernardoi, IX 3303
bicolor, IX 3293
bordenii, IX 3300, 3301
brachybotrys, IX 3282
brevipetiolata, IX 3298
bulusanensis, IX 3293
CALELANENSIS, IX 3283
cauliflora, IX 3285
caulobotrys, IX 3285
clarkii, IX 3285
clarkii, IX 3303
COPELANDII, IX 3286
costata, IX 3318, 3319
cumingiana, IX 3293, 3317
CUPREA, IX 3287
curranii, IX 3280, 3297
DAVAOENSIS, IX 3289
denticulata, IX 3291
denticulata, IX 3314
diffusa, IX 3292
diffusa, IX 3291, 3292, 3321
diffusiflora, IX 3293
diffusiflora, IX 3277, 3318
everettii, IX 3277, 3300, 3307. 3319
glabrifolia, IX 3312
glomerata, IX 3305
grandifoliola, IX 3319
harmsiana, IX 3294
harmsiana, IX 3282, 3294
hexandra, IX 3308
iloilo, IX 3294
irosinensis, IX 3277
laevigata, IX 3287, 3293
lagunensis, IX 3294, 3310
langlassei, IX 3294
langlassei, IX 3297, 3310
lepidota, IX 3278
llanosiana, IX 3295
llanosiana, IX 3277, 3282, 3310
loheri, IX 3314
longipetiolata, IX 3291
LONGIPETIOLATA, IX 3295

luzoniensis, IX 3297
luzoniensis trifoliata, IX 3298
MERRILLII, IX 3298
micrantha, IX 3280
mindanaensis, IX 3306, 3319
monophylla, IX 3298
multifoliola, IX 3289, 3293
negrosensis, IX 3306
nivea, IX 3294
odorata, IX 3300
oligantha, IX 3300
palawanensis, IX 3280, 3291
pallida, IX 3307
pauciflora, IX 3301
pauciflora, IX 3282
PERFULVA, IX 3302
QUERCIFLORESCENS, IX 3303
ramosii, IX 3289, 3293
reticulata, IX 3300
RETICULATA, IX 3306
rimosa, IX 3308
rizalensis, IX 3297, 3298
samarensis, IX 3308
samarensis, IX 3310
SIBUYANENSIS, IX 3308
SORSOGONENSIS, IX 3310
SURVIRIDIS, IX 3312
tarangisi, IX 3317
TARANGISI, IX 3314
trunciflora, IX 3285
turczaninowii, IX 3277, 3282, 3295
UMBRINA, IX 3317
unifoliata, IX 3298
urdanetensis, IX 3292
URDANETENSIS, IX 3319
villamillii, IX 3312
Aglaomorpha brooksii, IX 3150
Aglaonema ALPINUM, X 3611
commutatum, X 3612
densinervium, VI 2095, 2157
latifolium, X 3613
oblongifolium, X 3612
philippinense, X 3613
Agrostistachys maesoana, IV 1276
Ainsliaea reflexa, I 180
Aithaloderma clavatisporum, VI 2096: VII 2446
Alangium *begoniaefolium*, VI 2201, 2214: VII 2476, 2479
Albizzia *acle*, VI 2267: VII 2483
lebbek, VI 2075, 2157
MAGALLANENSIS, II 693
marginata, VI 2102
pedicellata, II 694
Alchornea ARBOREA, IV 1274
rugosa, IV 1273
rugosa, VI 2157, 2197: VII 2471, 2515: VIII 2942: IX 3138
Aldona stella-nigra, VI 2137: VII 2497: IX 3137
Aleuritis *moluccana*, VI 2232, 2272: VII 2496, 2516
Allaeanthus *luzonicus*, VI 2159: VII 2520
Allescherina s'rebli VII 2478
STREBLI, VI 2264
Allophylus LEPTOCLADUS, V 1602
REPANDO-DENTATUS, V 1603
SIMPLICIFOLIUS, V 1601
SUBINCISO-DENTATUS, V 1603
UNIFOLIATUS, I 208
Alocasia heterophylla, X 3613
heterophylla, X 3701
indica, VI 2117: VII 2473
macrorrhiza, X 3614
macrorrhiza, VI 2117: X 3615
maquilingensis, X 3615
maquilingensis, IX 3489
TALIHAN, X 3614
URDANETENSIS, X 3699
vulcanica, IX 3114, 3489: X 3616
zebrina, X 3616
Alpinia APOENSIS, VIII 2888
brevilabris, II 603
CONGESTA, VIII 2968
copelandii, VIII 2894
cumingii, VIII 2890
diversifolia, VIII 2991
elegans, VIII 2969
flabellata, VIII 2891, 2966, 2967, 2971
flabellata major, VIII 2971
foxworthyi, VIII 2887
galanga, II 571
glabrescens, II 604
graminea, VIII 2966
haenkei, II 603: VIII 2967
haenkei, VIII 2894
illustris, VIII 2894
LONGIPETIOLATA, VIII 2969
LUTEO-CARPA, X 3803
MUSAEFOLIA, II 604
pendula, VIII 2991
PENDULIFLORA, II 571
pubiflora, VIII 2965
pyramidata, II 604: VIII 2967

ROMBLONENSIS, VIII 2889
rosea, VIII 2892
ROSEA, VIII 2890
rufa, II 604: VIII 2887, 2968
SIBUYANENSIS, VIII 2891
SUBFUSICARPA, VIII 2892
trachyascus, VIII 2894
VULCANICA, VIII 2971
Alsodeia DUBIA, VIII 2875
formicaria, V 1538: VI 2087
FORMICARIA, V 1850
Alsomitra GRACILIPES, X 3722
integrifoliola, X 3723
Alsophila ELMERI, II 419
glauca, II 420: IX 3148
latebrosa, II 420
latebrosa, II 420
Alstonia *angustiloba*, IV 1448
IWAHIGENSIS, IV 1447
macrophylla, VI 2227, 2258: VII 2432, 2442
scholaris, VI 2083, 2141, 2142, 2203: VII 2464
Alternaria brassicae, VII 2520
Alyxia *concatenata*, IX 3175
confertiflora, X 3694
monilifera, VI 2096: X 3694
QUADRATA, X 3692
SIBUYANENSIS, IV 1448
selangarica, IV 1449
Amaracarpus APOENSIS, VIII 2804
brauniana, VIII 2805
longifolius, III 1022
LONGIFOLIUS, I 1
microphylla, III 1036
microphylla, VIII 2805
pubescens, I 1
Amauroderma ELMERIANUM, I 268
Amazonia psychotriae, IX 3136
Amomum BULUSANENSE, VIII 2973
conoideum, VIII 2972
conoideum, VIII 2973
deuteramomum, VIII 2895, 2976, 2977
fusiforme, II 604
fusiforme, VIII 2794
lepicarpa, VIII 2902, 2979, 2988
LEPICARPA, II 604
lepicarpa pubescens, VIII 2979
LEPICARPA PUBESCENS, II 605
LINEARIFOLIA, VIII 2975
loheri, VIII 2898, 2976
lophophora, VIII 2973
LUZONENSE, VIII 2976
MINDANAENSE, VIII 2894
muricarpum, VIII 2980
MURICARPUM, VIII 2896
palawanense, VIII 2895
PALAWANENSE, VIII 2897
pandanicarpum, VIII 2900, 2979
PANDANICARPUM, VIII 2899
propinquum, VIII 2894
propinquum, VIII 2894, 2897, 2980
pubimarginatum, VIII 2974
PUBIMARGINATUM, VIII 2900
trilobum, VIII 2976
warburgii, VIII 2902, 2976
Amoora *aherniana*, IX 3325
CAESIFOLIA, IX 3321
CONDUPLIFOLIA, IX 3324
cupulifera, IX 3323
elmeri, IX 3338
macrocarpa, IX 3325
mindorensis, IX 3323
Amorphophallus campanulatus, X 3617
campanulatus, VI 2072, 2160: VII 2521
Amphisphaeria ARENGAE, VIII 2947
bambusina, VI 2116, 2261: VII 2469
clerodendri, VII 2469
CLERODENDRI, VI 2200
CORONATA, VI 2200
diplasia, VI 2201
donacina, VI 2261
dunarum, VI 2262
leucaenae, VI 2117
LEUCAENAE, VI 1940
notabilis, VII 2469
NOTABILIS, VI 2262
palawanensis, VII 2469
schizostachyi, VII 2469: VIII 2947
SCHIZOSTACHYI, VI 2262
subiculosa, VI 1940
Anamirta cocculus, IV 1165
cocculus, IV 1163
Anaphalis cinnamomea, I 120
Anaptychia hypoleuca, II 436
leucomelaena, II 436
Andropogon aciculatus, X 3509
aciculatus, VI 2156: VII 2429
citratus, VI 2070
contorta, VI 2080
halepense, VI 2110
halepense propinquum, VI 2081

sorghi, VII 2457
Angelesia *splendens*, V 1628: VII 2439: X 3809
Angiopteris angustifolia, II 425: III 796
ankolana, V 1680
ELMERIANA V 1679
erecta, V 1680
microsporangia, V 1680
pruinosa, II 425
Anodendron *corymbosum*, X 3594
CORYMBOSUM, II 512
Antennaria *cinnamomea*, I 120
Anthemis *cotula*, I 164
Anthistira *arundinacea*, VII 2429
Anthoceros ELMERI, II 385
Anthostoma *eumorphum*, VI 2216: VIII 2940
flagellariae, VII 2478
FLAGELLARIAE, VI 2216
gigasporum, VI 1940, 2122
gigasporum, VI 1941
MEGALOSPORUM, VI 1941
Anthostomella ARECAE, VIII 2938
arengae, VIII 2940
atronitens, VII 2470
ATRONITENS, VI 2196
bahiensis, VIII 2939
bambusae, VII 2471
bicincta, VII 2470
CALAMI, VIII 2939
calocarpa, VI 2119: VII 2470
cocoina, VII 2470
copelandi, VII 2470
COPELANDI, VI 2197
CORYPHAE, VIII 2940
CORYPHAE MINUTISSIMA, VIII 2940
discophora, VI 2119
donacina, VI 2119
donacina, VI 2197
DONACINA ARENGAE, VIII 2940
donacis, VII 2470
DONACIS, VI 2259
olmeri, VI 2091, 2119
ELMERI, V 1544
eumorpha, VIII 2940
grandispora, VIII 2939
grandispora schizostachyi, VI 2119, 2260: VII 2470
lichenoides, VII 2471
LICHENOIDES, VI 2197
lucens, IX 3135
micraspis, VI 2197, 2205: VII 2471: VIII 2938
mindorensis, VI 2119, 2196: VII 2471
mindorensis, VI 2260: VIII 2940
mindorensis verruculosa, VII 2471
MINDORENSIS VERRUCULOSA, VI 2196
minore, VI 2260
mirabilis, VI 1940, 2120, 2196, 2260: VI 2471
mirabilis, VI 2197: VII 2472: VIII 2939
mirabilis bambusae, VII 2471
mirabilis bambusae, VII 2471
MIRABILIS DISCOPHORA, VIII 2939
mirabilis obtecta, VII 2472
MIRABILIS OBTECTA, VI 2261
mirabilis schizostachyi, VI 2260: VII 2472
MIRABILIS SCHIZOSTACHYI, VIII 2939
pachyderma, VI 2197
pandani, VIII 2939
sacchariferae, VII 2472
SACCHARIFERAE, VI 2260
tomicum, VI 2197
UBERIFORMIS, VIII 2937
Antidesma AGUSANENSE, VII 2632
bunius, VI 2096, 2208, 2267: VII 2473, 2484, 2490
cumingii, III 905
cumingii, IV 1273
curranii, X 3733
FRUTIFERUM, X 3731
FUSICARPUM, VIII 3081
ghaesembilla, IV 1271
ghaesembilla, VI 2073, 2082: VII 2431
leptocladum, IV 1271
leptocladum, VII 2633
leptocladum genuinum, III 906
lucidum, III 905
membranaefolium, III 905: IV 1273
MEMBRANAEFOLIUM, I 313
MICROCARPUM, II 487
mindanaense, VII 2634
nitidum, VII 2633
OBLIQUICARPUM, VII 2633
rostratum, VIII 3082
subcordatum glabrifolium, VIII 3082
SUBOLIVACEUM, IV 1272
URDANETENSE, VII 2635
Antirrhoea benguetensis, III 1009
benguetensis, IV 1329

hirsutiuscula, III 1009
LIVIDA, IV 1327
philippinensis, III 1009: IV 1327
philippinensis, IV 1328
Antrophyum callifolium, III 832: IX 3155
callifolium, IX 3155
clementis, II 406: III 832
immersum, III 833
latifolium, III 833
parvulum, II 406
parvulum, II 406
plantagineum, II 406: III 832
reticulatum, II 406: III 832
strictum, IX 3155
Aphanamixis AGUSANENSIS, IX 3328
apoensis, IX 3338
APOENSIS, IX 3326
coriacea, IX 3330
cumingiana, IX 3331
cumingiana, IX 3340
davaoensis, IX 3328
DAVAOENSIS, IX 3331
obliquifolia, IX 3330, 3335, 3337
OBLIQUIFOLIA, IX 3333
perrottetiana, IX 3335
pinatubensis, IX 3336
pinatubensis, IX 3340
PINATUBENSIS, IX 3205
pulgarensis, IX 3330, 3335, 3490
PULGARENSIS, IX 3336
tripetala, IX 3338
velutina, IX 3206
VELUTINA, IX 3338
Aphananthe NEGROSENSIS, II 575
Apiospora apiospora, VI 2111: VIII 2946
apiospora, VI 2199
apiospora minor, VI 2112
camptospora, VI 2199: VII 2463
CARBONACEA, VIII 2945
curvispora rottboelliae, VI 2112, 2199: VII 2463
luzonensis, VII 2463
luzonensis, VI 2112
montagnei, VI 2112
striola minor, VI 2112
Apiosporella aberrans, VI 2112
aberrans, VIII 2946
coryphae, VI 2112
Apluda mutica, X 3509
Aporosa AGUSANENSIS, VII 2636
similis, VII 2636
sphaeridophora, X 3807
Apostasia *lobbii*, VI 2095
Aquilaria *bancana*, VII 2675
Arachis *hypogaea*, VI 2162
Aralia APOENSIS, VII 2325
Arcangelisia lemniscata, IV 1163
Areca *caliso*, VIII 3000
CALISO, VIII 2998
catechu, VIII 2997
catechu, II 640, 641: VI 2156, 2157: VII 2483, 2510, 2516, 2528: VIII 2938, 2998
catechu humilis, II 639, 641: VIII 2998
glandiformis, II 641
ipot, VIII 2998
ipot, II 641
IPOT, II 639
macrocalyx, II 641
whitfordii, VIII 2997
Arenga ambong, VIII 3023
mindorensis, VIII 3021
mindorensis, VI 1936, 1938, 1945, 2101, 2113, 2116, 2119, 2134, 2195, 2196, 2232: VII 2471, 2473, 2476: VIII 2927, 2940
saccharifera, VIII 3021
saccharifera, VI 2120, 2121, 2203, 2232, 2260, 2274, 2280: VII 2443, 2453, 2472, 2476, 2502: VIII 2936, 2945, 2950
tremula, VIII 3022
Ardisia APOENSIS, II 663
candolleana, VI 2103: VII 2455
CLEMENTIS, II 665
copelandii, II 660
cuprea, X 3765
CUPREA, VIII 2777
CURTIFLORA, VIII 2778
darlingii, IV 1499
disticha, VIII 2778: X 3765
elmeri, II 441
FRAGRANS, II 664
GITINGENSIS, IV 1498
IWAHIGENSIS, V 1817
jagorii, II 665: IX 3116
marginata, IV 1497
mezii, II 440
MEZII, II 440
mindanaensis, II 659
mindanaensis, II 663: IV 1497
oblongifolia, V 1818
OCHRACEA, V 1819
OLIGANTHA, IV 1496
pardalina, II 659
pardalina, IV 1497: X 3807
PENINSULA, X 3764
philippinensis, X 3765

punctata, II 660
PUNCTATA, II 439
racemosa-paniculata, II 661
ROMANII, V 1820
scabrida, II 660
serrato-brevipetiolata, IV 1498
SIBULANENSIS, II 661
SIBUYANENSIS, IV 1497
squamulosa, X 3807
tomentosa, X 3765
warburgiana, II 659
warburgiana, II 662
Argostemma *maquilingense*, IX 3246
MAQUILINGENSE, IX 3242
neesianum, I 3
neesianum, IX 3244, 3245
PEDICELLATUM, IX 3243
QUADRIPETALA, I 63
RUPESTRINUM, IX 3244
solaniflorum, V 1855
solaniflorum, IX 3243, 3246
SOLANIFLORUM, I 2
UMBELLATUM, IX 3245
wallichii, I 3
wallichii, IX 3244, 3245
Argyreia PURPURICARPA, V 1766
Aristolochia *tagala*, VI 2117: IX 3135
Artabotrys *cumingiana*, I 291: V 1708
cumingiana glabra, V 1707
CUMINGIANA RETICULATA, V 1706
CUMINGIANA SUBGLABRA, V 1705
LUTEUS, I 290
STOLONIFERA, X 3684
VIDALIANA, V 1707
Artemisia absinthium, I 142
absinthium, I 141
parviflora, I 141
parviflora, I 141
viridis, I 164
vulgaris, I 141
vulgaris, I 141
Arthraxon *ciliaris*, VI 2073
Arthraxonis *ciliaris*, VII 2425
ovalifolium, VII 2553
PULGARENSE, VII 2551
Arthrophyllum SABLANENSE, I 331
Arthropteris obliterata, III 829
Artocarpus blumei, II 613
blumei, II 610
camansi, II 615
communis II 615
communis, II 610: VIII 2932
communis blancoi, II 610
COMMUNIS BLANCOI, II 617
cumingiana, II 620
cumingiana, II 611, 621
incisa, II 615: VII 2505, 2521: VIII 2932
integrifolia, II 612
integrifolia, I 80 b: II 610: VI 2148: VII 2503, 2505, 2526: X 3814
lamosella, II 625
lamosella, II 612, 626
lanceolata, II 624
lanceolata, II 612, 624, 626
leytensis, II 622
leytensis, II 611
LEYTENSIS, I 279
maxima, II 612
nigrescens, II 610
NIGRESCENS, II 614
nitida, II 624
nitida, II 612, 626
odoratissima, II 618
odoratissima, II 611
ovata, II 620
ovatifolia dolichostachya, X 3807
paloensis, II 621
paloensis, I 280: II 611
PALOENSIS, I 280
philippinensis, II 612
pubescens, II 613
rima, II 615
rubrovenia, II 622
rubrovenia, II 611, 624
subrotundifolia, II 619
subrotundifolia, II 611
SUBROTUNDIFOLIA, I 281
treculiana, II 611, 615
TRECULIANA, II 617
woodii, II 623
woodii, II 611
xanthocarpa, II 626
xanthocarpa, II 612, 625
Arundinella *miliacea*, X 3807
Aschersonia confluens, VI 2155
lecanioides, VII 2514
macularis, VII 2513
novoguineensis, VI 2155: VII 2514
sclerotoides, VII 2514
sinnabarina, V 1547: VI 2154
Asclepias curassavica, X 3547
Ascobolus latus, VI 2144
Ascophanus testaceus, VI 2143
Ascospora ophiorrhizae, VIII 2935
VANILLAE, VIII 2935
Aspergillus delacroixii, VI 2166: VII 2528

flavus, VI 2166: VII 2528
olivaceus, VI 2166
periconioides, VI 2167: VII 2528
Aspidium *angilogense*, III 813: IX 3171
coadunatum, IV 1151
copelandi, I 234
cucullatum, II 390
heterodon, I 234
persoriferum, III 812
Asplenium adiantoides, IX 3151
affine, III 822
anisodontum, II 404
apoense, III 819
belangeri, III 821
caudatum, III 821
caudatum, IX 3152
cuneatum tripinnatum, III 822
cymbifolium, II 402: III 819
ellipticum, III 819
epiphyticum, III 820
excisum, II 403
falcatum, IX 3151
ficifolium, III 819
filipes, III 820: IX 3151
filipes, II 403
fraternum, II 403
griseum, III 821: V 1683
laserpitiifolium, II 404: III 822: IX 3151
lepturus, II 404
macrophyllum, III 821
macrophyllum, III 1133
militare, III 822
musaefolium, II 402: III 819, 846
nidus, II 402: IX 3151
normale, III 820: IX 3252
pellucidum, II 403: III 822: IX 3152
persicifolium, II 403: III 829
phyllitidis, II 402: III 819
rahaoense, IX 3152
scandens, III 821
scolopendrioides, III 820
spathulinum, IX 3152
squamulatum, III 819
squamulatum, III 819
subnormale, II 403
tenerum, II 403: III 820
todayense, III 820
trichomanes, III 820
truncatilobum, IX 3152
unilaterale, II 403: III 820: IX 3152
unilaterale, II 403: III 820: IX 3151
Aster *luzonensis*, I 131
LUZONENSIS, I 131
philippinensis, I 131
philippinensis, I 131
trinervius, I 132
Asterina capparidis, V 1539: VI 2090, 2277: VII 2437: IX 3137
cassiae, VI 2091: VII 2437
colliculosa, VII 2438
crustacea, VIII 2931
decipiens, VI 2091, 2277: VII 2438
DECIPIENS, V 1540
derridis, VI 2091: VII 2438
diaphana, VI 2091
DIAPHANA, IV 1155
dilleniae, VII 2438
elaeocarpi, VI 2091
ELAEOCARPI, IV 1156
elmeri, VI 2091: VII 2438: IX 3137
elmeri, V 1540: VI 1927
ELMERI, IV 1156
escharoides, VI 1928, 2091: IX 3174
ESCHAROIDES, IV 1155
irregularis, VI 2092
IRREGULARIS, V 1540
lawsoniae, VI 2092, 2227: VII 2438
laxiuscula, VI 1928, 2092
lobata, VI 1927, 2092
LOBATA, V 1541
lobulifera, VII 2439
lophopetali, VII 2439
LOPHOPETALI, VI 2228
nodulifera, VII 2439
opposita, VI 2092
opposita, VI 1927
OPPOSITA, VI 1926
pemphidioides, VI 2092: VII 2439
pemphidioides, VI 2228
piperina, IX 3137
pipturi, IX 3137
porriginosa, VI 2093
PORRIGINOSA, V 1541
pusilla, VI 2093
sponiae, VI 1928, 2093: VII 2439: IX 3137
subinermis, VI 2093
SUBINERMIS, VI 1927
trachycarpa, VI 2093
TRACHYCARPA, V 1542
transversalis, VI 2093
transversalis, VII 2442
TRANSVERSALIS, V 1542

Asterinella calami, VII 2439
capizensis, IX 3174
distinguenda, VI 2093
HAPALA, IX 3176
loranthi, VI 2093
lugubris, VI 2094
luzonensis, VI 2094
obesa, VI 2094: VII 2440
obesa, VII 2440
palawanensis, VII 2439
ramuligera, VII 2439
Asterostomula PINATUBENSIS, IX 3177
Astilbe *philippinensis*, VI 2073
Astrocalyx calycina, X 3649
Astrocystis *mirabilis*, VI 1940, 2120
Astronia *acuminatissimum*, X 3658
APOENSIS, IV 1206
AVELLANEA, X 3649
badia, X 3651
BICOLANA, X 3651
BULUSANENSIS, X 3653
calycina, IV 1206
candolleana, X 3654
consanguinea, X 3654
CUERNOSENSIS, IV 1204
cumingiana, IV 1203: VIII 3093
discolor, X 3651
ferruginea, IX 3203
FERRUGINEA, IV 1205
FOXWORTHYI, VIII 3091
gitingensis, X 3657
GITINGENSIS, IV 1202
glauca, X 3657
lagunensis, X 3655
loheri, X 3655
LUCBANENSIS, IV 1201
maquilingensis, X 3651
MAQUILINGENSIS, VIII 3092
MERRILLII, VIII 3091
meyeri, IV 1191
PACIFICA, X 3654
piperi, X 3655
piperi, VIII 3091
platyphylla, X 3654
pulchra, IV 1205: X 3652
purpuriflora, X 3652
PURPURIFLORA, X 3656
ramosii, X 3657
rolfei, IV 1203
sorsogonensis, X 3658
subcaudata, IV 1204
viridifolia, VIII 3092: X 3652, 3657
VIRIDIFOLIA, IV 1203
williamsii, IV 1191
ZAMBALENSIS, IX 3202
Astrosphaeriella fusispora, VI 2120
Athyrium accedens, III 817
basilare, IX 3111
blumei, II 401: III 815
bolsteri, II 400
cordifolium, III 818
cordifolium, III 817
COSTULISORUM, III 815
cyatheaefolium, III 814
cyatheifolium, IV 1152
davaoense, III 816
dolichosorum, II 400: IX 3153
drepanopterum, IX 3153
EBENIRACHIS, IX 3110
ELMERI, II 399
esculentum, II 401
fraxinifolium, III 817
fructuosum, II 401: III 816
geophilum, III 816
GEOPHILUM, II 399
grammitoides, III 814: IX 3153
grammitoides, III 808
MACROSORUM, III 815
meyenianum, II 400: III 816
MOLLIFRONS, IX 3153
oligosorum, II 400
PALAUANENSE APOENSE, III 817
pallidum, III 817
pariens, II 401: III 817
pariens, II 401, 402
pinnatum, III 817
pinnatum, V 1683
platyphyllum, III 814
platyphyllum, III 814
PROPINQUUM, V 1683
SIBUYANENSE, IV 1152
silvaticum, III 814, 815: IX 3111, 3154
sorsogonense, II 400: III 816
STRAMINEUM, II 399
tabacinum, II 401: III 817
tabacinum, II 401, 402
williamsii, IX 3154
williamsii, II 400
woodwardioides, III 814
woodwardioides, IX 3111
Auerswaldia arengae, VI 2101: VII 2452
arengae, VIII 2939, 2940
copelandi, VI 2101: VII 2452
decipiens, VI 1936, 2101
decipiens, VI 2273: VII 2452: VIII 2940
derridis, VI 2101, 2222: VII 2452
derridis, VII 2461

examinans, VI 2101, 2272: VII 2452
gigantochloae, VII 2452
GIGANTOCHLOAE, VI 2222
lophiostomacea, VII 2453
LOPHIOSTOMACEA, VI 2274
merrillii, VI 2101: VII 2453
pandani, VII 2453
pandani, VIII 2939
PANDANI, VI 2273
Aulacostroma palawanense, VII 2453
Auricularia polytricha, VI 2240
tenuis, VI 2240
Avicennia *alba*, VIII 2869
MINDANAENSIS, VIII 2868
Azadirachta integrifoliola, IX 3340

B

Baccaurea BANAHAENSIS, IV 1475
ODORATISSIMA, IV 1276
TERMINALIFOLIA, IV 1277
tetrandra, X 3807
Baccharis *indica*, I 106
ivaefolia, I 134
Balanophora *abbreviata*, V 1659
altacea, V 1659
decurrens, V 1659
FAWCETTII, V 1659
forbesii, V 1662
hildebrandtii, V 1660
INCARNATA, V 1661
micrantha, V 1659
micrantha, V 1661
SUBGLOBOSA, V 1660
Balansia claviceps, VI 2226: VII 2453
claviceps, VII 2453
paspali, VI 2102
vorax, VI 2102
Balantium copelandi, II 395
Balladyna medinillae, VI 2257
melodori, VII 2446
velutina, V 1539: VI 2081: VII 2446
Bambusa *blumeana*, VI 1936, 1937, 1942, 1944, 2098, 2099, 2110, 2111, 2112, 2120, 2121, 2122, 2123, 2125, 2128, 2164, 2205, 2222, 2224, 2226: VII 2450, 2459, 2462, 2468, 2472, 2479, 2486, 2519: VIII 2928, 2951, 2952, 2954, 2960
spinosa, VI 2121
vulgaris, IV 1386: VI 1940, 2120, 2243, 2260, 2261: VII 2469, 2471, 2472: VIII 2930, 2937, 2944, 2946, 2948, 2956
Barringtonia GITINGENSIS, VIII 2730
luzonensis, VI 2161: VII 2524
revoluta, VIII 2731
sumatrana, VIII 2731
Barya *salaccensis*, VI 2100
Bauhinia *cumingiana*, I 230: VI 1946, 2094
HALLIERIANA, II 691
malabarica, VI 2153, 2208: VII 2490, 2521
mirabilis, IX 3418
subglabra, II 692
WHITFORDII, I 229
Beccarianthus ickisii setosus, X 3658
ickisii setosus, IX 3412
Begonia BAKERI, X 3706
binuangensis, X 3807
caleicola, VII 2559
CAMIGUINENSIS, VII 2553
contracta, X 3709
copelandii, X 3707
CRISPIPILA, II 737
ELEGANS, VII 2554
gitingensis, VII 2554, 2559
GITINGENSIS, II 738
incisa, VII 2561
lagunensis, VII 2556
LAGUNENSIS, II 735
LEYTENSIS, II 739
luzonensis, VII 2559
manillensis, VII 2559
mindorensis, VII 2554
NEGROSENSIS, II 736
palawanensis, X 3709
PELTATA, VII 2556
pseudo-lateralis, X 3807
PURPUREA, X 3707
quercifolia, VII 2561
SORDIDISSIMA, VII 2557
SORSOGONENSIS, X 3708
URDANETENSIS, VII 2559
Beilschmiedia *cairocan*, V 1798
NIGRIFOLIA, V 1797
PURPUREA, II 703
trinervia, VIII 2721
Biatorina sublutea, VI 2141
Bidens bipinnata, I 174
denudata, I 175
pilosa, I 174
tridentata, I 175
tripartita, I 175
Bikkia grandiflora, III 973

Bilimbia RHAPHIDOPHYLLI, VI 2237
Biophytum *sensitivum*, VI 2161
Blainvillea *latifolia*, I 165
rhomboidea, I 165
rhomboidea, I 166
Blechnum *attenuatum*, IX 3155
egregium, II 402: III 818: IX 3155
orientale, III 818
patersoni, II 402: III 818
vestitum, II 402: III 818
Blumea *alata*, I 117
appendiculata, I 110
appendiculata, I 109
balsamifera, I 112
balsamifera, I 109: VI 1939, 2067: VII 2419
chamisonis, I 115
COPELANDII, I 359
densiflora, I 111
densiflora, I 109
glomerata, I 112
lacera, I 116
lacera, I 110
laciniata, I 114
laciniata, I 109: VI 2067
laxiflora, I 109
LAXIFLORA, I 110
manillensis, I 116
manillensis, I 110
membranacea, I 113
membranacea, I 109
napifolia, I 116
sericans, VII 2583
spectabilis, I 110
SUBSERICANS, VII 2582
tetraptera, I 117
virens, I 114
virens, I 109
virens minor, I 114
virens minor, I 109
wightiana, I 115
wightiana, I 110
Boea *philippinensis*, IX 3489: X 3807
pseudoglandulosa, IX 3120, 3489
Boehmeria blumei, III 891
celebica, III 891
Boerlagiodendron AGUSANENSE, VII 2330
clementis, VII 2328
HUMILIS, VII 2327
mindanaense, VII 2329: IX 3119, 3134
serratifolium, VII 2332
SERRATIFOLIUM, II 505
sibuyanense, VII 2332
SIBUYANENSE, VII 2328
SIMPLICIFOLIA, VII 2329
Boletus *ungulatus*, VI 2250
Borreria *stricta*, IX 3249
Botrychium daucifolium, II 425: III 796
Botryodiplodia anceps, VI 2150: VII 2504
curta, VII 2504
elasticae, VI 2151
Botryosphaeria bakeri, VI 2195, 2126: VII 2485
dispersa, VI 2225: VII 2449
majuscula, VI 2196
pulicaris, VI 2225
saubinetii, VI 2225
Brachysorus *woodwardioides*, IX 3111
Brachysporium bakeri, VII 2520
pini-insularis, VI 2160: VII 2520
Brassica *chinensis*, VI 2160
Breynia rhamnoides, III 906
Briardia *lutescens*, VIII 2927
MAQUILINGIANA, VIII 2927
roseo-lutescens, VIII 2927
Bridelia lauraefolia, VII 2637
stipularis, VII 2474
tomentosa, VI 2078: VII 2638
Broomella ZEAE, VIII 2923
Bruguiera *caryophyllacea*, VII 2520
eriopetala, IX 3117
Buchanania *congiomerata*, X 3682
CONGLOMERATA, X 3679
florida, IV 1501
nitida, X 3681, 3682
platyphylla, X 3682
RETICULATA, IV 1499
SORSOGONENSE, X 3681
Bulbophyllum ALSIOSUM, V 1583
cumingii, V 1587
dasypetalum, V 1584, 1585
gibbosum, V 1585
lancifolium, V 1584
LANCIFOLIUM, V 1585
lasioglossum, V 1586
longipetiolatum, V 1585
LONGIPETIOLATUM, V 1584
mindanaense, V 1585
MINDANAENSE, V 1585
NEGROSIANUM, V 1586
sibuyanense, V 1587
SIBUYANENSE, V 1587

Bulbostylis barbata, X 3525
Bulgaria javanica, VI 1947, 2140
pusilla, VI 1947, 2140: VII 2499
Bulgariastrum caespitosum, VI 2140

C

Cacalia *sarrasenica*, I 146
sonchifolia, I 146
Caesalpinia BENGUETENSIS, I 226, 362
MINUTIFLORA, V 1803
nuga, VI 2088
sappan, V 1804
sepiaria, I 227
Calamus bicolor, VIII 3055
blancoi, VIII 3048
cumingianus, VIII 3050
cumingianus, VIII 3051
dimorphacanthus, VIII 3055
discolor, II 649: VIII 3048
discolor, II 649, 650
elmerianus, VIII 3051
elmerianus, II 649
ELMERIANUS, II 647
filispadix, VIII 3048
lindenii, II 649
manillensis, VIII 3052
manillensis, VIII 3061
megaphyllus, VIII 3060
melanorhynchus, VIII 3058
merrillii, VIII 3057
merrillii merrittianus, VIII 3057
merrillii nanga, VIII 3057
microcarpus, VIII 3055
microcarpus, VIII 3056
minahassae, II 649
mitis, II 649
mollis, VIII 3046
mollis palawanicus, VIII 3047
moseleyanus, VIII 3053
multinervis, VIII 3060
multinervis, VIII 3064
ornatus philippinensis, VIII 3054
samian, VIII 3059
siphonospathus, VIII 3056
symphysipus, VIII 3049
symphysipus, VIII 3051
tonkinensis, II 650
VINOSUS, VIII 3061
viridissimus, VIII 3059
Callicarpa AFFINIS, III 864
APOENSIS, III 861
arborea, III 866
ATTENUIFOLIA, VIII 2870
bicolor, X 3798
biancoi, III 864
blancoi, VI 1926, 2090: IX 3135
cana, VI 2084, 2085
caudata, III 862
EPIPHYTICA, VIII 2871
erioclona, III 866
flavida, VIII 2873
FLAVIDA, III 863
magna, III 865, 1133: IX 3223
MAGNA LILACINA, IX 3222
maingaya, III 866
nana, X 3798
ovata, III 864
paloensis, II 514: III 864
PALOENSIS, I 336
subalbida, III 862
SUBALBIDA, I 337
SUBCANDIDA, X 3797
SUBGLANDULOSA, II 513
Calloria *meliolicola*, VI 2280
Calocasia esculentum, X 3617
Calocera *glossoides*, VI 2241
Calonectria copelandii, VI 2097: VII 2448
hibiscicola, VIII 2923
limpida, VI 2097
LIMPIDA, V 1545
meliae, VIII 2923
sulcata, VIII 2923
Calonyction *aculeatum*, VI 2157
Calopeziza mirabilis, VI 2141, 2235: VII 2499
Calophyllum FLAVO-CORTICA, VII 2682
HIBBARDII, II 503
inophyllum, VII 2526
LANCIFOLIA, VII 2683
MINDANAENSE, VII 2684
prainianum, II 504
PULGARENSE, V 1786
racemosum, VII 2683
SORSOGONENSE, X 3744
whitfordii, VII 2687
zschokkei, X 3745
ZSCHOKKEI, VII 2686
Calosphaeria inconspicua, VII 2478
TOGNINIA INCONSPICUA, VI 2213
Calycophyllum *grandiflorum*, III 992
Camarotella TRIPHASIAE, IX 3126
Campium diversifolium, IX 3155
Campsotrichum heterochaetum, VII 2520
Campylopus CALODICTYON, II 651
comosa, II 652
COPELANDII, VI 1973
foxworthyi, VI 1973

Canangium *odoratum*, IX 3447
Canarium AGUSANENSE, VII 2564
ahernianum, II 483: III 1081, 1087, 1134
altissimum, III 1086
ANTONII, X 7311
APOENSE, III 1083
bersamifolium, II 483
calophyllum, IV 1503
CLEMENTIS PERUMBRINUM, III 1078
costulatum, III 1078, 1082: X 3714
COSTULATUM, III 1080
cumingii, III 1077
denticulatum, III 1085
euryphyllum, III 1088
gracile, III 1078
gracile, X 3712
laciniatum, IV 1156: V 1755: VI 2104
LACINIATUM, III 1084
leytense, III 1081
LONGIFLORESCENS, X 3713
lucidum, III 1084
luzonicum, VI 2104, 2229: VII 2445, 2455
MELIOIDES, III 1079
nervosum, VII 2566
nervosum, III 1081, 1082, 1087: X 3714
NERVOSUM, II 482
OGAT, III 1086
ovatum, III 1080: IX 3412
pachyphyllum, III 1080
PALAWANENSE, V 1754
perkinsae, IV 1504
polyneuron, V 1534: VI 2082
PURPUREUM, IV 1503
racemosum, III 1077
racemosum, III 1082
radlkoferi, II 483
reticulatum, VII 2566, 2568
SIBULANENSE, III 1085
SIBUYANENSE, IV 1502
subvelutinum, VII 2566
SUBVELUTINUM, VII 2566
thyrsoideum, III 1083
todayense, IV 1157: VI 2104
TODAYENSE, III 1087
tongcalingii, III 1134
TONGCALINGII, III 1082
URDANETENSE, VII 2568
urophyllum, IV 1504
VILLOSIFLORUM, VII 2569
villosum, VI 2094, 2103, 2104, 2220: VII 2455
Canavalia *ensiformis*, VI 2146: VII 2521
obtusifolia, VI 2154: VII 2511
turgida, VI 2157
Canthium *arboreum*, I 360
campanulatum, VI 2069
didyma, I 360
horridum, I 360
lycioides, I 360
mite, I 360
oblongifolium, IX 3261
pedunculare, I 360
villarii, I 360
Capnodium footii, VII 2447
Capparidis *macracantha*, VI 2277
Capparis *aurantioides*, VI 2117
COPELANDII, II 680
cumingii, V 1757
horrida, VI 2090, 2117, 2194, 2204: VII 2473, 2475: VIII 2949
irosinensis, IX 3137
macrantha, VII 2437, 2524
mucronata, V 1539: VI 2090
MUCRONATA, V 1757
oblongata, V 1757: VIII 3076: IX 3489: X 3807
sepiaria, VI 2140
TURCZANINOWII, V 1755
viridis, X 3807
VIRIDIS, VIII 3076
Capsicum *frutescens*, VII 2513
Carex breviscapa, X 3525
cryptostachys, X 3526
cumingii, X 3528
ELMERI, III 853
loheri, III 853
malaccensis, IV 1170
nodiflora, X 3526
nodiflora, X 3528
PALAWANENSIS, IV 1169
rafflesiana, X 3526
rafflesiana, VI 2079, 2156
VULCANICA, X 3526
Carica *papaya*, VI 2112, 2118, 2157. 2167: VII 2474, 2505, 2528
Carionia *elegans*, IX 3143
Carpesium *cernuum*, I 124
cernuum glandulosum, I 124
Carruthersia DARONENSIS, IV 1450
HIRSUTA, II 587

IMBERBIS, II 588
KINDLEYI, IV 1452
LEAVIS, IV 1449
pilosa, II 588: IV 1452, 1453
Carthamus tinctorius, I 179
tinctorius, VI 2163: VII 2524
Caryota mitis, VIII 3020
rumphiana, VIII 3020
rumphiana philippinensis, IX 3136
RUMPHIANA PHILIPPINENSIS, VIII 3019
tremula, VIII 3022
Cascaria AGUSANENSE, VII 2652
crenata, IX 3190
DENSIFOLIA, IV 1516
ELLIPTIFOLIA, X 3738
fuliginosa, IV 1518
GLAUCIRAMEA, IV 1517
loheri, X 3739
LUTEO-CARPA, IX 3189
polyantha, VII 2652
trivalvis, VIII 3083
ZSCHOKKEI, VIII 3083
Cassia *alata*, IX 3121
occidentalis, VI 2162: VII 2509, 2520, 2522, 2523, 2527
timorensis, VI 2091
tora, VI 2069, 2166: VII 2421, 2527
Castanea *vulgaris*, VI 2073, 2074: VII 2425
Castanopsis *argyrophylla*, V 1779
castanicarpa, V 1779
EVANSII, V 1778
javanica, III 936
javanica, III 934, 935
sumatrana, III 936
sumatrana, III 934
Catacauma EGENULUM, IX 3124
garciae, IX 3136
makilingianum, IX 3135
STRYCHNI, IX 3125
Catenularia velutina, VI 2160
Ceiba pentandra, IV 1367
Celastrus APOENSIS, VII 2579
championi, VII 2580
paniculatus, VII 2444, 2527, 2580
polybotrys, VII 2580
Celtis *luzonica*, X 3797
mindanaensis, X 3797
MINDANAENSIS, VIII 2842
multifolia, IX 3132, 3489
MULTIFOLIA, X 3796
philippinensis, VI 2229: VII 2444: VIII 2843: IX 3489: X 3797
RUBROVENIA, II 464
Cenangella gliricidiae, VII 2498
GLIRICIDIAE, VI 2279
Cenangium BLUMEANUM, VIII 2927
helvolum, VIII 2928
Centhratherum fruticosum, I 88
muticum, I 88
Centipeda *minima*, I 139
orbicularis, I 139
Centotheca latifolia, X 3509
latifolia, VIII 2924
Centrostemma multiflorum, X 3547
Cephalosche fflera catanduanensis, X 3639
Ceratosphaeria philippinarum, VI 2122: VII 2478
Cerbera *odullum*, VII 2381
Cercospora acerosa, VI 2160
alpiniae, VII 2521
amorphophalli, VI 2160: VII 2521
armoraciae, VI 2160: VII 2521
artocarpi, VII 2521
bakeri, VI 2160
bakeriana, VII 2521
barringtoniae, VI 2161
bauhiniae, VII 2521
biophyti, VI 2161
canavaliae, VII 2521
gliricidiae, VI 2161: VII 2521
helminthostachydis, VI 2161: VII 2521
henningsii, VI 2161
henningsii, VII 2522
lagerstroemiae, VII 2522
licualae, VII 2522
litsea-glutinosae, VI 2161
lussoniense, VII 2522
mangiferae, VI 2161: VII 2522
manihotis, VII 2522
nicotianae, VI 2161: VII 2522
occidentalis, VI 2162: VII 2522
occidentalis crassicarpa, VII 2523
pachyderma, VII 2523
pahudiae, VII 2523
pantoleuca, VI 2162: VII 2523
personata, VI 2162: VII 2523
personata, VII 2518
puerariae, VII 2523
pumila, VI 2162: VII 2523
sesami, VI 2162
stizolobii, VI 2163: VII 2523

subsessilis, VI 2163: VII 2523
subtorulosa, VI 2163: VII 2524
tabernaemontanae, VI 2163
tiglii, VI 2163: VII 2524
tosensis, VI 2163
ubi, VI 2163: VII 2524
Cercosporella uredinophila, VII 2529
Cercosporidium helleri, VI 2163
Cercosporina barringtoniae, VII 2524
carthami, VI 2163: VII 2524
helicteres, VII 2524
taccae, VI 2164: VII 2524
Cerebella paspali, VI 2078: VII 2518
Ceropegia *candelabra*, VII 2420
cumingiana, X 3548
cumingiana, VI 2069
Cestichis *linearifolia*, V 1564
LINEARIFOLIA, V 1563
merrillii, V 1564
Ceuthocarpon depokense, VIII 2953
depokense, VIII 2953
TALAUMAE, VIII 2953
Ceuthospora garciniae, VII 2504
Chaelosphaeria *meliolicola*, IX 3134
Chaetodiplodia *grisea*, VI 2151
Chaetomitrium ELMERI, VI 1974
Chamabainia cuspidata, III 893
Champereia *cumingiana*, V 1540: VI 2091
fragilis, IV 1156
manillana, VI 2091, 2277: VII 2438
Chasalia curviflora, I 3: III 1033
expansa, III 1034
membranifolia, V 1856
MEMBRANIFOLIA, III 1032
OBSCURINERVIA, III 1033
rostrata, I 3
Chavica *miniata hirtella*, III 766
Cheiroplouria bicuspis, III 850
bicuspis, III 1133
Chilocarpus *atro-viridis*, IV 1454
GLOBOSUS, IV 1454
LEYTENSIS, IV 1453
nigrescens, IV 1454
Chionanthus *luzonica*, V 1651
Chrisocheton APOENSE, IX 3341
BENGUETENSE, IX 3343
clementis, IX 3345
clementis, IX 3323
cumingianus, IX 3346
cumingianus, IX 3345, 3379
curranii,, IX 3346
fulvus, IX 3345
pentandrus, IX 3347
philippinus, IX 3347
sorsogonense, IX 3347
tetrapetalus, IX 3347
tetrapetalus, IX 3343
urdanetense, IX 3347
vulcanicus, IX 3345
Chloris barbata, X 3510
incompleta, VII 2454
Christensenia cumingii, III 797
Christiopteris sagitta, III 848: IX 3155
sagitta, III 848: IX 3144
Christisonia WIGHTII, VIII 2793
Chrysanthemum indicum, I 138
Chrysogonum PHILIPPINENSE, I 161
Cibotium *barometz*, IX 3149
cumingii, IX 3149
Cichorium *endivia*, I 181
intybus, I 181
Ciliciopodium grayanum, VI 2159: VII 2519
Cinnamomum mercadoi, II 704
mercadoi, VII 2381
mindanaense, VII 2381
MINDANAENSE, II 705
Cintractia axicola, VI 2078: VII 2428
cyperi-polystachyi, VI 2079: VII 2428
merrillii, VI 2079: VII 2428
merrillii, VII 2428
muelleri, VI 2079
muelleri, VII 2428
Cipadessa baccifera, IX 3348
fruticosa, IX 3348
Cirsium wallichii, I 178
Cissampelos *cumingii*, IV 1167
discolor, IV 1167
pareira, IV 1167
Cissus APOENSIS, VIII 2880
assamica, X 3807
SUBEROSA, II 493
Citrus *decumana*, VI 1942, 2124
nobilis, VI 2145, 2263, 2265, 2270: VII 2477, 2479, 2481, 2484, 2511: VIII 2950
Cladium JUNCOIDES, III 854
meyenii, III 854
Cladoderris elegans, VI 2242
Cladonia floerkeana carcosta, II 435
Cladosporium epiphyllum, VII 2525

fumago, VII 2526
herbarum, VI 2164
lineolatum, VII 2524
oplismeni, VI 2164
Claoxylon *arboreum*, VII 2639
ARBOREUM, II 486
elongatum, II 487: VI 2261: VII 2467
GRANDIFOLIUM, VII 2638
indicum, II 487
rubescens, III 908
SUBVIRIDE, III 907
Clausena PALAWANENSIS, X 3781
todayensis, X 3782
TODAYENSIS, VIII 2805
Claviceps *philippii*, VI 2227: VII 2453
Cleistanthus decipiens, IV 1284
integer, III 908
isabellinus, IV 1284
ISABELLINUS, III 911
myrianthus, III 911
pseudocanescens, IV 1284
PSEUDOCANESCENS, III 910
ROBINSONII, III 909
Clemensia macrantha, IX 3349
Clemensiella *dischidioides*, X 3549
mariae, X 3548
Cleome ACUTIFOLIA, VII 2574
viscosa, VII 2575
Clerodendron *calamatosum*, VI 2067: VII 2419
commersonii, VI 2071
CURRANII, V 1847
fragrans, VI 2068
infortunatum, V 1849
intermedium, VI 2067, 2068, 2088, 2160
KLEMMEI, II 514
minahassae, VI 2071, 2084
PHILIPPINENSE, IX 3223
PRESLII, II 515
similis, II 515
thompsoni, VI 2200, 2216: VII 2469, 2483
vanoverberghii, IX 3224
WILLIAMSII, II 684
Clethra *canescens*, IX 3184
CASTANEUS, IX 3182
lancifolia, IX 3184
obovatifolia, V 1759
PULGARENSIS, V 1757
Clitoria *ternatea*, VI 2162
Clypeosphaeria BAKERIANA, VIII 2948
euphorbicola, VIII 2949
gigantochloa, VII 2472
GIGANTOCHLOA, VI 2204
valparadisiensis, VI 2204
Cnicus *wallichii*, I 178
Coccomyces canarii, VI 2145
DUBIUS, VIII 2926
QUADRATUS PHILIPPINUS, VIII 2926
Cocculus sarmentosus, IV 1166
trilobus, IV 1166
Coceocarpia molybdaea, II 435
Cocos *nucifera*, VI 1942, 2114, 2124, 2153, 2158, 2214: VII 2447, 2454, 2466, 2470, 2481, 2506, 2517
Codiaeum *luzonicum*, IV 1284: X 3807
PALAWANENSE, IV 1283
Coelogyne *elmeri*, V 1556
ELMERI, V 1556
tumida, V 1556
Coelospermum AHERNIANUM, I 3
Coffea arabica, I 3
arabica, VI 2070, 2150: VII 2422, 2504
tetrandra, III 1044
Coix *agrestis*, VII 2456
lacrymi-jobi, VI 2104: VII 2466, 2506, 2508
Coleosporium exaci, VII 2427
knoxiae, VII 2427
merrillii, VI 2078: VII 2427
Coleus APOENSIS, VII 2694
INTEGRIFOLIUS, VII 2696
SCUTELLARIOIDES, VII 2697
SPARSIFLORUS, VII 2699
Colletotrichum arecae, VI 2156: VII 2515
ELMERI, IX 3131
euchronum, VI 2156: VII 2515
lussoniense, VII 2515
pandani, VI 2156: VII 2515
papayae, VI 2157: VII 2515
Coltricia cinnamomea, I 262
Columbia serratifolia, VI 2261: VII 2467
Columella *geniculata*, X 3801
IROSINENSIS, X 3799
Commelina LUZONENSIS, IX 3184
nudiflora, IX 3185
Conchophyllum *copelandii*, X 3570
elmeri, X 3549
elmeri, X 3587
merrillii, X 3570

Coniogramme fraxinea, III 823
fraxinea copelandii, II 404: III 823
serrulata, III 823
SUBCORDATA, III 823
Coniosporium bambusae, VII 2525
circumscissum, VI 2164: VII 2525
extremorium, VI 2164: VII 2525
lineolatum, VI 2164: VII 2525
punctiforme, VII 2525
unilaterale, VII 2526
vinosum, VI 2164
Coniothyrium coffeae, VI 2150: VII 2504
gmelinae, VI 2150: VII 2504
oroxyli, VI 2150: VII 2505
Connarus BALSAHANENSIS, V 1764
carnosus, X 3719
CARNOSUS, IV 1508
culionensis, V 1763
ERIANTHUS, V 1762
fragrans, X 3807
FRAGRANS, IV 1507
hallieri, IV 1508, 1509
mindanaensis, V 1764
neurocalyx, V 1764
OLIGANTHUS, X 3718
palawanensis, X 3719
PALAWANENSIS, V 1763
stellata, V 1763
SUBINAEQUIFOLIUS, I 297
trifoliatus, X 3807
URDANETENSIS, VII 2594
whitfordii, X 3719
Conocephalus PIPERI, VIII 2770
violascens, VIII 2772
WARBURGII, I 278
Conyza *aegyptica*, I 134
ambigua, I 135
appendiculata, I 110
balsamifera, I 112
bifoliata, I 115
cappa, I 134
chinensis, I 93
cinerea, I 94
dentata, I 134
erosa, I 116
gouiana, I 116
hirsuta, I 107
indica, I 106
japonica, I 134
lacera, I 116
laciniata, I 114
manillensis, I 116
membranacea, I 113
oligandra, I 134
scabrida, I 106
tetraptera, I 117
tinctoria, I 172
viscidula, I 133
Coptosapelta flavescens, III 986
flavescens, V 1857
olaciformis, V 1856
Cordia *myxa*, VI 2199: VII 2465
Coreopsis drummondii, I 172
elegans, I 172
gracilis, I 172
Coriolopsis aneba, I 262
dermatodes, I 263
melleo-flava, VI 2247
semilaccata, I 263
Coriolus atypus, I 263
elongatus, VI 2248
hirsutus, VI 2248
hirsutus polyzonus, VI 2248
hirsutus vellereus, VI 2248
maximus, I 263
murinus, I 263
vernicipes, I 263
vinosus, VI 2248
Coryne meliolicola, VI 2280: VII 2500
Corynelia clavata, VI 2116: VII 2469: VIII 2925
uberata, VI 2116
Corypha elata, VIII 3023
elata, VI 2095, 2112, 2127, 2144, 2152, 2154, 2165: VII 2508, 2509: VIII 2940
Cosmos caudatus, I 176
sulphureus, I 172
Costus speciosus, VIII 2977
Cotula *quinqueloba*, I 139
Crassocephalum *latifolium*, I 145
Cratoxylon ARBOREUM, VIII 3084
blancoi, X 3807
celebicum, VIII 3085
HYPOLEUCA, V 1787
Creochiton diptera, X 3659
DIPTERA, IV 1192
rosea, IV 1191: VIII 2756
Crepidotus QUITENSIS PHILIPPINENSIS VI 2255
Crepis japonica, I 184
Crossostephium artemisioides, I 142
Crotalaria *sessiliflora*, IX 3135
Croton APPENDICULATUS, I 312

ardisioides, IV 1281
argyratus, IV 1280
cumingii, IV 1283
CUPREA, IV 1281
CURTIFLORUS, I 310, 363
leiophyllus, III 912: IV 1280
longipedunculatus, IV 1306
LONGIPEDUNCULATUS, I 311
tiglium, VI 2153, 2163: VII 2511, 2524
Crypteronia *cumingii*, IX 3489: X 3807
laxa, IX 3129, 3489
Cryptocarya *acuminata*, II 710, 712
calelanensis, VIII 2720
CALELANENSIS, II 707
cinnamomifolia, X 3755
EVERETTII NAVESII, II 706
foxworthyi, IX 3117
FOXWORTHYI, X 3752
glauca, II 708
glauciphylla, II 712: VIII 2720
GLAUCIPHYLLA, II 710
ilocana, II 710
INTERMEDIA, VIII 2719
LAEVIGATA, VIII 2720
laurifolia, VIII 2722
luzonensis, VIII 2722
MINDANAENSIS, VIII 2721
PACIFICA, X 3753
palawanensis, VIII 2720
pallida, II 708
parvifolia, X 3753
SUBVELUTINA, II 707
todayensis, IV 1159: VI 2102
TODAYENSIS, II 709
TRINERVIA, X 3754
villarii, X 3807
zamboangensis, X 3754
Cryptolepis javanica, X 3549
Cryptosphaeria philippinensis, VI 2123: VII 2478
Cryptospora bambusae, VI 2125
bambusae bakeriana, VI 2125
Cryptovalsa philippinensis, VII 2478
Cudrania *javanica*, VI 2159: VII 2518
Cupaniopsis PATENTIVALVIS, V 1612
Curculigo *agusanensis*, V 1647
AGUSANENSIS, V 1645
BREVIPEDUNCULATA, V 1647
glabra, V 1645
glabra, V 1646, 1647
latifolia, V 1649
orchioides, V 1645
recurvata, V 1645
recurvata, V 1646
WEBERI, V 1646
Curcuma zeodaeria, VIII 2977
Cyamopsis *psoraleoides*, VI 2152: VII 2508
Cyanopsis *pubescens*, I 93
Cyanotis BRUNNEA, X 3714
capitata, X 3715
moluccana, X 3715
Cyathea APOENSIS, III 802
arachnoidea, III 802
atropurpurea, III 802
BICOLANA, IX 3108
BICOLOR, III 804
BULUSANENSIS, IX 3109
caudata, III 804: IV 1150: VII 2500
christii, III 803
christii, II 418, 420: III 803
CINEREA, V 1681
contaminans, III 804: IX 3148
DIMORPHOTRICHA, V 1681
elmeri, III 803
FRUCTUOSA, II 419
glabra, IV 1150
heterochlamydea, III 803
HETEROCHLAMYDEA, II 418
hypocrateriformis, V 1680
integra, V 1680
integra, IV 1151: V 1680: IX 3108, 3109
javanica, III 804
junghuhniana, V 1681
lanaensis, III 803: V 1681
latebrosa, IX 3148
LATIPINNULA, IV 1149
loheri, IX 3148
loheri, II 419
mearnsii, IV 1150
mitrata, V 1682
negrosiana, II 418
OBLIQUA, IV 1150
orientalis, III 803
raciborskii, V 1681
robinsonii, IV 1151
philippinensis, IV 1151: IX 3108, 3109
SIBUYANENSIS, IV 1150
tripinnata, II 419: III 802
WARIHON, V 1680
zollingeriana, III 803
Cyathophorum *parvifolia*, II 657
PHILIPPINENSE, II 657

Cyathus *byssoides*, VI 2256
caudata, VI 2081, 2102, 2280
elmeri, VI 2256
montagnei, VI 2255
montagnei, VI 2256
plicatus, VI 2255
poeppigi, VI 2255
sulcatus, VI 2255
Cycloa merrillii, IV 1167
Cyclodothis pulchella, VI 2102: VII 2453
PULCHELLA, VI 1930
Cyclomyces cichoriaceus, VI 2249
Cyclophorus *achrostichoides*, I 234
achrostichoides gracilis, I 234
adnascens, II 414: IX 3156
lanuginosus, IX 3156
lingua, II 414
lingua, II 415: III 847: IX 3156
nummularifolius, III 847
sarasinorum, II 415: III 847
sphaerostichus, IX 3156
varius, II 414
warburgii, II 415
Cycloporellus microcyclus, I 264
Cyclostemon *bordenii*, III 914
GITINGENSIS, III 912
INCARNATA, VII 2639
IWAHIGENSIS, IV 1278
littoralis, III 915
megacarpa, VII 2640
MERRITTII, III 913
monospermus, III 913
SIBUYANENSIS, III 914
Cylindrosporium exiguum, VI 2157
Cymbidium *finlaysonianum*, V 1571
Cynanchum DENIGRATUM, X 3549
physocarpum, X 3551
schlechterianum, X 3551
Cynodon *dactylon*, VI 2104, 2221: VII 2456
Cynometra ALTERNIFOLIA, I 223, 362
bijuga, VIII 2736
COPELANDII, VIII 2734
DENSIFLORA, I 222
warburgii, I 222
WHITFORDII, VIII 2734
Cyperus difformis, X 3528
diffusus, X 3528
eragrostis, X 3529
haspan, X 3529
iria, X 3529
iria, VI 2072
longus, VI 2072
pilosus, X 3530
polystachyus, VI 2072, 2079: VII 2425, 2428
radiatus, X 3530
rotundatus, VI 2072
rotundus, X 3530
silletensis, X 3530
zollingeri, X 3531
Cyphlophus BRUNNEOLUS, III 896
microphyllus, III 897
MICROPHYLLUS, III 895
moluccanus, III 895
Cyrtandra AGUSANENSIS, VII 2658
ANGULARIS, III 960
ANTONIANA, II 561
APOENSIS, III 962
attenuata, III 962
ATTENUATA, II 558
benguetiana, II 568
CALLICARPIFOLIA, III 966
CONSTRICTA, VII 2660
COPELANDII, VII 2661
cumingii, III 957: VII 2664: IX 3193
davaoensis, VII 2661
DAVAOENSIS, III 968
DECUSSATA, III 961
elatostemoides, V 1907
ELATOSTEMOIDES, V 1781
falcata, III 961
FRAGILIS, II 557
GITINGENSIS, III 956
glaucescens, X 3743
GRANDIFOLIA, VII 2663
grossedentata, VII 2665
GROSSEDENTATA, I 346
hypocrhysoides, VII 2663
HUMILIS, I 345
humilis, II 559: III 962: X 3743
inaequifolia, VII 2659
INAEQUIFOLIA, V 1782
incisa, I 347: III 959: VII 2665
lagunae, VIII 3084
LAXA, III 967
livida, VII 2659
lobbi, II 555
maesifolia, III 960
MAESIFOLIA, II 556
MAQUILINGENSIS, VIII 3083
membranifolia, X 3742
MEMBRANIFOLIA, III 963
micrantha, II 561
MINDANAENSIS, III 958
oblongifolia, III 961
PALLIDA, II 559
pallida, III 968

parvifolia, II 558
PENINSULA, X 3741
philippinensis, I 347: III 959: VII 2665
PINATUBENSIS, IX 3191
QUISUMBINGII, IX 3193
QUISUMBINGII MINOR, IX 3194
RAMIFLORA, III 964
RUPICOLA, V 1784
scandens, VII 2661
sibulanensis, X 3744, 3819
sibuyanensis, X 3819
SIBUYANENSIS, III 969
similis, IX 3194
suffruticosa, III 961
TALONENSIS, III 959
tayabensis, II 555
tayabensis, III 969, 970: VII 2661
TAYABENSIS, I 347
UMBRINA, X 3742
URDANETENSIS, VII 2664
villosissima, II 555
vitiensis, III 957
VULCANICA, X 3743
williamsii, X 3807
Cyrtosperma merkusii, X 3618
merkusii, IX 3131
Cytospora aberrans, VII 2505
calami, VII 2505
lirella, VI 2150: VII 2505

D

Dacryomitra glossoides, VI 2240
glossoides, VI 2241
pusilla, VI 2241
Dactyloctenium aegyptenium, X 3510
Daedalea amanitoidea, I 271
applanata, I 271
hobsoni, I 271
imponens trametoides, VI 1920
lurida, VI 2244
microzona, VI 2244
palisoti, I 271
repanda, I 271: VI 2244
sanguinea, I 264: VI 2247
subconfragosa, VI 2244
Daemonorops AFFINIS, VIII 3042
curranii, VIII 3033
curranii, VIII 3040, 3042
gaudichaudii, VIII 3031
gaudichaudii, VI 2121: VIII 3044
GRACILIS, VIII 3044
hystrix, VIII 3042, 3046
lamprolepus, VIII 3035, 3040, 3042
manillensis, VIII 3052
margaritae palawanicus, VIII 3030
ochrolepis, VIII 3032
oligolepis, VIII 3037, 3039, 3040
OLIGOLEPIS, VIII 3035
pannosus, VIII 3037, 3039, 3040
PANNOSUS, VIII 3033
pedicellaris, VIII 3042
PEDICELLARIS, VIII 3040
urdanetanus, VIII 3039
URDANETANUS, VIII 3038
Dahlia *cervantesii*, I 173
coccinea, I 173
variabilis, I 173
Dalbergia DAVAOENSIS, II 700
DUBIA, VIII 2731
ferruginea, II 699: VI 1936, 2105, 2219: VII 2456
FERRUGINEA DARONENSIS, II 699
luzonensis, II 700
millettii, VIII 2732
minahassae, II 701
PINATUBENSIS, IX 3198
pinnata, VIII 2732: IX 3199
tamarindifolia, VIII 2732
Daldinia asphaltum, VI 2126: VII 2485
concentrica, VI 2126: VII 2485
concentrica eschscholzii, VI 2126
eschscholzii, VI 2206, 2273: VII 2485
eschscholzii, VI 2207
gollani, VI 2126
luzonensis, VI 2126
vernicosa, VI 2127
Damnacanthus indicus, III 1044
Daphniphyllum glaucescens, IV 1285
glaucescens, I 310
LUZONENSE, I 309
Darluca filum, IX 3137
Darwiniella orbicula, VI 2102
ORBICULA, IV 1158
Dasyscypha cyatheae, VII 2500
CYATHEAE, VI 2280
merrillii, VI 2141
merrillii, VI 2280
Datura *alba*, VII 2506, 2513
Davallia bulata, III 827
divaricata, III 827
ELMERI, IX 3107
embolostegia, II 395: IX 3156
solida, II 395: IX 3156

solida, IX 3107
villosa, III 824
wagneriana, II 395: III 827
Davallodes gymnocarpum, V 1683
hirsutum, III 826: IX 3157
Debregeasia *angustifolium*, VIII 2845
LUTEOCARPA, VIII 2843
Decaneurum *cuneata*, I 92
Decaspermum *blancoi*, IV 1482
grandiflorum, IV 1311, 1521
GRANDIFLORUM, IV 1481
paniculatum, VII 2343
Dedea *apoense*, VIII 2825
APOENSE, II 682
CINEREA, VIII 2824
minor, II 683
Deeringia *indica*, VI 1920, 2076
Dehaasia triandra, II 711
triandra, II 704
Dendrobium *atropurpureum*, V 1573, 1574
ELMERI, V 1573
lunatum, V 1574
victoriae reginae, IX 3143
Dendrocalamus MERRILLIANA, VII 2675
parviflorus, VII 2675
Dendrochilum *affine*, V 1559
curranii, V 1559
elmeri, V 1558
ELMERI, V 1558
lucbanense, V 1559
LUCBANENSE, V 1559
lussoniense, VII 2518
palawanense, V 1559
palawanense, V 1559, 1560
pumilum, V 1559
simulacrum, V 1559
turpe, V 1558
Dennstaedtia *ampla*, II 396
articulata, II 396
ARTICULATA, II 396
dennstaedtioides, III 825
elmeri, II 396
ELMERI, I 233
erythrorachis, I 233: II 396
flaccida, IX 3108
hooveri, III 825
moluccana, I 233
PHILIPPINENSIS, IX 3107
scabra, III 825
scandens, III 825
scandens, III 826
smithii, III 825: IX 3157
villosa, III 824
Dentella repens, I 4
Deprananthus APOENSIS, V 1708
Derridis *elliptica*, VI 2222
philippinensis, VI 2219
Derris *atro-violacea*, V 1542: VI 2093
ATRO-VIOLACEA, V 1798
CANESCENS, VIII 3087
cumingii, VIII 3087
elliptica, VI 2107, 2110, 2167, 2264: VII 2452, 2461, 2477
ferruginea, V 1800
LIANOIDES, I 228
micans, V 1801: VIII 2734
mindorensis, V 1544, 1801: VI 2137: VIII 2734
PALAWANENSIS, V 1800
philippinensis, VI 2094, 2220, 2230: VII 2445, 2461: VIII 2734, 2921, 2928
polyantha, IX 3200
SUBALTERNIFOLIA, V 1801
SURIGAOENSIS, VIII 2733
uliginosa, VI 2091: VII 2438
ZAMBALENSIS, IX 3199
Desmodium *capitatum*, VI 2090: VII 2437
gangeticum, VI 2085, 2087
procumbens, VI 2167
triflorum, VI 2090
umbellatum, VII 2482
virgatum, VI 2085
Desmos ELEGANS, VIII 3070
Dianella *ensifolia*, VII 2525
ROBUSTA, V 1806
Diaporthe citrincola, VII 2479
CITRINCOLA, VI 2269
Diathrypton *amboinense*, IX 3128
CONSIMILE, IX 3127
Diatrype ALBIZZIAE, VI 2267
albizziae, VII 2483
clerodendri, VII 2483
CLERODENDRI, VI 2215
extensa, VI 2267
megale, VI 2125
mindanaense, VI 1942, 2125: VII 2483
polygoneia, VII 2484
POLYGONEIA, VI 2266
polygoneia strebli, VII 2484
POLYGONEIA STREBLI, VI 2266
polysaccoides, VI 2267
radulans, VI 2213
saccardoi, VI 2216

virescens, VI 1942
Diatrypella psidii, VI 2125
Dichapetalum *benthamianum*, V 1771
GLABRUM, II 483
luzoniense, V 1771
OBOVATUM, II 483
OLIVACEUM, V 1769
SPICATUM, I 299
SUBMARITIMUM, IV 1493
timoriensis, IV 1494
tricapsulare, II 483
Dichostomella areolata, VII 2526
Dichroa *platyphylla*, X 3807
Dichrocephala chrysanthemifolia, I 127
chrysanthemifolia, I 127
latifolia, I 127
latifolia, I 127
Dichrotrichum *biflorum*, VII 2667
BIFLORUM, V 1785
calelanense, III 948: VII 2667
CALELANENSE, III 955
chorisepalum, II 562
chorisepalum, III 956
clarkei, III 954
clarkei, III 948
CLARKEI, I 345
glabrum, III 953
glabrum, III 948, 956
ternateum, III 956
URDANETENSE, VII 2665
Dicksonia blumei, II 420: III 804
Dicliptera CLARKEI, V 1689
Dictyoneura PHILIPPINENSIS, V 1613
SPHAEROCARPA, I 209
Dictyopanus COPELANDII, VI 2254
subpulverulentus, VI 2254
Dictyothyrium giganteum, VII 2443
Didymella acutata, VII 2463
caricae, VI 2112: VII 2464
eutypoides, VIII 2944
EUTYPOIDES, VIII 2943
lussoniensis, VII 2464
maculosa, VIII 2943
ORCHNODES, VIII 2943
pandanicola, VII 2464
SERIATA, VIII 2943
Didymochlaena truncatula, III 811
Didymosphaeria *arundinariae*, VI 1939
BLUMEAE, VI 2121
INCONSPICUA, VIII 2948
minutella, VII 2475
minutelloides, VI 2120
striatula, VI 2120: VII 2475: VIII 2948
Diedickea singularis, VI 2155: VII 2514: IX 3137
SINGULARIS, VI 1932
Digitaria *consanguinea*, X 3511
corymbosa, X 3511
longiflora, X 3511
sanguinalis, X 3511
sanguinalis, X 3512
Diglyphosa ELMERI, V 1555
Dillenia *bolsteri*, VII 2611
CATMON, VII 2610
mindanaensis, VII 2623
MINDANAENSIS, VII 2611
philippinensis, VI 2100: VII 2520
reifferscheidia, VIII 3080
REIFFERSCHEIDIA ROSEA, VIII 3079
Dilochia *cantleyi*, V 1555
ELMERI, V 1554
elmeri, V 1555
wallichii, V 1555
Dimeriella cyathearum, VI 2081
Dimerina graffii, VI 2082: VII 2431
Dimerium pseudo-perisporioides, VI 2082
scabrosum, VI 2082
SCABROSUM, V 1534
Dimerosporina dinochloae, VII 2447
pusilla, VI 2082: VII 2447
Dimerosporium lussoniense, VII 2431
mindanaense, VI 2082: VII 2431
pangerangense, VI 2137
Dimorphocalyx *luzoniensis*, IV 1287
MURINA, IV 1285
Dinochloa MACROCARPA, VII 2675
scandens, X 3512
scandens, IV 1372: VII 2447, 2461, 2475, 2479, 2486, 2525, 2676
Dioclea *javanica*, I 225
UMBRINA, I 224
Dioscorea *aculeata*, V 1590, 1592
aculeata fasciculata, V 1590
aculeata tiliaefolia, V 1594
aculeata tiliaefolia, V 1590: VI 2105
alata, V 1591: VI 2074: VII 2509. 2523
birmanica, V 1590
bulbifera, V 1596
bulbifera, V 1591, 1592
cambodiana, V 1590
cumingii, V 1595

cumingii, V 1591, 1595
daemona, V 1595: VI 2163
daunaea, V 1590
elmeri, V 1590
elmeri dubia, V 1591
ELMERI, V 1594
fasciculata, VI 2153: VII 2511
flabellifolia, V 1589, 1590, 1593
FLABELLIFOLIA, V 1593
foxworthyi, V 1591
glabra, V 1599
grata, V 1591
hirsuta, V 1595
inaequifolia, V 1591
INAEQUIFOLIA, V 1595
loheri, V 1591
luzonensis, V 1597
luzonensis, V 1589, 1591, 1598
membranacea, V 1590
merrillii, V 1591, 1598
MERRILLII, V 1598
mollissima, V 1596
myriantha, V 1591
nummularia, V 1599
nummularia, V 1589, 1591
nummularia glauca, V 1591, 1599
papuana, V 1594
pentaphylla, V 1590, 1592, 1594
pentaphylla malaica, V 1590
PEPEROIDES, V 1597
peperoides, V 1591, 1598
peperoides sagittifolia, V 1591
pyrifolia, V 1589
ridleyi, V 1590
sativa, V 1592, 1596
soror, V 1591
SOROR, V 1598
soror glauca, V 1591
triphylla, V 1595
triphylla, V 1591, 1592
triphylla mollissima, V 1596
TRIPHYLLA MOLLISSIMA, V 1591, 1596
triphylla reticulata, V 1596
triphylla reticulata, V 1591
tiliaefolia, V 1594
tredecimnervis, V 1594
tugui, V 1594
wallichii, V 1592
Diospyros ALATA, V 1774
biflora, II 507
brideliaefolia, VII 2624
BRIDELIAEFOLIA, II 507
curranii, IV 1507: VII 2627
discolor, VII 2420, 2519
everettii, VII 2626
fasciculiflora, VII 2626
HYPOLEUCA, VII 2623
MERRILLII, V 1775
mindanaensis, IV 1505
nitida, V 1775
pilosanthera, II 507: X 3807
reticulata, IV 1507: VII 2627
RETICULATA, II 506
ROSENBLUTHII, IV 1504
SIBUYANENSIS, IV 1506
URDANETENSIS, VII 2624
VIRIDIFOLIA, VII 2626
Diplaziopsis *javanica*, II 402
Diplazium *brevisorum*, IX 3111, 3154
crinitum, IX 3154
maximum, IX 3153
Diploclisia glaucescens, IV 1166
Diplodia artocarpi, VII 2505
artocarpina, VII 2505
cacaoicola, VI 2151
caricae, VII 2505
circinans, VII 2505
cococarpa, VII 2506
cococarpa malaccensis, VII 2506
coicis, VII 2506
daturae, VII 2506
durionis, VI 2150: VII 2506
fructus-pandani, VI 2150: VII 2506
gmelinae, VI 2150: VII 2506
hibisci, VI 2151: VII 2507
litseae, VII 2507
manihoti, VII 2507
moringae, VII 2507
phaseolina, VII 2507
rapax, VI 2151
ricinicola, VII 2507
solanicola, VII 2507
synedrellae, VII 2507
Diplospora FASCICULIFLORA, III 1007
SESSILE, IV 1329
Diplycosia APOENSIS, III 1101
BACLAYANENSIS, III 1100
baclayanensis, III 1134
calelanensis, III 1102: VII 2630
CALELANENSIS, III 1103
luzonica, III 1105
luzonica, III 1102
merrittii, VII 2630
sessile, IV 1197
trinervia, III 1102: VII 2630
TRINERVIA, III 1102
URDANETENSIS, VII 2628

Dipteris conjugata, II 394: III 814: IX 3157
conjugata alpina, III 814
Dipterocarpus *gracilis*, VI 1951
grandiflorus, VI 2138: VII 2440, 2441
hasseltii, VI 1950
OBCONICUS, VI 1951
pilosus, VI 1952
SUBALPINUS, VI 1950
subalpinus, VI 1928, 2108
vernicifluus, VI 1950
warburgii, VI 1952
warburgii, X 3572
Dischidia APOENSIS, X 3551
copelandii, X 3553
copelandii, X 3567
DIPHYLLA, X 3553
elmeri, X 3555
glaucescens, X 3553
hirsuta, X 3556
hirsuta, X 3560
IROSINENSIS, X 3556
irosinensis, X 3561
joloensis, X 3553
lancifolia, X 3558
LIVIDA, X 3558
merrillii, X 3560
merrillii angusta, X 3569
miniata, X 3558
myrtillus, X 3564
oiantha, X 3561
oiantha, X 3558
palawanensis, X 3590
PALAWANENSIS, X 3561
platyphylla, X 3563
platyphylla, X 3546, 3555, 3566
pubicaulis, X 3567
purpurea, X 3563
purpurea, X 3555, 3566
rosea, X 3563
rosea, VI 2105
ruscifolia, X 3564
saccata, X 3546, 3562, 3590
SORSOGONENSIS, X 3564
STRIATA, X 3566
SYLVESTRIN, X 3568
tonsa, X 3558, 3583
Dischidiopsis copelandii, X 3569
incrassata, X 3570
luzonica, X 3570
parasitica, X 3570
ramosii, X 3570
Discocalyx *angustifolia*, II 442
congestiflora, X 3808
CONGESTIFLORA, VIII 2780
effusa, II 444
linearifolia, X 3808
LINEARIFOLIA, II 441
longifolia, VIII 2781
MACROCARPA, VIII 2781
MERRILLII, V 1821
MINDANAENSIS, II 674
MONTANA, II 443
montana, II 675: VII 2781
psychotrioides, II 666
PSYCHOTRIOIDES, II 442
Discodothis lobata, VI 2102
Discosiella cylindrospora, VI 2155
CYLINDROSPORA, V 1546
Dissochaeta acmura, X 3659
celebica, IV 1194: VIII 2756
cumingii, IV 1194
FURFURASCENS, VIII 2754
stellata, IV 1191
SUBVIRIDIS, IV 1193
Distichophyllum ELMERI, II 656
nigricauli, II 656
Distreptus *spicatus*, I 96
Dolicholobium HIRSUTUM, IX 3247
latifolium, III 984
longissimum, III 984
philippinense, IX 3248
PHILIPPINENSE, III 984
Dolichos *uniflorus*, VII 2464, 2513
Donax *cannaeformis*, VI 1924, 1931, 2086, 2099, 2104, 2119, 2137, 2196, 2221, 2222, 2226, 2260, 2264: VII 2451, 2457, 2463, 2470: VIII 2945
Dothidea *examinans*, VI 2274
loranthi, VI 2115
perisporioides, VI 2090
pterocarpi, VI 2102
thanatospora, VIII 2924
Dothidella albizziae, VI 2102
canarii, VI 2103
Dothiorella *crastophila*, VII 2508
Dracontomelum *cumingiana*, VIII 2953: IX 2127
dao, VI 1924, 2087: X 3809
Drimys *piperita*, III 1106: VI 2096
Drosera *peltata*, IX 3145
Drymoglossum heterophyllum, III 847
Drynaria *decurrens*, II 414

quercifolia, III 846
quercifolia, VI 2094, 2100: VII 2455
revoluta, II 412, 413
sparsisora, II 415
Dryopteris adenophora, III 809: IX 3157
africana, III 808
aoristisora, III 808
ARIDA EBENEORHACHIS, II 390
bakeri, IX 3110
beddomei, III 809
calva, III 808
CALVA, III 808
canescens, IX 3110
canescens lobata, II 391
canescens subsimplicifolia, II 391: III 810
dissecta, III 806: IX 3157
diversiloba, III 811
dubia, II 389
DUBIA, I 235
DURA, III 805
ferox, IX 3158
ferox calvescens, II 391
foxii, III 808
gracilescens, III 808
gymnocarpa, III 808
GYMNOCARPA, III 807
hirtipes, III 806
hispidula, III 809: IX 3158
hispidula, IX 3158
immersa, III 809
intermedia, II 389
lepigera, IX 3159
leucolepis, IX 3158
ligulata, IX 3158
lineata, II 391
loheriana, IX 3159
luzonica, II 391: IX 3159
megaphylla, II 391: III 809
metteniana, II 389: III 806
motleyana, II 390
moulmeinensis, III 810
parasitica, II 390
philippina, III 808
porphyricola, IX 3159
pteroides, III 810
purpurascens, III 807
quadriaurita, II 390
rhodolepis, IX 3159
rhodolepis, I 235: IX 3159
rizalensis, III 806
sagenoides, III 807
sessilipinna, V 1683
setigera, II 389: III 806: IX 3160
setigera, IX 3158
sparsa, II 389
spenceri, III 810
spenceri, II 391
subarborea, III 807
syrmatica, II 390: III 806
syrmatica petioloso, III 805
tenerrima, III 805
todayensis, II 391: III 810
unita, II 390: III 810
URDANETENSIS, V 1682
urophylla, III 810: IX 3160
urophylla pustulosa, IX 3160
viscosa, II 390: III 808: V 1682
Dryostachyum pilosum, II 415
pilosum, II 415
splendens, II 415
Dunbaria MERRILLII, I 225
Durio *zibethinus*, IV 1159: VI 2150, 2153: VII 2506
Dysodium *divaricatum*, I 161
Dysoxylum AGUSANENSE, IX 3350
ALTERNIFOLIUM, IX 3352
altissimum, IX 3354
altissimum, IX 3356, 3378
amooroides, IX 3362
apoense, IX 3376
APOENSE, IX 3355
arborescens, IX 3356
arborescens, IX 3378
aurantiacum, IX 3360, 3362
AURANTIACUM, IX 3357
bakeri, IX 3358
BAKERI, IX 3358
BENGUETENSE, IX 3360
biflorum, IX 3354, 3358
cumingianum, VIII 3093: IX 3372, 3392
decandrum, IX 3362
decandrum, VII 2509
dehiscens, IX 3349
foxworthyi, IX 3337
FOXWORTHYI, IX 3363
fragrans, IX 3367, 3371
FRAGRANS, IX 3365
glochidioides, IX 3371
GRANDIFOLIUM, IX 3368
hexandrum, IX 3362
klemmei, IX 3370
LANCEOLATUM, IX 3368
laxum, IX 3370
leytense, IX 3371

leytense, IX 3362, 3378
longiflorum, IX 3371
longiflorum, IX 3367, 3371
octandrum, IX 3372
octandrum, IX 3372
platyphyllum, IX 3373
platyphyllum, IX 3362
ramosii, IX 3362
revolutum, IX 3354
REVOLUTUM, IX 3373
robinsonii, IX 3371
rostratum, IX 3376
rostratum, IX 3376
rubrum, IX 3356
schizochitodes, IX 3372
siargaoense, IX 3370
sibuyanense, IX 3490
SIBUYANENSE, IX 3376
SORSOGONENSE, IX 3378
SULPHUREUM, IX 3380
testaceus, IX 3382
testaceus, IX 3381
TESTACEUS, VIII 3093
triangulare, IX 3365
turczaninowii, IX 3352
wenzelii, IX 3382

E

Earliella corrugata, I 264
Echidnodes DENIGRATA, IX 3129
Eclipta alba, I 164
Ectropothecium ELMERI, VI 1975
subintorquato, VI 1975
Egenolfia rhizophylla, IX 3160
Ehretia *navesii*, VI 2089, 2258
Elaeagnus *philippinensis*, X 3808
Elaeocarpus APOENSIS, IV 1185
argenteus, II 637
argenteus, II 635: VI 2091: X 3730
BACLAYANENSIS, IV 1188
BUREBIDENSIS, IV 1180
CANDOLLEI, IV 1184
CUERNOSENSIS, IV 1173
cumingii, II 637
cumingii, II 634: IV 1177, 1180
curranii, IV 1178
elmeri, II 635: IV 1185
ELMERI, II 637
fissistipula, II 636
fissistipula, II 634
floribundus, II 636
floribundus, II 634
foxworthyi, II 638: IV 1172
foxworthyi, IV 1171
FULVUS, IV 1179
FUSICARPUS, IV 1174
gigantifolius, IV 1171
GIGANTIFOLIUS, IV 1182
gitingensis, VIII 3081: IX 3186
GITINGENSIS, IV 1177
integrifolius, II 638
isotrichus, II 638
LAXIRAMEUS, IV 1186
macranthus, II 635
macranthus, II 634
MAQUILINGENSIS, VIII 3080
mastersii, IV 1174
MEGACARPA, VII 2627
MERRILLII, X 3729
merrittii, IV 1174
MICROPHYLLUS, IV 1189
mindanaensis, II 636
mindanaensis, II 634: IV 1171
monocera, II 637
monocera, II 635: VII 2628
multiflorus, II 637
multiflorus, II 634: IV 1179
nervosus, IV 1171
NERVOSUS, IV 1176
oblongus, II 636
oblongus, II 634: IV 1179
obtusus, II 637
octopetalus, II 638
octopetalus, II 635: IV 1186
pendulus, II 637
pendulus, II 634: IV 1156, 1190: VI 2091
philippinensis, II 636
philippinensis, II 634, 638
procerus, II 634: IV 1175
PROCERUS, II 636
subglobosus, IV 1189
sylvestris, II 638
venosus, IV 1172
verruculosus, II 634: IV 1180
VERRUCULOSUS, II 635
versicolor, IV 1171
VERSICOLOR, IV 1178
verticellatus, IX 3186
VERTICELLATUS, IV 1181
villosiusculus, II 638
villosiusculus, II 635
ZAMBALENSIS, IX 3185
Elaphoglossum *angulatum*, II 418
blumeanum, II 418
callifolium, II 417: III 849

callaefolium, II 417
conforme, I 235: II 417
copelandi, II 416: III 849
copelandi, II 417
cumingii, I 235, 363: II 418
decurrens, II 417, 418: III 849
elmeri, V 1684
ELMERI, III 849
laurifolium, III 849
laurifolium, II 417, 418
luzonicum, II 416
luzonicum, II 416, 417: III 849
LUZONICUM, I 235
merrillii, II 416
petiolatum, IX 3161
petiolatum, II 416, 417, 418
Elateriospermum paucinervium, III 915
PAUCINERVIUM, II 484
Elatostema *agusanense*, VIII 2847
AGUSANENSE, VIII 2845
ANTONII, VIII 2847
APOENSE, III 885
banahaense, IX 3221, 3228
baruringense, III 875
BARURINGENSE, III 890
brongniartianum, IX 3234
BRUNNEOLUM, IX 3219
BULUSANENSE, IX 3227
CAMIGUINENSE, VIII 2849
caranoi, VIII 2858
DELICATUM, II 467
edule, IX 3228
gitingense, IX 3231
GITINGENSE, VIII 2852
GLABRATUM, IX 3228
glaucescens, IX 3231
HASTATUM, II 466
INAEQUIFOLIUM, III 887
integrifolium, III 889
integrifolium, III 890: VIII 2855
laciniatum, VIII 2862: IX 3240
LACINIATUM, I 287
LAXUM, II 465
lineare, III 886
longifolium, VIII 2846, 2847
LONGIPEDUNCULATUM, III 886
lutescens, VIII 2850
maquilingense, IX 3234
MAQUILINGENSE, IX 3229
microphyllum, III 888: IX 3230
MICROPHYLLUM, I 286
nigrescens, I 288
oblanceolatum, IX 3230, 3234
obovatum, I 287: II 468
PACIFICUM, IX 3230
PERLONGIFOLIUM, IX 3232
philippinense, IX 3229
PHILIPPINENSE, III 888
PICTUM, VIII 2850
PINNATIVERVIA, I 286
podophyllum, I 286: II 467
PULGARENSE, V 1846
rigidum, II 466
rostratum, II 466
rostratum manillense, II 466
RUPICOLUM, IX 3233
SERRATIFOLIUM, IX 3234
sessile, VIII 2853
simulans, IX 3231
sorsogonense, IX 3235
SORSOGONENSE, IX 3235
spinulosum, IX 3221
SPINULOSUM, II 468
SURIGAOENSE, VIII 2854
umbrinus, VIII 2847: IX 3235
UMBRINUS, VIII 2855
urdanetense, VIII 2847: IX 3235
URDANETENSE, VIII 2857
variabile, VIII 2856
viridescens, VIII 2850
VIRIDESCENS, I 285
whitfordii, III 884
whitfordii, III 875
Elatostematoides CAUDATUM, IX 3236
laxum, VIII 2860
rigidum, IX 3237
SUBLAXUM, VIII 2858
Eleocharis equisetina, X 3531
equisetina, IX 3137
retroflexa, X 3531
Elephantopus *dubius*, I 96
mollis, I 97
mollis, I 96
scaber, I 97
scaber, I 96
serrata, I 97
spicatus, I 96
spicatus, I 96
Eleusine indica, X 3512
indica, VI 2165
Elfvingia ELMERI, I 269
tornata, I 269
Ellipanthus BURIBIDENSIS, VII 2596
luzonensis, VII 2597
VIDALII, VII 2596
Ellisiodothis ELMERI, IX 3127

Elmeria *bifida*, II 569, 603
BIFIDA, II 569
pinetorum, II 569
PINETORUM, II 570
Elmerina cladophora, VI 2246
setulosa, VI 2246
Elmerinula CAPNOIDES, IX 3175
Elmeriobryum ASSIMILE, VI 1975
PHILIPPINENSE, VI 1974
Elsinoe canavaliae, VI 2146; VII 2498
Elytranthe *cumingii*, II 471
Embelia coriacea, II 669
halconensis, V 1663
philippinensis, II 668
proteana, II 675
URDANETENSIS, VIII 2783
whitfordii, II 668
whitfordii, VIII 2784
Emilia flammea, I 149
flammea, I 148, 150
humifusa, I 148
humifusa, I 147, 362
MARIVELENSIS, I 148, 362
pinnatifida, I 150
pinnatifida, I 148
sagittata, I 149
sonchifolia, I 148
sonchifolia, I 147, 150
Endiandra ARBOREA, II 376
coriacea, II 377
GITINGENSIS, II 712
VIDALII, II 711
Endospermum *peltatum*, X 3808
Endotrichella *eleganti*, VI 1977
ELMERI, VI 1977
Endoxyla mangiferae, VI 2112: VII 2479
Engelhardtia APOENSIS, VII 2693
parvifolia, IX 3197
PERMICROPHYLLA, IX 3194
subsimplicifolia, IX 3197
ZAMBALENSIS, IX 3195
Englerula medinillae, VI 2082: VII 2446
Enhydra fluctuans, I 163
Entada *phaseoloides*, X 3808
Entyloma oryzae, VII 2428
Epaltes australis, I 108
Ephelis caricina, VI 2156
pallida, VI 2156
Epichloe warburgiana, VI 2099
warburgiana donacis, VII 2450
WARBURGIANA DONACIS, VI 2225
Epiphyma mucunae, IX 3135
Epipremnopsis huegeliana, X 3619
Epipremnum *angustilobum*, X 3621
elmerianum, X 2624
GLAUCICEPHALUM, X 3620
luzonense, X 3623
miniatum, X 3624
MINIATUM, X 3622
MULTICEPHALUM, X 3624
philippinense, X 3624
pinnatum, X 3626
robinsonii, X 3626
sorsogonense, X 3624
truncatum, X 3626
Epithema benthami, II 563
Eragrostis *tenella*, X 3513
unioloides, X 3512
viscosa, X 3513
Eranthemum *andersoni*, II 591
bicolor, II 591
crenulatum, II 591
curtatum, II 591
FRUTICOSUM, II 590
haenkeanum, II 591
malaccense, II 591
MINUTIFLORUM, V 1687
Erechthites petiolata, I 157
valerianaefolia, I 157
Eria *cymbiformis*, V 1580
davaensis, V 1575, 1577
DAVAENSIS, V 1575
gigantea, V 1576
lamellata, V 1576
LAMELLATA, V 1576
longibracteata, V 1575
major, V 1575
MINDANAENSIS, V 1577
palawanensis, V 1578, 1907
PALAWANENSIS, V 1578
polyura, V 1579
ramosii, V 1579
retroflexa, V 1580
ringens, V 1579
ringens, V 1579, 1580
tridens, V 1580
TRIDENS, V 1580
ventricosa, V 1580
Erigeron linifolius, I 135
Erinella philippinensis, VI 2141
Eriochloa *ramosa*, VI 2099
Erycibe *angulata*, II 590
COPELANDII, VIII 3077

DUBIA, II 589
expansa, V 1769
HALLIERIANA, VII 2601
LATERALIFLORA, V 1767
luzonensis, V 1769
macrophylla, II 590
paniculata, VII 2603
PARARAN, VII 2603
TERMINALIFLORA, V 1768

Erythrina *indica*, VII 2527

Erythropalum GRANDIFOLIUM, VIII 2788
scandens, VI 2118: VIII 2789

Erythroxylum IWAHIGENSE, V 1776
obtusifolium, V 1778

Ethulia conyzoides, I 87

Eucalyptus binacag, VIII 2776
BINACAG, VII 2701: VIII 2776

Eugenia ABBREVIATA, VIII 2776
acrophila, VII 2351
acuminatissima, IV 1422
acuminatissima, IV 1423
agusanensis, VIII 3096
AGUSANENSIS, VII 2357
aherniana, VII 2346
aherniana, IV 1430
alvarezii, VIII 3097
ANGULARIS, IV 1434
ANTONIANA, IV 1425
APOENSIS, IV 1401
arcuatinervia, IV 1418
arcuatinervia, X 3808
atropunctata, IV 1426
atropunctata, VII 2355
AUREA, IV 1400
bakeri, VII 2355, 2357
BAKERI, VII 2355
balerensis, X 3768
BANABA, IV 1443
bataanensis, VII 2348
bataanensis, VIII 2949, 2951
benguetensis, IV 1440
benthamii, VIII 3097
binacag, VIII 2776
BINACAG, VII 2351
brevistylis, IV 1422
bulusanensis, IX 3135
BUREBIDENSIS, IV 1436
calubcob, VI 2138, 2141
CALVINII, IV 1419
cerasiformis, IV 1442
cinnamomea, II 584
claviflora, IV 1422
congesta, II 582
CORTICO-PAPYRACEA, IV 1405
crassipes, IV 1411
cumingiana, IV 1423: VII 2348
cumingiana, IV 1423
curtiflora, IV 1402
CURTIFLORA, I 328
DAVAOENSIS, IV 1439
decipiens, IV 1410
densinervia, I 328: VIII 3095
diplycosifolia, IV 1399: VII 2347
diplycosifolia, IV 1401
ECOSTULATA, IV 1428
everettii, IX 3125, 3135: X 3808
foxworthyi, IV 1416
FOXWORTHYI, IV 1414
GITINGENSIS, IV 1409
globosa, VI 1923, 2083
GLOBOSA, IV 1404
HOLMANI, VII 2354
incarnata, V 1535: VI 2090
INCARNATA, IV 1416
incrassata, IV 1409, 1435
INCRASSATA, II 581
IROSINENSIS, X 3767
IWAHIGENSIS, IV 1417
IXOROIDES, IV 1426
LAMBII, IV 1430
leptantha, IV 1422
leptogyna, VII 2348
LEYTENSIS, I 329
lineata, IV 1442
livida, VII 2356: X 3808
LIVIDA, VII 2349
llanosii, IX 3174
loheri, IV 1430
longiflora, IV 1440: VII 2346
longiflora, IV 1442
LUMBOY, IV 1431
luzonensis, IV 1405
luzonensis, X 3770
magalantha, IV 1412
magalantha, IV 1412
MAINITENSIS, IV 1415
malaccensis, IV 1410
malaccensis, I 330: IV 1411
MALAGSAM, IV 1403
mananquil, VII 2350
MAQUILINGENSIS, VIII 3096
marirelensis, II 583: IV 1441
MELASTOMOIDES, IV 1429
merrillii, IV 1413
merrittiana, IV 1432, 1434
mimica, IV 1437

mimica, IV 1439
mindanaensis, IV 1411
mindoroensis, IV 1427
MIQUELII, IV 1441
oblanceolata, IV 1419
OBLIQUINERVIA, X 3768
PANDURIFORMIS, IV 1412
parva, IV 1425: VIII 2777
pasacaensis, IV 1430
PENINSULA, X 3769
perpallida, IV 1423
perpallida, IV 1423: VIII 2777: X 3808
philippinensis, IV 1420
purpuricarpa, IV 1437
PURPURICARPA, IV 1435
PURPURIFLORA, IV 1432
robertii, IV 1442
robertii, IV 1444
ROBINSONII, II 583
rosenbluthii, VII 2347
rosenbluthii, IV 1436, 1437
roseo-marginata, VIII 3097
rubrovenia, VII 2358: VIII 3096
sablanensis, II 583: IV 1409: VIII 3095
SABLANENSIS, I 328
SABLANENSIS RAMULOSA, IV 1408
saligna, IV 1422: X 3808
SILVESTREI, VIII 3095
similis, IV 1431: VII 2353
SINUBANENSIS, IV 1424
SUBMIMICA, IV 1438
SUBSULCATA, VIII 3095
SUCCULENTA, I 327
TOPPINGII, IV 1407
tripinnata, X 3770
URDANETENSIS, VII 2356
VACCINIOIDES, VII 2350
VERNONIOIDES, VII 2352
vidaliana, IV 1405, 1444
VIDALIANA, II 584
VIRIDIFOLIA, IV 1420
Euonymus ALATUS, IV 1484
javanicus, IV 1485: VI 2229: VII 2444, 2581
MARIVELENSIS, VII 2580
sumatrana, IV 1485
Eupatorium *ayapana*, I 103
CATENSE, VII 2584
lindleyanum, I 101
lindleyanum, I 101
luzonensis, I 103
reevesii, I 101
sambucifolium, I 101, 102: VII 2585
SAMBUCIFOLIUM, I 102
scandens, I 104
toppingianum, I 101
TOPPINGIANUM, I 101
triplinerve, I 103
Euphoria GRACILIS, V 1606
Euphorbia *neriifolia*, VI 2156
Eurotium repens, VI 2082: VII 2431
Eurya *acuminata*, VI 2122
AURICULATA, II 501
japonica parvifolia, V 1664
macartneyi, II 502
myrtilloides, I 363: V 1664
MYRTILLOIDES, I 323
Eurycoma DUBIA, II 481
Eutypa alangii, VII 2479
ALANGII, VI 2214
bambusina, VI 2123: VII 2479
capparidis, VII 2479
CAPPARIDIS, VI 2215
citricola, VII 2480
corniculata, VI 2123: VII 2479
flavo-virens, VI 2123: VII 2480
inconspicua, VII 2480
INCONSPICUA, VI 2265
lata, VI 2214: VII 2480
ludibunda, VI 1942, 2124: VII 2480
ludibunda, VI 2214, 2215, 2265
macropunctata, VI 2124
MACROPUNCTATA, VI 1941
megalosoma, VII 2480
MEGALOSOMA, VI 2264
micropunctata, VI 1941
phaseolina, VI 2265
stenospora, VI 2214
stenospora hibisci, VII 2480
STENOSPORA HIBISCI, VI 2215
tujutensis, VI 1941
Eutypella *aemula*, VI 2266
arundinariae, VIII 2956
aulocostoma, VI 2124
bambusinae, VI 1942
bambusinae, VIII 2956
BAMBUSINAE SULFUREA, VI 1942
citricola, VI 1942, 2124, 2265: VII 2480
citricola, VI 2265

cocos, VI 2214: VII 2481
exiguae, VI 2213
gliricidiae, VI 2124, 2266: VII 2481
gliricidiae, VI 2268
leucaenae, VII 2481
LEUCAENAE, VI 2266
LINEOLATA, VIII 2955
malloti, VIII 2955
MALLOTI, VIII 2955
plagia, VIII 2955
premnae, VII 2481
PREMNAE, VI 2213
radulans, VI 2213: VII 2481
rehmiana, VII 2481
russodes, VII 2482
Everettia *pulcherrima*, IV 1191
Everettiodendron philippinense, III 916
Evodia ARBOREA, VIII 2806
benguetensis, IX 3217
BENGUETENSIS, VIII 2808
dubia, VIII 2809
glabrum, VIII 2808
LAXA, IV 1509
monophylla, IV 1510
PERGAMENTACEA, II 479
PULGARENSIS, V 1831
reticulata, II 479
retusa, V 1832: VIII 2809
semicarpifolia, II 479: VIII 2808
zambalensis, IX 3176
ZAMBALENSIS, IX 3216
Exacis *tetragona*, VII 2427
Excoecaria philippinensis, III 916: IV 1287
Exosporium calophylli, VII 2526

F

Fagraea auriculata, II 599
auriculata, II 596: III 859: VIII 2744, 2746
CARDINALICARPA, X 3759
carnosa, III 860
CONGESTIFLORA, VIII 2741
cuernosensis, II 596
CUERNOSENSIS, II 600
EPIPHYTICA, VIII 2743
epiphytica, VII 2380
fragrans, II 597
fragrans, II 596: VII 2465
GITINGENSIS, III 859
JACKII, VIII 2744
longiflora, II 597
longiflora, II 596, 598
morindaefolia, II 596
morindaefolia, II 596
negrosensis, II 596
NEGROSENSIS, II 599
nonok, VIII 2746
NONOK, III 858
obovata, II 598: III 857
obovata, II 596, 600
plumeriaeflora, II 598
plumeriaeflora, II 596, 598
plumeriaefolia, III 857
racemosa, VIII 2743
tubulosa, III 860
Favolus *junghuhnii*, VI 2253
multiplex, VI 2253
peltatus, VI 2253
philippinensis, VI 2253
philippinensis obscurata, VI 2253
spathulatus, VI 2253
tener, VI 2253
tenuis, I 264
wightii, I 264
Ficus *acuminatissima*, I 47, 197
adami, VII 2410
adami, IV 1521
ADAMI, IV 1258
AGUSANENSIS, X 3762
ahernii, IX 3478
ahernii, VII 2409
alba, IV 1255
altissima, II 539: IV 1231, 1239: IX 3464
altissima, IV 1243
ampelos, I 191: IV 1317, 1392: VII 2405: IX 3465
ampelos, IV 1231, 1256, 1262: IX 3471
angustissima, I 251: IV 1255, 1317: IX 3466
angustissima, I 238: IX 3482, 3485
annulata, I 51
anomala, I 241: II 535
anomala, I 238: IV 1321
antoniana, IV 1521: IX 3416
ANTONIANA, IV 1374
apiocarpa, I 249: II 539
apiocarpa, I 238: II 533, 540: IV 1252, 1253: IX 3435

apoensis, VII 2414
apoensis, IV 1158, 1232: VI 2103: IX 3415, 3476
APOENSIS, IV 1249
appendiculata, IX 3450
arayatensis, IX 3453
arenata, VII 2405
arenata, VII 2391
ARENATA, IV 1263
areolata, IV 1233
AREOLATA, IV 1252
argentea, IX 3454
aspera nota, I 58, 198, 257
asperior, I 192: IV 1320
asperrima, I 53
asperrima, IV 1262, 1521
AURANTICARPA, IX 3454
bakeri, IX 3466
bakeri, IX 3435
BAKERI, VII 2402
balete, II 539
banahaensis, IV 1254
banahaensis, I 238: IV 1158, 1239: VI 2105: IX 3486
BANAHAENSIS, I 252
barnesii, I 58, 198, 256: VII 2391
barnesii, I 238, 258: VII 2391
bataanensis, II 536
bataanensis, I 248: II 533: IV 1267
benguetensis, I 54, 191, 250
benguetensis, I 195, 237, 255: II 543: IV 1257
benguetensis leytensis, I 250: IX 3467
BENGUETENSIS LEYTENSIS, I 194
benguetensis negrosensis, II 533, 541
BENGUETENSIS NEGROSENSIS, II 542
benjamina, I 48: IX 3456
benjamina, IV 1246: VI 2088: VII 2436: IX 3453
binuangensis, IX 3443
blancoi, IX 3432
BLANCOI, I 283
blepharostoma, I 253: II 541, 543: IV 1322: VI 2105: IX 3474
bordeni, I 256
bulusanensis, IX 3477
BULUSANENSIS, IX 3479
calophylla, IV 1247
calophylloides, IX 3457
CALOPHYLLOIDES, IV 1246
camarinensis, IX 3464
CARDINALICARPA, IV 1391
carica, VI 2075
carpenteriana, IV 1256: VII 2414
carpenteriana, II 543: IX 3441
CARPENTERIANA, I 197
cassidyana, IV 1265: VII 2393
cassidyana, IV 1233, 1239: VII 2391: IX 3423
CASSIDYANA, I 200
CASTANEA, IX 3441
cataupi, VII 2387
cataupi, IV 1233: VII 2385, 2387: IX 3425
CATAUPI, IV 1251
caudatifolia, I 240: II 534: IV 1241: IX 3467
caudatifolia, I 238, 241: IV 1233, 1239: IX 3174, 3475
caulocarpa, I 244
caulocarpa, I 238, 244
celebica, I 44: IV 1239, 1384: IX 3481
celebica, I 45, 187: II 534: IV 1233, 1242: VII 2400: IX 3121, 3416, 3483, 3486
celtoides, IX 3481
CELTOIDES, IV 1388
cervina, II 533
CERVINA, II 543
chrysolepis, II 536: IV 1316, 1382: VII 2385: IX 3142
chrysolepis longipedunculata, I 50, 244
clementis, IV 1244
clementis, II 539: IX 3459
clusioides, IV 1380
clusioides, II 539: IX 3459, 3460
COLLINSII, IX 3468
COMPRESSITORA, IX 3443
concinna, IX 3453
confusa, I 187, 240: II 535: IV 1239, 1387: VII 2398: IX 3470
confusa, I 238, 243, 362: IV 1233: VII 2398, 2413
CONFUSA, I 47
copelandii, IV 1385
copelandii, IV 1372, 1385
CORDATIFOLIA, IV 1250

cordatula, IV 1251: IX 3464
corona, IV 1376
corona, I 198: VII 2391
crassicalyx, IX 3462
CRASSICALYX, IX 3457
crassitora, IV 1397: IX 3470
crassitora, IV 1267: VI 2110: VII 2386, 2414, 2461
CRASSITORA, II 548
crininervia, IX 3484
cuernosensis, IV 1265
cuernosensis, II 533, 542: IV 1238, 1265: VIII 3095: IX 3439
CUERNOSENSIS, II 545
cumingii, I 53: VII 2404: IX 3482
cumingii, I 53, 251: II 541: IV 1261, 1317, 1319, 1389: IX 3466, 3485
curranii, IV 1258: VII 2414
decaisneana, I 47
decussata, II 535: IV 1321, 1322
didymophylla, II 541: IV 1254
disticha, II 546: IV 1262: VII 2388
disticha, II 532, 533: VI 2155: IX 3422
DRIVERI, VII 2397
dubia, IV 1247
elastica, IX 3425
elliptica, II 546
elliptifolia, IX 3456
elmeri, I 55
elmeri, I 57
elmeri subintegra, I 56
endothrix, IV 1269
eucaudata, I 47, 240, 241: IX 3468
EUCAUDATA, I 46
euphlebia, IX 3481
everettii, VII 2394: IX 3459
everettii, IX 3459
EVERETTII, II 538
falcata, IX 3416, 3423
fastigiata, I 240
fastigiata, I 196, 197, 238: IX 3471
FASTIGIATA, I 44
fiskei, II 540: VII 2405
FISKEI, I 195
fiskei cebuensis, IX 3482
fistulosa, I 199
flavo-cortica, VII 2399: IX 3483
flavo-cortica, IV 1233: VI 1928, 2107
FLAVO-CORTICA, IV 1241
forstenii, I 189
forstenii, II 539: IX 3456, 3465
fruticosa, II 547
FULVA, VII 2407
garciae, IV 1384: VII 2395
garciae, V 1545: VI 2106: IX 3136, 3447
GARCIAE, II 550
gelderi, I 243: IV 1380
gibbosa, I 188
gigantifolia, I 259: VII 2407
gigantifolia, I 238, 260: II 536: IV 1251: VII 2386, 2407
glabella, I 48
glabella, IX 3453
GLAREOSA, IV 1393
glomerata, I 260
glomerata, I 238: II 551
grandidens, IX 3449
guyeri, I 250: II 540: IV 1256: IX 3471
guyeri, I 196, 238, 240: II 533: VI 1929, 2111: VII 2462
GUYERI, I 196
haematocarpa, IV 1246
haenkei, IX 3432
haenkei, II 540: IX 3432
haggeri, IX 3469, 3474
hallieri, II 536: IV 1243
hauili, I 53, 191, 250: II 541: IV 1253 1316, 1395: IX 3471
hauili, I 237: II 543: IV 1254, 1397: VI 2107: VII 2384, 2386, 2411: IX 3414
hederacea, II 547
hemicardia, VII 2406
henneana, IX 3426
heterophylla, I 54: VI 2105, 2275: VII 2456, 2458
heteropoda, I 193: II 543: IV 1321, 1377: IX 3445
heteropoda, II 536: IV 1231, 1322: VII 2384: IX 3423
hispida, IV 1322
hispida odorata, I 201, 259: II 546: IV 1263
HISPIDULOSA, VII 2401
ILANGOIDES, IX 3445
inaequifolia, II 535: IV 1240:

VII 2411: IX 3472
inaequifolia, I 238: IV 1233, 1239: VII 2413
INAEQUIFOLIA, I 242
inconstans, IV 1389
indica, I 49, 243: II 536: IV 1243, 1314: IX 3460
indica, I 49, 52, 237: II 533, 539: IV 1245, 1380: VII 2384, 2385, 2393
indica gelderi, I 243: IV 1379
infectoria, IV 1393
infectoria, IV 1393: VI 2106: VII 2386, 2409
infectoria caulocarpa, IV 1246, 1313: VII 2409
infectoria forbesii, IV 1393
integrifolia, I 260: II 550: IV 1324: VII 2410: IX 3447
integrifolia, I 238: II 533: VII 2386, 2410: IX 3443, 3445, 3490: X 3763
INTEGRIFOLIA, I 61
irisana, II 535: IV 1320
IRISANA, I 45
IROSINENSIS, IX 3473
irregularis, I 251: IV 1256, 1317
IWAHIGENSIS, IV 1381
jaroensis, IX 3484
JOHNSONI, I 190
kalingiaensis, IX 3437
kamelii, IX 3487
LAEVICARPA, IV 1395
leavigata, I 205
lagunensis, IX 3484
lanata, IX 3481
lancifolia, I 44, 45: IV 1240, 1242
latsoni, I 260: IV 1270, 1324
latsoni, I 238: II 549
LATSONI, I 204
LAXIRAMEA, IV 1257
linearifolia, IX 3436
iinearifolia, I 238: II 544
LINEARIFOLIA, I 257
longipedunculata, I 50, 244: IX 3450
longipedunculata, I 238, 247
lucbanensis, II 541: IV 1254
lucbanensis, I 238: II 533, 543: IV 1239, 1258
LUCBANENSIS, I 254
luzonensis, I 60: IV 1324, 1395
LUZONENSIS IMBERBIS, IV 1323
macropoda, I 59
macropoda, II 550: IV 1395: VII 2386, 2407, 2409
mearnsii, IV 1315: IX 3416
megacarpa, I 52, 248: VII 2388: IX 3432
megacarpa, I 238: II 546: IX 3416
MAGALLANENSIS, IV 1315
magnifica, I 250
magnifica, I 238
MAGNIFICA, I 51
manilensis, I 192, 250: IV 1255: VII 2404: IX 3484
manilensis, I 238: IV 1157, 1233: VI 2105
malunuensis, I 246
malunuensis, I 238, 247: II 536: IV 1251
MAQUILINGENSIS, VIII 3094
merrillii, IX 3174
MERRILLII, I 282
merrittii, IV 1376
merrittii, IV 1262, 1377: IX 3443
microsphaeria, IV 1240
microsphaeria, IV 1233: VII 2402: IX 3423
minahassae, I 57, 198, 256: II 543: IV 1264: VII 2389: IX 3436
minahassae, I 238: IV 1372, 1379: VI 2075, 2106: VII 2385, 2389, 2422, 2457: VIII 2926: IX 3126, 3423
mindanaensis, I 188: VII 2400: IX 3475
mindanaensis, I 241: IV 1231
mindorensis, I 198: IX 3486
miquelii, I 283
multiramea, IX 3485
multiramea, IX 3481, 3485
MULTIRAMEA, IV 1259
multistipularis, IX 3415, 3432, 3490
nervosa, II 537: IX 3475
nervosa, IV 1250
nodosa, II 549
nota, I 58, 198, 257: IV 1262: IX 3448
nota, I 238: IV 1233, 1268, 1377: VI 2108, 2152, 2219: VII 2384, 2385, 2391, 2392, 2459, 2515
nuda, IV 1246: IX 3453, 3457

obpyramidata, I 201
obscura, I 53
obscura, I 46, 53
obtusa, IX 3479
odorata, I 201, 258: II 546
odorata, I 238: IV 1263, 1521: VI 1936, 2104, 2105, 2106, 2219: VII 2457
OLIVACEUS, IX 3437
pachyphylla, IX 3462
pacifica, IX 3124, 3459
PACIFICA, IX 3460
palawanensis, I 245: IV 1244, 1380: VII 2393
palawanensis, I 238: II 539: IV 1231, 1249, 1373, 1382: IX 3462
palmifolia, IV 1316: IX 3432
paloensis, II 547: IV 1322: IX 3485
paloensis, IX 3123, 3208
PALOENSIS, II 547
papaya, IX 3465
parietalis, IX 3475
parvifolia, IX 3453
paucinervia, X 3763
peabodyi, IV 1233: IX 3439
PEABODYI, IV 1267
pedunculosa, IV 1320
PENINSULA, IX 3433
perfulva, IX 3142, 3416
philippinensis, II 535: IV 1387: IX 3470
pisifera, I 187, 239: II 534: IV 1312, 1385: VII 2386, 2395: IX 3486
pisifera, I 237: IV 1242: VII 2395: IX 3482, 3483
pisocarpa, I 248
polycarpa, IV 1255
PRASINICARPA, IX 3451
producta, IX 3481
propinqua, I 60, 259: II 546: VII 2399
propinqua, I 202, 238: II 533: IX 3484
pruniformis, IV 1382
pruniformis, IX 3453
pseudopalma, I 202, 257: II 540: IV 1316: VII 2387: VIII 2923
pseudopalma, I 238, 283, 284: IV 1231, 1372: VII 2385, 2387: IX 3415, 3422, 3432
pubinervis, IX 3471
puncticulata, II 533: IX 3480
puncticulata, II 547
PUSTULATA, IV 1389
quercifolia, I 238, 251
quercifolia humilis, I 192, 251: II 541
quercifolia humilis, II 535: IV 1389
ramentacea, IV 1388
ramosii, IX 3435
recurva, IV 1386
recurva, IV 1372: IX 3480
religiosa, IX 3425
repandifolia, I 256: IV 1321: VII 2392: IX 3448
repandifolia, I 238: VII 2411: IX 3123
REPANDIFOLIA, I 58
retusa, IV 1245
retusa, IV 1245
ribes, I 283
roxburghii, II 549
rubrocarpa, IX 3435
RUBROCARPA, IX 3476
rudis, II 540
rudis, I 54, 193: IV 1255
rudis arborea, I 192, 250
RUDIS ARBOREA, I 54
ruficaulis, I 60, 202, 258
ruficaulis, I 238: II 547: IX 3208, 3486
ruficaulis paloensis, I 202: II 547
RUFICAULIS PALOENSIS, I 203
samarensis, IX 3435, 3477
satterthwaitei, II 543: IV 1264, 1320: VII 2392: IX 3449
satterthwaitei, I 198: IV 1233, 1262, 1268
SATTERTHWAITEI, I 199
saxophila, II 537: IX 3478
scandens, II 547
semicordata, I 56, 196
sericea, IV 1251
SETIBRACTEATA, VII 2411
sibulanensis, IV 1158: VI 2103
SIBULANENSIS, IV 1266
sibuyanensis, VII 2406
SIBUYANENSIS, IV 1319
SILVESTREI, IX 3462
similis, I 243: IV 1313
similis, I 238: II 549
sinuosa, I 251
sinuosa, I 238: IV 1389
sordidissima, IV 1233
SORDIDISSIMA, IV 1268
SORSOGONENSIS, IX 3439

stipulosa, IX 3454
stipulosa, IV 1246
STRANGULARIS, IV 1382
SUBALBIDO-RAMEA, VII 2389
subintegra, I 56: IX 3487
subulata, I 243: IV 1239: IX 3470
SULCATA, IV 1377
swinhoi, IV 1315
sycomoroides, I 62
tayabensis, IV 1387: IX 3435
tayabensis, I 238: II 548: VII 2403: IX 3477
TAYABENSIS, I 255
terminalifolia, IV 1389: IX 3485
TERMINALIFOLIA, IV 1318
tetangis, II 540
tinctoria, IV 1314
tinctoria, IV 1231
todayensis, VII 2403
todayensis, IV 1317
TODAYENSIS, IV 1261
ulmifolia, IV 1319, 1389: VI 2105, 2106, 2107, 2122, 2155, 2219, 2237, 2276: VII 2386, 2403, 2451, 2457: IX 3136, 3423, 3474, 3483
umbo-bracteata, VII 2394
UMBO-BRACTEATA, IV 1247
umbonata, I 55, 197
umbrina, IV 1245: VII 2409
umbrina, IX 3457
UMBRINA, I 49
URDANETENSIS, VII 2413
validicaudata, I 240: VI 2105: IX 3471
variegata, II 549: IV 1270: IX 3450
variegata, I 205, 261: II 549: IV 1233: VII 2385, 2395
vidaliana, II 539
VILLARII, I 362
villosa, I 201: IV 1263
villosa, I 61: IV 1233: IX 3484
viridifolia, IX 3483
warburgii, IX 3435
warburgii, I 238: IV 1375, 1376: IX 3435
WARBURGII, I 247
wenzelii, IX 3443
WILLIAMSII EPIPHYTICA, VII 2396
xavieri, IX 3457
zambalensis, IX 3486
ZAMBALENSIS, IX 3207

Fimbristylis acuminata, X 3532
annua, X 3532
complanata, X 3532
diphylla, VI 2079: X 3532
globulosa, X 3533
globulosa, III 855: X 3533
meliacea, X 3533.
quinquangularis, X 3533
utilis, VII 2360: X 3533
UTILIS, III 855
Fissidens *asperifolia*, II 652
ELMERI, II 652
Flacourtia *euphlebia*, VII 2653
inermis, IV 1520
lanceolata, X 3808
MAGALLANENSE, IV 1519
SULCATA, VII 2653
Flagellaria *indica*, I 275: VI 2216: VII 2455, 2478
PHILIPPINENSIS, I 274
Fluggia virosa, IV 1287
Fomes *carnu-bovis*, I 270
melanoporoides, I 270
pullus, I 270
semilaccatus, I 263
semitostus, I 270
Fraxinus *griffithii*, IX 3142
Freycinetia *acutifolia*, X 3808
APOENSIS, III 1111
banahaensis, VIII 3098
BANAHAENSIS, I 215
BREVIFOLIA, X 3771
bulusanensis, X 3601
CONFUSA, I 213
cuernosensis, X 3602
curranii, X 3602
dilatata, I 214
DISCOIDEA, III 1113
elmeri, III 1117
ensifolia, III 1118
ensifolia, IX 3175
GITINGIANA, III 1112
globosa, I 217
HEMSLEYI, I 214
hemsleyi, I 362
INSIPIDA, III 1114
IROSINENSIS, X 3602
jagorii, X 3604
jagorii, X 3775
LUCBANENSIS, I 212
LUTEO-CARPA, X 3604
maxima, III 1111: X 3606
maxima, IX 3130

megacarpa, III 1117
membranifolia, X 3606
MERRILLII, I 216
monocephala, I 218
MONOCEPHALA, I 80
multiflora, I 212: X 3606
negrosensis, X 3607
negrosensis, II 532
palawanensis, I 216
palawanensis, I 362
pandanicarpa, X 3819
PANDANICARPA, X 3607, 3773
rigida, VIII 3098
RIGIDA, I 362
ROBUSTA, VIII 3097
rostrata, III 1118
rostrata, X 3610
scabripes, I 216: X 3604, 3808
spectabilis, I 218
sphaerocephala, X 3610
sphaerocephala, X 3775
SORSOGONENSIS, X 3608
subflagellata, X 3608
SUBFLAGELLATA, VIII 3098
superba, X 3608
SUPERBA, III 1115
SURIGAOENSIS, X 3774
vidalii, I 214
VILLARII, I 362
vulcanica, X 3601
warburgii, X 3610
WARBURGII, I 218
williamsii, VI 2101, 2117

Fuirena ciliaris, X 3533
glomerata, VI 2076: VII 2425
umbellata, X 3534

Fumago vagans, VII 2526

Funalia mons-veneris, VI 2247
philippinensis, VI 1920

Fusarium paspalicola, VI 2158

Fusicladium pongamiae, VI 2165

G

Galium ciliare, I 4
ciliare, III 1046
gaudichaudi, I 4
philippinense, III 1046

Ganoderma amboinense, VI 1919, 2250
australe, VI 2250
laccatum, VI 2249
leucophaeum, VI 2250
lucidum japonicum, VI 2249
mastoporum, VI 2249
SUBTORNATUM, I 270
testaceum, VI 2250

Garcinia BICOLORATA, V 1790
binucao, III 1049
binucao, V 1789
BULUSANENSIS, X 3746
divis, III 1054
dulcis, III 1052
eugeneafolia, III 1054
fragrans, IX 3128, 3489
garciae, III 1052
GARCIAE, III 1048
GITINGENSIS, III 1053
GYNOTROCHOIDES, X 3747
lateriflora, X 3747
LINEARIFOLIA, III 1051
luzoniensis, III 1047
luzoniensis, V 1792
PALAWANENSIS, V 1791
PINNATINERVIA, II 502
RHIZOPHOROIDES, III 1049
samarensis, X 3748
SORSOGONENSIS, IV 1487
sulphurea, X 3748
SULPHUREA, V 1789
urophylla, III 1049
venulosa, VI 1946, 2095
vidalii, III 1051
vidalii, IX 3489: X 3808

Gardenia *acutifolia*, III 1007
ACUTIFOLIA, I 6
barnesii, I 5
barnesii, IV 1332
elliptica, III 1007
ELLIPTICA, I 6
glutinosa, IV 1331
glutinosa, III 1007: V 1539: VI 2081: VII 2447
longiflora, III 1006
longiflora, IV 1331
merrillii, IV 1330
MERRILLII, I 5
MORINDAEFOLIA, I 67
pseudopsidium, I 5
pseudopsidium, IV 1332
SEGMENTA, IV 1331
whitfordii, III 1004
WHITFORDII, I 4

Garnotia stricta, X 3513

Garuga *abilo*, VII 2422

Gaultheria *borneensis*, III 1089
cumingiana, III 1091

cumingiana, III 1089
Gelonium *aequoreum*, IV 1294
GLANDULOSUM, III 917
glomerulatum, III 920: IV 1293
meliocarpum, VII 2642: IX 3187
MELIOCARPUM, III 919
mindanaense, IX 3187
MINDANAENSE, VII 2640
philippinense, VII 2642: IX 3187
PINATUBENSE, IX 3186
PULGARENSE, IV 1293
subglomerulatum, V 1546: VI 2155
SUBGLOMERULATUM, IV 1292
TRIFIDUS, III 918
Geniostoma *cumingianum*, VIII 2747: IX 3128
LAXA, VIII 2746
MINDANAENSE, VIII 2747
Gentiana COPELANDII, VII 2671
luzonensis, VII 2673
Geoglossum *glutinosum*, VI 2144
Geophila herbacea, V 1857
reniformis, I 4
Gibbera *borneensis*, VIII 2946
PHILIPPINENSIS, VIII 2946
saubinetii, VI 2225
Gibberella creberrima, VI 2097: VII 2448
pulicaris, VI 2225: VII 2449
saubinetii, VI 2225: VII 2449: IX 3135
Gibberidea nipae, VI 2113: VII 2464
Gigantochloa *merrilliana*, VII 2675
MERRILLIANA, I 273
scribneriana, VI 2111, 2134, 2164, 2200, 2213, 2223: VII 2444, 2452, 2455, 2462, 2467, 2471, 2472, 2476, 2478, 2484, 2525: VIII 2929
verticellata, I 274
Gilletiella late-maculans, VII 2443
LATE-MACULANS, VI 2278
Ginalloa *ovata*, X 3808
Gironniera *celtidifolia*, V 1846
glabra, II 576
SIBUYANENSIS, V 1845
Gleditschia *copelandii*, VIII 2734
COPELANDII, II 695
rolfei, II 696
Gleichenia crassifolia, III 798
dolosa, II 424
ELMERI, III 799
gigantea, II 424
gigantea, II 388
glauca, II 388
hirta, II 424: III 798
laevigata, III 798
linearis, II 423: IX 3149
SORDIDA, III 798
vulcanica, III 798
Gliricidia *sepium*, VI 2124, 2125, 2152, 2161, 2201, 2208, 2259, 2264, 2266, 2268, 2279: VII 2465, 2466, 2468, 2481, 2482, 2484, 2489, 2490, 2495, 2498: VIII 2922
Globba AUREA, VIII 2902
brevifolia, VIII 2903
gracilis, II 605
gracilis, VIII 2903
parviflora, VIII 2977
ustulata, VIII 2903
Glochidion *album*, I 303
angulatum, VII 2645
BALSAHANENSE, IV 1289
BENGUETENSE, I 304
canescens, X 3735
CANESCENS, VIII 3082
cumingii, I 303
curranii, IV 1290
LEYTENSE, I 303
littorale, IV 1288
llanosii, VI 2091: VII 2438
LUZONENSE, I 301
merrillii, IV 1291
mindanaense, IV 1157: VI 2106
MINDANAENSE, VII 2642
mindorense, IV 1290
molle, IV 1288
molle, I 302: VIII 3082
PALAWANENSE, IV 1290
philippinense, I 306
PUBICARPUM, X 3733
PULGARENSE, IV 1291
QUINQUESTYLUM, I 303
RETICULATUM, I 302
robinsonii, X 3734
ROBINSONII, VII 2643
SABLANENSE, I 306
SORSOGONENSE, X 3734
SUBANGULATUM, VII 2644
SUBFALCATUM, I 305
trichogynum, III 921
trichogynum, I 303
triandrum, III 920
urophylloides, III 920

UROPHYLLOIDES, I 300
villosum, I 302
Gloeocarpus *patentivalvis*, X 3808
Gloeophyllum *edule*, VI 2244
Gloeosporidium ELMERI, IX 3130
Gloeosporium alchorneae, VI 2157: VII 2516: IX 3138
aleuriticum, VII 2516
canavaliae, VI 2157: VII 2516
catechu, VI 2157: VII 2516
graffii, VI 2157: VII 2516
hoyae, VI 2157: VII 2516
lebbek, VI 2157: VII 2516
macrophomoides, VII 2516
palmarum, VI 2157: VII 2516
papayae, VI 2157
vanillae, VI 2158: VII 2517
Glonium bambusinum, VI 2138: VII 2497
Glossogyne tenuifolia, I 175
tridentata, I 175
Glycine *hispida*, VI 2077
Glycosmis ANGULARIS, II 489
citrifolia, II 489
cochinchinensis, IV 1513: VII 2444, 2454
GREENEI, IV 1512
pentaphylla, II 489: IV 1513
Gmelina *philippensis*, VI 2082
villosa, VI 2150: VII 2505, 2506
Gnaphalium *dichotomum*, I 124
indicum, I 123
indicum, I 121
javanum, I 121
luteo-album, I 121
luteo-album, I 121, 122
multiceps, I 122
multiceps, I 121
oblancifolium, I 121
OBLANCIFOLIUM, I 123
palidum, I 121
Gnetum *gnemon*, VII 2674
latifolium, IV 1479
LAXIFRUTESCENS, IV 1478
VINOSUM, VII 2673
Gnomonia litseae, VI 2113: VII 2478
Gollonia *philippinensis*, VI 1975
Gomphandra *cumingiana*, X 3749
SORSOGONENSIS, X 3748
Gomphostemma CINEREA, VIII 3086
LUZONENSE, I 339
philippinarum, VIII 3086
Goniopteris *asymmetrica*, III 811
Goniostoma PULGARENSE, V 1808
Goniothalamus *elmeri*, VII 2420
EPIPHYTICUS, V 1711
giganteus, II 473: V 1711
GITINGENSIS, V 1710
magnificus, V 1714
MAGNIFICUS, II 473
mindanaensis, V 1714
MINDANAENSIS, V 1712
philippinensis, II 473: V 1714
Gonocaryum *cognatum*, X 3808
COGNATUM, I 315
Gonostegia hirta, III 893
pentandra, III 893
Gonystylus PHILIPPINENSIS, VII 2674
Gordonia WELBORNI, II 500
Gossypium *brasiliense*, VI 2074
herbaceum, VI 2074
Gouania MICROCARPA SUBGLABRA, VIII 2801
Grammitis *denticulata*, III 839
longifolia, II 411, 412
Grangea maderaspatana, I 128
Graphiola arengae, VI 1931, 2079
cylindrospora, VI 2079: VII 2428
Greenea HIRSUTA, V 1857
Greenia longiflora, III 981
Greeniopsis multiflora, III 981
philippinensis, III 981
philippinensis, III 983
SIBUYANENSIS, III 982
pubescens, III 982
Grewia BANAHAENSIS, I 319
NEGROSENSIS, II 631
PYRIFORMIS, VIII 2841
stylocarpa, VIII 2842, 2949
tiliaefolia, II 632
Guepiniopsis spathularius, VI 2240
Guettarda speciosa, I 4
Guettardella *philippinensis*, III 1009
Guignardia albicans, VII 2473
ALBICANS, VI 2258
arengae, VII 2473
ARENGAE, VI 2195
BAMBUSINA, VIII 2936
creberrima, VI 2117, 2194: VII 2473
DINACHLOAE, VIII 2936
freycinetiae, VI 2117
fusco-coriacea, VII 2473
FUSCO-CORIACEA, VI 2195

humuline, VIII 2936
manihoti, VII 2473
musae, VI 2195
sterculiae, VII 2473
STERCULIAE, VI 2194
Guioa DISCOLOR, V 1609
lasiothyrsa, V 1609
LASIOTHYRSA ELMERI, V 1609
MYRIADENIA, V 1610
perrottetii, VI 2230: VII 2445
pubescens, V 1616
TRUNCATA, V 1611
SALICIFOLIA, V 1608
Gymnacranthera *cryptocaryoides*, III 1066
CRYPTOCARYOIDES, III 1060
lanceolata, III 1058
LAXA, VIII 2772
negrosensis, III 1057
NEGROSENSIS, II 576
paniculata, III 1059
paniculata, II 577: III 1059: VIII 2773
suluensis, III 1058
suluensis, III 1059
URDANETENSIS, VIII 2773
zippeliana, III 1059
Gymnanthera pedunculata, X 3571
Gymnema *cumingii*, X 3571
lignosum, X 3571
mariae, X 3594
schlechteriana, X 3571
tingens, X 3571
Gymnogramma *rhizophylla*, IX 3160
Gymnosporia *spinosa*, VI 2085
Gymnostachyum *affine*, V 1704
cumingiana, V 1704
decurrens, V 1703
nudispicum, V 1700
PALAWANENSE, V 1701
PICTUM, V 1700
subcordatum, V 1534: VI 2071
SUBCORDATUM, V 1703
Gynura *affinis*, I 146
AGUSANENSIS, VII 2585
angulosa, I 146
angulosa, I 144
APOENSIS, VII 2587
cacalioides, I 137
clementis, I 145
clementis, I 144: VII 2587, 2588
elliptica, I 146
finlaysoniana, I 146
LABIENSIS, X 3715
latifolium, I 145
latifolium, I 144
piperi, VII 2587
purpurascens, I 144, 145
sarmentosa, I 146
sarmentosa, I 144
scaber, I 146
vidaliana, I 144: VII 2588: X 3716
VIDALIANA, I 144
Gyrinopsis brachyantha, V 1629
CITRINAECARPA, V 1631
cumingiana, V 1629
cumingiana pubescens, V 1632
CUMINGIANA PUBESCENS, V 1629
URDANETENSE, V 1630

H

Habenaria *elmeri*, V 1550
ELMERI, V 1550
luzonensis, V 1551
LUZONENSIS, V 1550
Hadronema orbiculare, VI 2165
Haematomyces carneus, VI 2140, 2235: VII 2499
Halconia *involucrata*, II 497: V 1641
NEGROSENSIS, II 495
Hallieracantha PULGARENSIS, V 1692
Halorrhagis *micrantha*, IX 3143
Halorrhena DARONENSIS, IV 1455
Hamaspora acutissima, VI 2069: VII 2421
Hapalopilus gilvus, I 265
SUBRUBIDUS, I 265
Haplodictyum heterophyllum, IX 3109
majus, IX 3110
MAJUS, IX 3110
Haplomela CELTIDIS, IX 3131
Haplosporella manilensis, VII 2508
Hardwickia ALTERNIFOLIA, I 362
Harpulia *arborea*, IX 3119
Harrisonia CITRINAECARPA, VIII 2823
perforata, VIII 2830
Hedera *helix*, VI 2015
Hedychium coronarium, VIII 2978
coronarium, VIII 2903
mindanaense, VIII 2978
mindanaense, VIII 2978

MINDANAENSE, VIII 2904
philippinense, VIII 2903
philippinense, VIII 2905, 2978
Hedyotis apoensis, III 976
banksii, III 976
banksii, X 3780
benguetensis, III 976
benguetensis, III 974
brachyantha, IX 3250
cagayanensis, III 975
congesta, II 525: III 981: IV 1356
elmeri, III 974
elmeri, III 978: X 3780
eucapitata, III 974
GITINGENSIS, III 979
havilandi, III 977
hispida, III 974: V 1859
humilis, V 1859
IROSINENSIS, IX 3248
KINGIANA, IV 1334
leucocarpa, III 974
leucocarpa, III 981
LEUCOCARPA, II 524
lineata, I 360
macgregorii, III 975
macrophylla, III 979
magallanensis, IV 1334
MAGALLANENSIS, III 976
microphylla, III 974
montana, III 975
montana, III 975
nodiflora, III 979
parva, III 975
parva, III 977
PERHISPIDA, IV 1333
pilosissima, III 975
PINATUBENSIS, X 3778
prainiana, I 360: IV 1335
pterita, III 974
PULGARENSIS, IV 1333
radicans, V 1859
sibuyanensis, IX 3250
SIBUYANENSIS, III 977
SUBVELUTINA, III 978
tenelliflora, I 360
thwaitesii, III 979
TRISECTA, IX 3249
vestita, III 975
whiteheadii, III 975
YODERI, III 976
Helianthus annuus, I 170
Helicia ARTOCARPOIDES, V 1826
integra, VIII 2800
INTEGRIFOLIA, VIII 2798
Helicteres *hirsuta*, VII 2524
Heliotropium *indicum*, VI 2167
Helminthosporium caryopsidum, VII 2526
ficinum, IX 3138
inconspicuum, VI 2165: VII 2526
inversum, VII 2526
nodulosum, VI 2165
ravenelii, VI 2165: VII 2527: IX 3138
Helminthostachys zeylanica, III 796
zeylanica, VI 2161: VII 2522
Helvella *craterella*, VI 2281
Hemigraphis *bakeri*, X 3674
BARACATANENSE, VII 2543
diversifolia, X 3676
DIVERSIFOLIA, X 3673
fruticulosa, X 3674
hirsuta, V 1693
hirsuta, I 349
HIRSUTA CRENATA, V 1693
setosa, I 350
SETOSA, I 348
SUBLORATUM, II 591
SUBTINCTORIA, X 3674
Hemileia canthii, VI 2069
vastatrix, VI 2070: VII 2421
Hemisphaeria *concentrica*, VI 2127
obovata, VI 2127
substipitata, VI 2127
Hendersonia coicis, VII 2508
Henningsomyces philippinensis, VII 2464
pusillimus, VII 2464
Henslowia PALAWANENSIS, V 1834
Herpotrichia philippinensis, VII 2464
PHILIPPINENSIS, VI 2203
rhodosticta, VI 2201
xestothele, VI 2203
Heterochaeta tenuicula, VI 2240
Heterodothis leptotheca, VII 2454
Heterospathe elata, VIII 3013
elata, VIII 3016
elmeri, VIII 3010
ELMERI, II 646
negrosensis, VIII 3014
PHILIPPINENSIS, VIII 3013
SIBUYANENSIS, VIII 3014
Heterosporium coryphae, VI 2165: VII 2527

ELMERI, IX 3132
Heterostemma angustilobum, X 3571
angustilobum, VI 1928, 2092
herbertii, X 3572
HERBERTII, VIII 3074
lucbanensis, X 3572
Hewittia *bicolor*, VI 2076, 2159: VII 2426, 2519
sublobata, VI 2077, 2086, 2088
Hexagona bivalvis, VI 2245
bivalvis, VI 2245
cervino-plumbea, I 264
cladophora, VI 2246
cruenta, VI 2247
orbiculata, I 264
pulchella, VI 2245
REYESII, VI 2246
thwaitesii, I 264: VI 2245, 2246
thwaitesii, VI 2545
THWAITESII RESUPINATA, VI 2245
thwaitesii retropicta, VI 2245
THWAITESII SINUATA, VI 2245
wightii, I 264
Heynea sumatrana, IX 3382
Hibiscus *esculentus*, VI 2225: VII 2449
rosa-sinensis, VI 2098, 2128, 2151, 2202, 2215, 2231: VII 2450, 2480, 2487, 2502, 2507: VIII 2950
sabdariffa, VII 2510
tiliaceus, VI 2108
Hippocratea *cumingii*, VII 2689
LAWSONII, VII 2688
Hiptage CEBUENSIS, II 683
LAWSONII, VIII 2751
luzonica, II 684
PINNATA, V 1810
Histiopteris incisa, II 405: III 832
montana, III 832
Holstiella eutypa, VII 2482
EUTYPA, VI 2217
usambarensis, VI 2218
Homalanthus ALPINUS, I 307
macradenius, VII 2646
populneus, III 921: IV 1294
populneus, I 307
SURIGAOENSE, VII 2645
Homalium GITINGENSE, IV 1513
panayanum, IV 1519
SORSOGONENSE, I 325
SUBSCANDENS, IV 1518
Homalomena philippinensis, X 3626
philippinensis, VII 2441, 2445
Homonoya riparia, III 922
Homostegia fusispora, VII 2454
Hopea *acuminata*, VI 2158
beccariana, VI 1953, 1954
FOXWORTHYI, IV 1469
GLUTINOSA, IV 1470
MALIBATO, VI 1953
philippinensis, VI 1949
pierrei, IV 1471
Hornstedtia *conoidea*, VIII 2972, 2973
CONOIDEA, II 605
dalican, VIII 2900
DALICAN, VIII 2906
irosinensis, VIII 2984
IROSINENSIS, VIII 2981
lepicarpa, VIII 2979
lepicarpa, VIII 2988
lophophora, VIII 2973
LOPHOPHORA, II 607
luzonensis, VIII 2983
microcheila, VIII 2983
MICROCHEILA, II 606
muricarpa, VIII 2980
pandanicarpa, VIII 2985, 2987
PANDANICARPA, VIII 2979
paradoxa, II 569, 603
PENINSULA, VIII 2983
philippinensis, II 605: VIII 2980, 2905
philippinensis, VIII 2894, 2897, 2980
propinqua, VIII 2979
propinqua, VIII 2980
pubescens, VIII 2979
PURPUREA, VIII 2984
sorsogonensis, VIII 2987
SORSOGONENSIS, VIII 2985
SUBVIRIDIS, VIII 2987
Horsfieldia ardisiaefolia, III 1061
ardisiaefolia, X 3808
gigantifolia, IX 3120, 3129
GIGANTIFOLIA, X 3763
WARBURGIANA, III 1061
Hoya ANGUSTIFOLIA. X 3572
angustisepala, X 3585
benguetensis, X 3574
bilobata, X 3577
bordenii, X 3575
bordenii, X 3574
BULUSANENSIS, X 3575
cagayanensis, X 3583

camphorifolia, X 3577
ciliata, X 3586, 3590
CILIATA, X 3577
coronarioides minor, X 3590
crassicaulis, X 3581
CRASSICAULIS, X 3579
cumingiana, X 3581
darwinii, X 3546
diversifolia, X 3577
eugenioides, X 3588
gracilis, X 3581
gracilis, X 3587
imbricata, X 3546, 3566
imbricata basicordata, X 3581
incrassata, X 3581
incrassata, X 3580, 3590
intermedia, X 3574
LEYTENSIS, X 3582
longipes, X 3577
luzonensis, VI 2122, 2157, 2258, 2278: VII 2443, 2473, 2477, 2516
luzonica, VIII 2937: X 3584
mcgregorii, X 3583
mcgregorii, X 3587
me.iflua, X 3584
MINDANAENSIS, X 3584
mindorensis, X 3586
obscura, X 3583
OBSCURA, X 3586
odorata, X 3587
PUBIFERA, X 3588
pulgarensis, X 3590
PULGARENSIS, X 3589
quinquenervia, X 3591
rotundisepala, X 3579
Humaria CABALLINA, VIII 2930
ccnformis, VII 2501
CONFORMIS, VI 2233
granulata microspora, VI 2142
guanaci, VIII 2930
merdaria, VIII 2930
raimundoi, VI 2142, 2233: VII 2501
Humata botrychioides, III 828
botrychioides, III 828
gaimardiana, IX 3161
heterophylla, IX 3161, 3162
immersa amplissima, II 394
ophioglossa, IX 3161
ophioglossa, IX 3161
pinnatifida, IX 3161
vestita, II 394: IX 3162
Hydnocarpus *ovoidea*, IV 1516
OVOIDEA, IV 1514
QUADRASII, IV 1515
subfalcata, IV 1515, 1516
UNONIFOLIA, V 1779
Hydnophytum angustifolium, III 1038
angustifolium, III 1039
formicarium, I 7
INTERMEDIUM, III 1039
MINDANAENSE, III 1039
moselayanum, III 1040, 1134
nitidum, III 1039
nitidum, III 1039
ORBICULATUS, V 1860
philippinense, I 7
philippinense, III 1040
Hydnum COPELANDII, VI 2251
INSULARE, VI 2251
leptodon, VI 2252
Hydrangea CUNEATIFOLIA, VIII 2825
glandulosa, VIII 2826
GLANDULOSA, II 473
Hydrocotyle asiatica, II 628
asiatica, II 627
benguetensis, II 628, 629
BENGUETENSIS, II 628
delicata, II 628, 629
DELICATA, II 629
javanica, II 629
javanica, II 628
rotundifolia, II 629
rotundifolia, II 628
tripartita, II 629
Hygrophila *salicifolia*, VI 2075
Hymenochaeta adusta, VI 2241
tenuissima, VI 2241
Hymenodictyon excelsum, I 7
Hymenophyllum aculeatum, II 421
australe, III 800
blumeanum, III 800
demissum, III 800
eximium, II 420: IX 3149
formosum, III 800
junghuhnii, II 421: III 800
obtusum, II 421
paniculiflorum, IX 3149
polyanthus, III 801
productum, II 421
pycnocarpum, II 421
serrulatum, II 421: III 801
tunbridgense, II 421: III 800

Hymenolepis mucronata, IX 3162
platyrhynchos, IX 3162
platyrhynchos, III 848
PLATYRHYNCHOS GLAUCA, III 847
spicata, II 408: III 848
spicata, III 848: VI 2137: VII 2445
Hymenopsis cudraniae, VI 2159: VII 2518
Hymenula copelandii, VII 2519
Hypericum LACKEYI, IX 3190
loheri, IX 3191
Hypobathrum frutescens, I 7
glomeratum, I 8
MULTIBRACTEATA, IX 3250
parviflorum, I 8
purpureum, IX 3251, 3269
Hypocrea mellea, VII 2449
MELLEA, VI 2276
mellea ochracea, VI 2277: VII 2449
ochracea, VI 2098
ochracea, VI 2277: VII 2449
peltata, VI 2098
poronoidea, VI 2277
rufa, VI 1930, 2098: VII 2449
Hypocrella botryosa, VI 1930, 2100: VII 2451
melaena, VI 2100
pernettiae, VI 2276: VII 2451
salaccensis, VI 2100: VII 2451
salaccensis, VII 2440
schizostachyi, VI 2100: VII 2451
Hypoestes *addisonensis*, V 1907
ADDISONENSIS, V 1697
APOENSIS, VII 2544
cumingiana, II 518
LINEARIS, II 517
merrillii, V 1697
PULGARENSIS, V 1698
SIBULANENSIS, VII 2546
Hypolepis tenerifrons, III 807
tenuifolia, III 825
Hypolytrum *philippinense*, X 3534
scirpoides, X 3534
Hypopterygium *ceylanica*, II 657
DELICATULUM, II 656
Hyposeglonopsis *hurae*, VI 2217
Hypospila *ambigua*, VI 2113
Hypoxylina PHILIPPINENSIS, VIII 2921
Hypoxylon annulatum, VI 1944, 2127, 2205, 2271: VII 2486: VIII 2957
apoense, VI 2127: VII 2486
atropurpureum, VI 2271: VII 2485
coenopus, VI 2206
coenopus spinifera, VI 2206
compactum, VI 2133
coryphae, VI 2127
culmorum, VI 2205: VII 2486
culmorum, VIII 2960
culmorum bambusae-blumeanae, VII 2486
CULMORUM BAMBUSAE-BLUMEANAE, VI 2205
disjunctum, VI 2128
effusum, VI 2271: VII 2486
effusum, VI 2271
FREYCINETIAE, VIII 2959
fulvo-ochraceum, VI 2128
fuscum, VI 1944
gigasporum, VI 1943, 2132
granulosum, VIII 2958
haematostroma, VI 1944, 2128: VII 2487: VIII 2958
hibisci, VI 2128: VII 2487
lianincolum, VI 2128
LIANINCOLUM, VI 1944
lilliputianum, VI 2128
macrospermum, VI 1943
marginatum, VI 2128, 2271: VII 2487: VIII 2958
marginatum mammiforme, VIII 2958
minutellum, VI 2129: VII 2487
multiforme, VI 2129: VII 2487
nucigenum, VI 2129: VII 2487
nummularioides, VII 2488
NUMMULARIOIDES, VI 2272
placentiforme, VI 2207
purpureum, VI 2272: VII 2488
rubigineo-areolatum microsporum, VIII 2958
rubiginosum, VI 2129: VII 2488
rubiginosum, VI 1944, 2272
serpens, VI 2129: VII 2488
stygium, VI 2129: VII 2488
subeffusum, VI 2271: VII 2488: VIII 2958
subeffusum, VI 2271
suborbiculare, VI 2273
tabacinum, VI 2211
Hypserpa cuspidata, IV 1165
jagorii, IV 1165
Hyptis *suaveolens*, VI 2086: IX 3134

Hysterium boyae, VI 2138: VII 2497
rufulum, VI 1946
Hysterostomella psychotriae, VI 2136: VII 2497
spurcaria, VIII 2932
tetracerae, VII 2497: IX 3136

I

Ichnanthus *pallens*, VII 2462
Ichnocarpus *ovatifolia*, X 3810
Ilex ANTONII, V 1666
apoensis, VIII 3071
APOENSIS, V 1667
APOENSIS PUNCTATA, VIII 3071
asprella, V 1664
BENGUETENSIS, V 1665
brunnea, IX 3177
buergeri, V 1664
buergeri rolfei, V 1664
cinereae, V 1666
crenata luzonica, V 1664
cumingiana, V 1664
cymosa, V 1664
cymosa, V 1542: VI 2093
cymosa cumingiana, V 1664
EPIPHYTICA, V 1668
fletcheri, V 1663
formosana, V 1666
foxworthyi, V 1663
foxworthyi, V 1669
gracilipes, V 1664
guerreroii, V 1663
guerreroii, V 1666
halconensis, V 1663
halconensis, V 1663
hanceana, V 1663, 1665: VIII 3071
luzonica, I 363: V 1664
microthyrsa, V 1663
microthyrsa, V 1667
palawanica, V 1664
philippinensis, V 1664
pulogensis, V 1665
pulogensis, V 1668: VIII 3071
racemifera, V 1665
rolfei, V 1664
ROLFEI, I 314
subcaudata, V 1664
Illigera DIPTERA, VII 2687
platyandra, VII 2688
Imperata *arundinacea*, VII 2424
cylindrica, VI 2073: VIII 2956
exaltata, X 3513
exaltata, VIII 2942
Inonotus ELMERIANUS, I 265
Intsia *bijuga*, VI 2134, 2135
Ipomoea *cymosa*, VI 2071
hederacea, VI 2068
obscura, VI 2096
Irene confragosa, IX 3135
vilis, IX 3135
Irpex *flavus*, VI 2247
maximus, I 263
Isachne *albescens*, II 464
APOENSIS, VII 2676
beneckei magna, VII 2678
minutula, VI 2080
STRICTA, II 463
Isanthera discolor, II 563: III 948
discolor, III 947
Ischaemum *aristatum*, VI 2080
ciliare, VI 2080: VII 2430
digitatum, X 3514
digitatum, VII 2680
intermedium, X 3514
intermedium, VII 2680
muticum, VII 2680
TODAYENSE, VII 2678
Ischnostemma *carnosum*, X 3591
Ischnostroma merrillii, VII 2514
Itea *chinensis*, II 528
luzonensis, II 527
LUZONENSIS, II 528
macrophylla, II 529
MAESAEFOLIA, II 528
maesaefolia, II 527: VI 2085, 2089: VII 2434
Iteadaphne *confusa*, II 714
PHILIPPINENSIS, II 713
Ixeris *thunbergiana*, I 183
Ixonanthes PHILIPPINENSE, X 3758
reticulata, X 3759
Ixora amboinica, I 9
amboinica, III 1017
AURICULATA, III 1018
barbata, I 9
barbata, III 1017: IV 1337
BARTLINGII, III 1020
bibracteata, III 1016
BIBRACTEATA, I 8
capitulifera, III 1016
CHARTACEA, V 1861

CHARTACEA MEMBRANACEA, V 1862
chinensis, III 1016
coccinea, I 9
coccinea, III 1016, 1018
congesta, III 1017
crassifolia, III 1016
crassifolia, IV 1338: V 1865
cumingiana, I 8: III 1017
cumingiana, III 1016: IV 1337: IX 3252
ebracteata, III 1017
FILMERI, IV 1338
fulgens, I 9
GIGANTIFOLIA, V 1864
inaequifolia, V 1868
INTERMEDIA, IV 1336
IROSINENSIS, IX 3251
kingstonia, I 8
LEUCOCARPA, IV 1337
leytensis, III 1017
LEYTENSIS, I 69
littoralis, III 1018
lobbii, I 9
lobbii, V 1866
longissima, III 1018
macgregorii, V 1868
macrophylla, III 1016: V 1866
macrophylla, III 1017, 1021
MAGNIFICA, V 1865
mearnsii, III 1017
mearnsii, V 1866
meyeri, III 1015
MEYERI, I 68
mindanaensis, III 1017
OBLONGIFOLIA, V 1867
pachyphylla, V 1865
palawanensis, III 1018: IV 1336
philippinensis, III 1018
philippinensis, IV 1339: VI 2093, 2094
salicifolia, I 8: V 1868
SPARSIFLORA, I 8
stricta, I 9

J

Jasminum APOENSIS, VIII 2791
crassifolium, VIII 2792, 2793
IXOROIDES, II 511
luzoniense, II 512
populifolium, II 512
ROTUNDIFOLIUM, VIII 2792
sambac, VI 2086
trinervium, VIII 2792
Julella luzonensis, VI 2113, 2204: VII 2464
Justicia gendarussa, V 1685
gendarussa, VI 2073: VII 2424
SPICIFORMIS, I 349

K

Kadsura APOENSIS, VIII 2748
philippinensis, I 363: X 3808
PHILIPPINENSIS, I 277
scandens, VIII 2750, 2751
SULPHUREA, VIII 2750
Kalmusia *argentinensis*, VI 2218
philippinarum, VII 2482
PHILIPPINARUM, VI 2218
Kibatalia FRAGRANS, X 3694
Kickxia GITINGENSE, IV 1455
macgregori, IV 1455: X 3695
MACGREGORI, IV 1457
Kigelia *pinnata*, VII 2475
Kleinia *cacalioides*, I 137
Knautia *sagittata*, I 100
Knema *cinerea*, III 1065
gitingensis, III 1059
GITINGENSIS, III 1065
heterophylla, III 1060, 1065
LATERICIA, V 1815
stenocarpa, III 1064
vidalii, III 1060, 1066
Knoxia corymbosa, I 9
corymbosa, VII 2427: VI 2075
Kordyana pinangae, IX 3133
Korthalsia laciniosa, VIII 3029
Kretzschmaria clavus, VI 2206: VII 2488
coenopus, VI 2129, 2206
coenopus spinifera, VII 2489
gomphoidea, VI 2130: VII 2489
gomphoidea, VI 2206
gomphoidea microspora, VII 2489
GOMPHOIDEA MICROSPORA, VI 2206
microspora, VI 2130: VII 2489
microspora, VI 2206
Kuehneola desmium, VII 2422
fici, VII 2422
garugae, VII 2422
gossypii, IX 3133
gossypii, VI 2074
Kyllinga brevifolia, X 3534
monocephala, X 3535

L

Laboulbenia nodostomae, VII 2431
oedionychi, VII 2430
philippina, VII 2430
Lachnea albo-grisea, VI 2142
lurida, VI 2234: VII 2501
Lactuca brevirostris, I 182
brevirostris, I 182
luzonica, I 183
scariola, I 183
scariola, I 182
thunbergiana, I 183
thunbergiana, I 182
Laestadia festiva, VI 2117
FESTIVA, V 1543
traversi, VIII 2935
Lagenophora billardieri, I 130
Lagerheima DERMATOIDEA, VIII 2928
Lagerstroemia *speciosa*, VI 2142, 2146: VII 2503, 2522: VIII 2926
Laggera alata, I 117
Languas *flabellata*, IX 3226
PINATUBENSIS, IX 3225
Lansium domesticum, IX 3383
dubium, IX 3384
Laportea *agusanensis*, IX 3239
AGUSANENSIS, VIII 2860
CONDUPLICATA, IX 3237
GRACILIPES, III 876
LATILANCEOLATA, IX 3238
luzonensis, IX 3239
mindanaensis, III 878
triplinervia, IX 3238
VENOSA, III 878
Laschia agaricina, VI 1919
alba, VI 2253
candida, VI 2253
SIMULANS, VI 2252
Lasianthus BORDENII, I 11
BULUSANENSIS, IX 3252
clementis, III 1034: V 1869
clementis, IX 3253
copelandii, V 1869
copelandii, II 520
COPELANDII, I 10
CULIONENSIS, I 11
cyanocarpus, III 1034
everettii, III 1034: V 1869
hispidus, IV 1333
HISPIDUS, I 10
HUMILIS, II 519
inaequalis, I 10
laevigatus, I 11
lucidus, I 11
microphyllus, IX 3210
MICROPHYLLUS, V 1870
MORUS, I 73
obliquinervis, III 1035: IV 1339: V 1871
stipularis, I 10
SUBMEMBRANIFOLIUS, V 1871
tashiroi, III 1035
tashiroi, V 1871: IX 3210, 3253
ZAMBALENSIS, IX 3209
Lasiodiplodia *nigra*, VI 2151: VII 2508
theobromae, VI 2151: VII 2508
Lasiosphaeria *culmorum*, VIII 2952
MOLLIS, VIII 2952
xestothele, VI 2203
Lasiothyrium cycloschizon, VI 2156
Lasmenia ficina, VI 2155
Lastrea *leucolepis*, IX 3158
Lawsonia *inermis*, VI 2092, 2227: VII 2438
Lecanopteris carnosa, IX 3163
carnosa, III 848: IX 3144
curtisii, III 849
pumila, III 848
pumila, III 848, 849, 952: VI 1959
Lecanthus peduncularis, III 883
Lecaussadea *rhizophylla*, IX 3160
Leea AGUSANENSIS, VIII 2881
BANAHAENSIS, I 316
BULUSANENSIS, X 3801
congesta, VIII 2883
CONGESTA, I 318
divaricata, I 318
javanica, II 495
luzonensis, X 3802
LUZONENSIS, VIII 3104
magnifolia, I 316
manillensis, V 1853: VIII 3105: X 3802
negrosensis, VIII 3105: X 3802
NEGROSENSIS, II 494
PALAWANENSIS, V 1851
PARVA, I 317
PAUCIFLORA, VIII 3103
philippinensis, VIII 3104
robusta, II 495
rubra, V 1852
sundaica, II 495

Lembosia *breviuscula*, VII 2440
cocoes, VIII 2932
congregata, VI 2138: VII 2440: VIII 2931
congregata, VII 2440
crustacea, VII 2440: VIII 2931
diffusa breviuscula, VII 2440
diffusa diffusa, VII 2440
dipterocarpi, VI 2138: VII 2440
eugeniae, VI 2138: VII 2441: VIII 2932: IX 3174
inconspicua, VII 2441
javanica, VI 2138: VII 2441
javanica, VIII 2933
nervisequia, VII 2441
PANDANI, VIII 2932
pothoidei, VI 2138: IX 3137
Lentomita *longirostris*, VI 2259
philippinensis, VII 2468
PHILIPPINENSIS, VI 2259
Lenzites *applanata*, I 271
palisoti, VI 2244
palisoti, I 271
pallida, I 271
platypoda, I 271
polita, VI 2244
repanda, I 271
subferruginea, VI 2244
tenuis, VI 2244
Lepidagathis AMARANTHOIDES, V 1695
glabra, VII 2548
hyalina, V 1696
inaequalis, V 1695
incurva, V 1696
javanica, V 1697
SPICIFER, VII 2547
Lepidogyne longifolia, V 1553
Lepidozia TENUISSIMA, VI 2288
Lepiniopsis PHILIPPINENSIS, IV 1458
Lepisanthes *eriolepis*, VIII 3102
PALAWANICA, V 1604
PERVIRIDIS, VIII 3101
Lepistemon *flavescens*, VI 2068
Leptaspis urceolata, X 3514
Leptochilus *diversifolius*, II 393
heterochilus foxworthyi, II 393
heteroclitus, II 393: III 813
lanceolatus, III 813
Leptocolea HISPIDISSIMA, VI 2287
Leptogium javanicum, II 435
moluccanum, II 435
tremellioides, II 435
Leptopeziza mindanaensis, VI 2142: VII 2499
Leptoselena *haenkei*, X 3808
insignis, VIII 2907
Leptosphaeria ambiens, VI 2121
capparidis, VI 2204
dryadea lusoniensis, VII 2475
fusispora, VI 2204
orthogramma, VIII 2951
PANICI, IX 3121
simillima, VII 2475
SIMILLIMA, VI 2203
Leptothyrium circumscissum, VI 2156
Letendrae *atrata*, VI 2113
Leucaena *glauca*, VI 1935, 1939, 1940, 2099, 2117, 2121, 2159, 2225, 2231, 2233, 2249, 2255: VII 2449, 2481, 2501, 2502, 2519: VIII 2923
Leucas *lavandulifolia*, VI 2154
linifolia, VI 2154
SERICEA, I 340
Leucoporus arcularius, VI 2243
gallo-pavonis, VI 2243
grammocephalus, VI 2243
grammocephalus trigonus, VI 2243
Leucostegia hymenophylloides, III 828
immersa amplissima, III 828
Leucosyke *capitellata*, IX 3174
capitellata villosa, III 900
hispidissima, II 678
MAGALLANENSIS, II 677
Licuala *spinosa*, VII 2466, 2522
Ligustrum *glabrinerve*, IX 3144
GLABRINERVE, IX 3208
pubinerve, IX 3209
Limacia velutina, IV 1165
Limacinula malloti, VI 2097: VII 2447
Lindera APOENSIS, II 714
Lindernia *crustacea*, X 3810
Lindsaya *adiantoides*, II 397
apoensis, III 830
apoensis, II 397
cultrata, II 397: III 830
cultrata, II 398
cultrata minor, II 398
davallioides, III 830
decomposita, II 398: IX 3163
humilis, IX 3163
hymenophylloides, II 397
merrillii, II 397: IX 3163
MONOSORA, II 398
pectinata, III 829

pectinata, III 829
pulchella, II 398: III 830
rigida, II 398
scandens, III 829

Linhartia LUZONICA, VI 2236
PHILIPPINENSIS, VI 2236

Linociera acuminatissima, V 1651
coriacea, V 1657
coriacea, V 1652
cumingiana, V 1651
GITINGENSIS, V 1653
GRANDIFOLIA, V 1657
luzonica, V 1651
luzonica, II 587
NERVOSA, V 1652
obovata, V 1652
pallida, V 1651
philippinensis, V 1651
philippinensis, V 1654
racemosa, V 1551
rubrovenia, V 1652
rubrovenia, V 1655
RUBROVENIA, II 586
URDANETENSIS, V 1656
vidalii, V 1907
VIDALII, V 1654

Linospora elasticae, VIII 2954
pandani, VI 2113
pandani, VII 2512
PANDANI, VIII 2954
seriata, VIII 2954

Liparis *bituberculata*, V 1563
elmeri, V 1562
ELMERI, V 1561
latifolia, V 1562
latifolia, V 1549
liliifolia, V 1561, 1562
NEGROSIANA, V 1562
rheedii, V 1562
robusta, V 1562

Lisea spatholobi, VI 2097

Litosanthes biflora, III 1035

Litsea *albayana*, II 379: VIII 2726
BARACATANENSIS, II 720
BARURINGENSIS, II 719
BICOLOR, VIII 2722
BULUSANENSIS, X 3755
caesifolia, VI 1920: VIII 2726
CAESIFOLIA, II 722
fulva, II 718
fulva, V 1796: X 3756
garciae, II 382
gigantifolia, VIII 2724
glutinosa, VI 2113, 2116, 2131, 2161, 2193, 2209: VII 2468, 2478, 2490, 2507, 2517
griseola, II 718
GRISEOLA, II 382
luzonica, II 722: X 3756, 3808
MACROPHYLLA, VIII 2723
membranacea, II 716
MEMBRANACEA, II 380
oblongifolia, VIII 2726
obtusa, II 378
penangiana, II 723
PERFULVA, II 723
perrottetii, II 715
perrottetii, II 378: VI 2084
philippinensis, II 717
philippinensis, II 725
PLATEAEFOLIA, II 377
quercoides, II 717
QUERCOIDES, II 378
SEGREGATA, II 721
sibuyanensis, II 722
SIBUYANENSIS, II 724
tayabensis, II 716
tayabensis, V 1545: VI 1929, 2107
TAYABENSIS, II 380
URDANETENSIS, VIII 2724
VELUTINA, VIII 2726

Livistona *microcarpa*, VIII 3024
rotundifolia, II 647
rotundifolia, VIII 3025
ROTUNDIFOLIA LUZONENSIS, VIII 3025
ROTUNDIFOLIA MICROCARPA, VIII 3024

Lobaria pulmonaria isidiosa, II 436
schaereri, II 436

Lobelia *chinensis*, II 594
NICOTIANEAFOLIA MOLLIS, IX 3180
trigona, II 594

Lomagramma *pteroides*, II 393
pteroides negrosensis, II 393
PTEROIDES NEGROSENSIS, II 393
pteroides subcoriacea, II 393
PTEROIDES SUBCORIACEA, II 393

Lomaria *elongata*, III 818

Lophatherum gracile, X 3515
gracile, VI 2082

Lophodermium aleuritis, VII 2496: VIII 2925
ALEURITIS, VI 2232
arundinaceum, VI 2136: VII 2496: VIII 2925

arundinaceum vulgare, VIII 2926
javanicum, VI 2232
mangiferae, VI 2233
passiflorae, VI 2136: VII 2496
PASSIFLORAE, VI 2232
PLANCHONIAE, VIII 2925
reyesianum, VII 2496
REYESIANUM, VI 2233
rotundatum, VII 2496
Lophopetalum *toxicum*, VI 2228: VII 2439, 2444
Loranthomyces sordidula, VI 2115: VII 2468
Loranthus *acutus*, II 471
agusanensis, VI 1964
AGUSANENSIS, VI 1962
ahernianus, III 1073
ANGULATUS, III 1074
apoensis, X 3808
APOENSIS, III 1073
aurantiacus, VI 1967
AURANTIACUS, VI 1967
banahaensis, VI 1960
banahaensis, III 1076
BANAHAENSIS, I 288
barthei, VI 1970
BICOLORATUS, II 470
cauliflorus, VI 1960
cauliflorus, II 470
clementis, VI 1962
congestiflorus, III 1076
cuernosensis, III 1074: X 3808
CUERNOSENSIS, II 469
cumingianus, II 470
curranii, III 1071
CURTIFLORA, VI 1964
estipitatus, VIII 3089
formicarium, VI 1959
FORMICARIUM, III 1069
haenkeanus, III 1071: VI 1970, 2115
halconensis, I 289: VI 1963, 1964, 1970
hexanthus, III 1073
INCARNATIFLORUS, VI 1970
incarnatus, VI 1970
INCARNATUS, III 1070
leytensis, VI 2093
LONGITURA, VI 1961
MAGANDA, IX 3201
malifolius, III 1071: VI 1970
mearnsii, V 1808
merrillii, III 1070: VI 1967, 1969: IX 3489: X 3808
MERRILLII, III 1068
mindanaensis, III 1070
MINIATUS, VI 1966
mirabilis, II 470
pentandrus, V 1808
philippinensis, X 3808
preslii, VI 1959
PRESLII, VI 1969
SACCATUS, III 1072
SECUNDIFLORUS BOLSTERI, III 1067
SHAWIANUS, V 1807
SURIGAOENSIS, VI 1966
terminaliflorus, VI 1960
TERMINALIFLORUS, VI 1970
URDANETENSIS, VI 1963
vulcanicus, IX 3137, 3489
Loxogramme avenia, IX 3163
conferta, III 835
conferta, II 408
dimorpha, III 834
dimorpha, II 408
DIMORPHA, II 407
involuta, III 835
iridifolia, II 408
lanceolata, II 408: III 835
lanceolata, II 408
parallela, II 408
Lucinaea EPIPHYTICA, V 1873
involucrata, V 1874
INVOLUCRATA, III 997
monocephala, III 997
monocephala, V 1873
ridleyi, III 998
Luffa *cylindrica*, VI 2084
Lumnitzera *racemosa*, VI 2088
Lunasia *amara*, IV 1512: V 1539: VI 2088: X 3783
philippinensis, X 3783
reticulata, X 3783
RETICULATA, IV 1511
TRUNCATA, X 3782
Luzonia PURPUREA, I 220
Lycopodium *belangeri*, VI 2026
canaliculatum, VI 2049
carinatum, II 426
cataphractum, VI 1992, 2001
cernuum, II 426: III 850
cernuum, IX 3172
cupressiforme, VI 1992, 1993, 2003
cupressinum, VI 1994
filiforme, II 426: III 851
lucidulum, III 851

merrillii, IX 3172
microstachyum, VI 1988, 2031
nummularia, VI 2029
penniforme, VI 1992
pennula, VI 1992
philippense, VI 2026, 2045
phlegmaria, II 426
pinifolium, II 426
pouzolzianum, VI 2048, 2049
proniflorum, VI 2026
radicatum, VI 1992
reflexum, III 851
remotifolium, VI 2026
reticulatum, VI 2026
scariosum, III 851
squarrosum, II 426: III 851
squarrosum, IX 3172
subscutaceum, II 426
verticillatum, III 851
verticillatum, III 1133
wallichii, VI 2052
Lygodium circinnatum, II 423: III 797
flexuosum, II 423
japonicum, II 423: III 797
scandens, III 797

M

Macaranga APOENSIS, VII 2646
bicolor, VI 1932, 2158: IX 3489: X 3809
caudatifolia, II 428: III 923
CAUDATIFOLIA, II 427
CUERNOSENSIS, II 429
cumingii, II 429, 433: VII 2648
cuneata, III 923
CUNEATA, II 428
hispida, IV 1295
javanica, II 434
loheri, II 428, 429, 433
LOHERI, II 432
NOBLEI, II 678
RAMIFLORA, II 433
SIBUYANENSIS, III 922
SYLVATICA, II 431
tanarius, III 923
tanarius, II 679: VI 2267, 2272: VII 2482, 2488: X 3809
tomentosa, IV 1295
tomentosa, III 924
utilis, IX 3138, 3489
Machilus *philippinensis*, II 384
Macromitrium ASSIMILE, VI 1978
blumei, VI 1978
zollingeri, VI 1978
Macrophoma cyamopsidis, VI 2152: VII 2508
musae, VI 2152: VII 2508
punctiformis, VI 2152: VII 2508
seriata, VI 2152: VII 2509
vestita, VI 2151
Macropodia craterella, VI 2281: VII 2501
Maesa denticulata, II 666
denticulata, X 3809
EMBELIOIDES, II 444
IROSINENSIS, X 3765
laxa, VI 2086, 2088: VII 2435, 2448: X 3809
longipetiolata, X 3766, 3809
megaphylla, X 3767
platyphylla, X 3767
PLATYPHYLLA, II 667
undulata, X 3767
Malaisia BLANCOI, V 1812
Malaxis *dentata*, V 1560
MINDANAENSIS, V 1560
NEGROSIANA, V 1561
Mallotus anisophylla, IV 1296
cumingii, III 926
ECHINATUS, III 925
eglandulosum, III 926
EGLANDULOSUM, I 313
floribundus, IV 1297
floribundus, IV 1300
HIRSUTUS, VII 2648
kortualsii, III 924
lackeyi, IV 1300
LACKEYI, IV 1298
moluccanus, IV 1297
moluccanus, VI 2077
ODORATUS, IV 1299
philippinensis, IV 1296
philippinensis, VI 2086, 2097, 2231: VII 2447, 2502: VIII 2955
playfairii, III 924
Malmeomyces pulchellus, VI 2098: VII 2450
Mangifera *indica*, VI 2087, 2112, 2156, 2161: VII 2479, 2514, 2517
verticillata, VII 2381
Manihot *heptaphylla*, VI 2153
utilissima, VI 2161: VII 2473, 2507, 2509, 2515, 2522
Maoutia *platystigma*, III 900
setosa, III 900

Mapania ALPINA, X 3535
banahaensis, X 3537
BANAHAENSIS, II 574
gracillima, X 3538
humilis, X 3538
humilis, X 3537
kurzii, X 3537
kurzii, II 742
LUCBANENSIS, II 573
palustris, II 575, 742
rostrata, IX 3412: X 3538
Marattia pellucida, III 796
sambucina, II 425
ternatea, IX 3150
vestita, III 796
Marchalia *spurcaria*, VIII 2932
Mariscus pennatus, X 3538
stuppeus, X 3538
Marsdenia tinctoria, X 3591
Marsonia pavonina, VI 2158: IX 3138
PAVONINA, VI 1932
Massalongiella IMPERATAE, VIII 2956
smilacis, VIII 2956
Massaria BATAANENSIS, VIII 2951
ulmi, VIII 2951
Massarina nigro-viridula, VII 2477
NIGRO-VIRIDULA, VI 2263
raimundoi, VII 2477
RAIMUNDOI, VI 2263
Massarinula BAMBUSINCOLA, VIII 2944
cordiae, VII 2465
CORDIAE, VI 2199
DONACINA, VIII 2944
Mastigobryum ELMERI, VI 2289
MINDANAUM, VI 2289
Mastigolejeunea LOSBANOSA, VI 2288
Mastigophora GRACILLIMA, VI 2287
Matricaria *chamomilla*, I 138
Mayepae *pallida*, V 1651
racemosa, V 1651
Mearnsia kalconensis, VII 2344
Medinilla *affinis*, X 3666
amplifolia, IV 1226
annulata, IV 1217, 1218
ANTONII, VIII 2756
apoensis, IV 1210
astronioides, IV 1215, 1216: IX 3204
attenuata, X 3664
ATTENUATA, IV 1223
AURANTIFLORA, IV 1208
BAGOBO, IV 1212
BAKERI, X 3660
BANAHAENSIS, IV 1225
BENGUETENSIS, IV 1207
BINARIA, IV 1211
BREVIPEDUNCULATA, IV 1216
BULUSANENSIS, X 3661
BUREBIDENSIS, IV 1229
CALELANENSIS, IV 1209
canlaonensis, X 3668
cauliflora, IV 1209
cephalophora, IV 1192
clementis, IV 1192, 1221, 1228
cogniauxii, IV 1192
compressicaulis, VI 2082
CONFLUENTINERVIA, IV 1224
congesta, IV 1192
copelandii, IV 1191, 1213
cordata, IV 1212
CORDATIFOLIA, IV 1226
CRASSATA, IV 1208
CUERNOSENSIS, IV 1221
cumingii, X 3662
cumingii, IV 1226
CURTIFLORA, X 3662
disparifolia, X 3664
disparifolia, IV 1192
dolichophylla, IV 1221
duodecandra, VIII 2758
ELEGANS, IV 1213
elmeri, IV 1220
epiphytica, X 3664
epiphytica, IX 3122
ERYTHROTRICHA, IV 1222
GITINGENSIS, IV 1218
involucrata, IV 1222, 1224: X 3664
magnifolia, IV 1226
malindangensis, IV 1229
megacarpa, X 3666, 3669
MERRILLII, IV 1219
myriantha, VI 2082, 2257: VII 2446
myrtiformis, X 3664
myrtiformis, X 3662
NEGRITO, IX 3203
nodiflora, X 3664
nodiflora, X 3661
pachygona, IV 1229
PACHYPHYLLA, X 3665
peltata, X 3666
pendula, IV 1220
PENINSULA, X 3667
PERMICROPHYLLA, IV 1230
PIPEROIDES, X 3668
PUMILIS, IV 1217

PURPUREA, X 3669
ROBINSONII, IV 1228
rosea, IV 1229
ROTUNDIFOLIA, VIII 2757
SUBDOLICHOPHYLLA, IV 1220
subsessilis, X 3668
subumbellata, X 3666
UMBRINA, IV 1215
versicolor, IX 3204
VERSICOLOR, IV 1214
whitfordii, IV 1192: IX 3143

Megalonectria pseudotrichia, VI 2098. 2225: VII 2450

Meiogyne LUCIDA, V 1715
philippinensis, V 1716
PHILIPPINENSIS, V 1714

Melampodium *diffusum*. I 160
divaricatum, I 161
divaricatum, I 160
manillense. I 160
sericeum, I 160
sericeum, I 160

Melampsora *cingens*, VI 2078

Melanconium merrillii, VI 2158

Melanographium spleniosporum, VII 2519

Melanomma mindorensis, VI 2113: VIII 2950
philippinensis, VII 2465

Melanops PEREGRINA, IX 3122

Melanopsamma LICHENOIDES, VIII 2944
nitens, VI 2200
nitens talaumae, VII 2465
NITENS TALAUMAE, VI 2200
salicaria, VIII 2944

Melanopus varius javanicus, VI 2243

Melasmia exigua, VI 2155: VII 2514

Melastoma *candidum*, IX 3174
CONGESTA, IV 1194
fuscum, IV 1195: VI 2103
holmani, IX 3205
HOLMANI, VIII 3089
lanaense, IV 1191
molle, VIII 2760
penicillatum, VIII 2760
PINATUBENSE, IX 3204
polyanthum, X 3669
polyanthum, VIII 3090
setosum, X 3670
SETOSUM, VIII 2758

Melia azedarach, IX 3384
azedarach, VI 2163: VII 2523
candollei, IX 3384
dubia, IX 3384

Melicope *luzonensis*, II 477
MINDANAENSIS, VIII 2809
monophylla, VIII 2810
monophylla glabra, VIII 2810
MONOPHYLLA GLABRA, VIII 2810
ODORATA, II 476
triphylla, VI 2163: VII 2524

Meliola acalyphae, VI 2082: VII 2432
aciculosa, VI 2257
aciculosa, VI 1922
aciculosa viticis, VI 2257: VII 2432
ACROTRICHA, IX 3113
acutisecta, VI 2082: VII 2432
ACUTISECTA, VI 1921
affinis, VI 2083
AFFINIS, VI 1921
aglaiae, VII 2432
aliena, VI 2083
ALIENA, V 1535
ALOCASIAE, IX 3114
alstoniae, VI 2083, 2258: VII 2432: IX 3133
AMADELPHA, IX 3114
amphitricha, IV 1154: VI 2083: VII 2432
arachnoidea, VI 2083: VII 2433
arachnoidea, VI 2192
araneosa, VI 2083
ARANEOSA, VI 1922
arborescens, VI 2083: VII 2433
arborescens, VI 1923
ARBORESCENS, VI 1923
ARDISIAE, IX 3116
arundinis, VI 2084: IX 3133
bakeri, IX 3134
bambusae, V 1539
bicornis, VI 2084
bidentata, VI 2084: VII 2433
boerlagiodendri, IX 3134
BRUGUIERAE, IX 3116
butleri, IX 3134
callicarpae, VI 2084: VII 2433
callicarpae, VI 1926
callista, VII 2433
CALLISTA, VI 2191
CALOCHAETA, IX 3117
clerodendricola, VI 2084: VII 2433
COMMIXTA, IX 3117

confragosa, VI 2084
confragosa, VI 2192
CONFRAGOSA, V 1536
cookeana, VI 2084
cookeana, VII 2433
cookeana saccardoi, VI 2193
cylindrophora, VI 2085, 2258: VII 2433
cylindrophora, VII 2434
desmodii, VI 2085
dichotoma, VI 2085: VII 2434
dichotoma, V 1539
diplochaeta, VI 2085: IX 3134
DIPLOCHAETA, V 1536
dolabrata, IX 3133
elmeri, VI 2085: IX 3173
ELMERI, V 1537
forbesii, VI 2194: VII 2434
forbesii, V 1539
gymnosporiae, VI 2085
hamata, IX 3120
heterotricha, VI 2086
HETEROTRICHA, VI 1923
hewittiae, VI 2086
horrida, VI 2086
hyptidis, VI 2086: VII 2434: IX 3134
insignis, VI 2086: VII 2434
insignis, VI 2192
intricata, VI 2086: VII 2434
ipomoeae, VII 2434
IROSINENSIS, IX 3118
jasminicola, VI 2086: VII 2435
laevigata, VI 2086
laevigata, VI 1921
LAEVIGATA, V 1537
leptidea, V 1539
macrochaeta, VI 2087
MACROCHAETA, V 1538
maesae, VI 2086: VII 2435
maesae, VII 2448: VIII 2924
mangiferae, VI 2087: VII 2435
mangiferae, VI 1922, 1924
merremiae, VI 2087, 2193: VII 2435
merrillii, VI 2087
microspora, VI 2089
mitragynes, VI 2087
nephelii, IX 3118
ODONTOCEPHALA, IX 3119
opaca, VI 2087
OPACA, VI 1924
opposita, VI 1924
palawanensis, VI 2087
PALAWANENSIS, V 1539
palmicola, IX 3115
panicae, VIII 2924
panici, VI 2193: VII 2435
parenchymatica, VI 2087: VII 2435
parvula, VI 2088
PARVULA, VI 1925
patens, VI 2088
PATENS, V 1538
pelliculosa, VI 2088
peregrina, VI 2088
peregrina, VII 2435
perpusilla, VI 2088: IX 3134
piperina, IX 3134, 3173
pulcherrima, VI 2068: VII 2435
pulcherrima, VI 1923
PUMILA, IX 3119
quadrifurcata, VI 2088
quadrifurcata, VI 2194: VII 2436
quadrispina, VI 2088, 2194: VII 2436
sakawensis, VI 2088
sandorici, VI 2088: IX 3134
sauropicola, IX 3173
sidae, VI 2089: VII 2436: IX 3134
stenospora, VI 2089
stenospora, VI 2258: VII 2433, 2434
subs enospora, VI 2089, 2193: VII 2436
substenospora rottboelliae, VII 2436: IX 3134
SUBSTENOSPORA ROTTBOELLIAE, VI 2193
tamarindi, VI 2089: VII 2436
telosmae, VI 2089
uncariae, VII 2436
UNCARIAE, VI 2192
UNCINATA, IX 3120
uvariae, VI 2089, 2192, 2258: VII 2437
vilis, VI 2090, 2258: VII 2437
vilis, VI 2280: VII 2500
VILIS, VI 1926
Meliolina arborescens, IX 3135
Meliosma APOENSIS, X 3784
brachybotrys, X 3786
CANNARIOIDES, X 3785
luzonica, II 492
MACROCARPA, X 3786
macrophylla, X 3788, 3809
megalobotrys, X 3786
multiflora, II 492: X 3809
sumatrana, X 3785

SYLVATICA, II 492
TONGCALINGII, VIII 2815
Mellitosporiopsis gigantispora, VI 2141, 2237: VII 2499
pachycarpa, VI 2237: VII 2499
pseudopezizoides, VI 2142, 2237: VII 2500
violacea gigantispora, VI 2141
Melodinus APOENSIS, IV 1459
cumingii, IV 1461
philippinensis, IV 1461
Memecylon agusanense, X 3670
AGUSANENSE, VIII 2760
apoense, VIII 2765
APOENSE, IV 1199
cumingii, X 3670
densiflorum, VIII 2762
edule, IV 1200
GIGANTIFOLIUM, VIII 2762
gitingense, VIII 2762
GITINGENSE, IV 1195
gracilipes, IV 1196
lanceolatum, X 3671
lanceolatum, IV 1198: VII 2442, 2443
odoratum, VIII 2762
ODORATUM, IV 1196
palawanense, VIII 2762
PALAWANENSE, IV 1197
paniculatum, IV 1199
preslianum, IV 1201
sessilifolium, IV 1197
sorsogonense, X 3671
SORSOGONENSE, IV 1200
TERMINALIFLORA, IV 1198
urdanetense, VI 1922, 2083
URDANETENSE, VIII 2764
venosum, IV 1191, 1199, 1521
Merremia *hastata*, VI 2087
incisa, VI 2193: VII 2435
nymphaeifolia, I 336: VII 2435
SIMILIS, I 335
umbellata, VI 2068, 2071, 2193, 2194: VII 2434, 2435
vitifolia, VI 2068: VII 2435
Merrilliopeltis calami, VI 2121, 2271: VII 2475: VIII 2945
daemonoropsis, VI 2121: VIII 2945
hoehnelii, VI 2121, 2232: VII 2476: VIII 2945
parvula, VII 2476
Mesochlaena *polycarpa*, V 1682
Metabolus angustifolius, III 980
laevigatus, III 981
lineatus, III 975
radicans, III 980
Metasphaeria abundans, VII 2476
ABUNDANS, VI 2201
clypeosphaerioides, VI 2202
consociata, VII 2476
CONSOCIATA, VI 2201
CORRUSCANS, VIII 2949
dispar, VIII 2950
gigantochloae, VII 2476
GIGANTOCHLOAE, VI 2202
hibiscincola, VIII 2950
HIBISCINCOLA, VI 2202
INCOMPLETA, VIII 2949
maculans, VI 2121, 2202: VII 2476
maculans, VIII 2950
papulosa, VIII 2950
pseudostromatica, VII 2476
PSEUDOSTROMATICA, VI 2262
quercina, VI 1939
raimundoi, VI 2121
RAIMUNDOI, VI 1939
reyesii, VII 2477
saccharicola, VI 2203
schizostachyi congregata, VII 2477
SCHIZOSTACHYI CONGREGATA, VI 2263
socia, VI 2202
Metroxylon rumphii, VIII 3026
Mezoneurum *benguetense*, I 362
CABADBARENSE, X 3757
latisiliquum, X 3758
Microcyclus *derridis*, IV 1158
Microdesmis *caseariaefolia*, IV 1301: VII 2439
PHILIPPINENSIS, IV 1300
Microdothella culmicola, VII 2454
Microglossa volubilis, I 133
Microlepia *hirta*, III 824
marginata, III 824
speluncae, III 824: IX 3164
strigosa, III 824: IX 3164
todayensis, III 824
villosa, III 824
Micromelum CURRANII, II 480
minutum, X 3809
pubescens, II 481
tephrocarpum, II 481
Micropeltella clavispora, VII 2443
coerulescens, VI 2278: VII 2443

coerulescens, VI 2278
leucoptera, VII 2443
merrillii, VII 2444
paetensis, IX 3136
schmidtiana, VI 2228, 2277: VII 2444
Micropeltis aequalis, VI 2094
AEQUALIS, V 1543
aeruginascens, VI 2228: VII 2444
aeruginascens, VI 2230
aeruginosa, VI 2229
applanata, VI 2094
applanata, VI 2228, 2229, 2230: VII 2444
applanata aeruginascens, VII 2444
bambusicola, VI 2094: VII 2444
bauhiniae, VI 2094
BAUHINIAE, VI 1945
coerulescens, VI 1946
consimilis, VI 2094, 2229: VII 2444
corruscans, VI 2094
leucoptera, VI 2095
leucoptera, V 1543
manaosensis, VI 1946
megasperma, VI 2095
pometiae, VII 2445
POMETIAE, VI 2229
schmidtiana, VI 2095
semecarpi, VI 2095
serica, VI 2229: VII 2445
vagabunda calamicola, VI 2095
Microphium PALAWANENSE, X 3739
Microporus affinis, VI 2244
microloma, VI 2244
perula, I 267: VI 2244
sanguineus, VI 2244
xanthopus, VI 2244
Microstroma philippinense, VI 2167: VII 2529
Microthyriella philippinensis, VI 2095: VII 2441
Microthyrium elatum, VI 2095: VII 2442
grande, VII 2454
Microtropis *philippinensis*, X 3809
Mikania scandens, I 104
Millettia *cavitensis*, VI 2107
merrillii, VI 2107: VII 2458
Mimusops *elengi*, VIII 2817
LATERICIA, VIII 2816
Minyranthes *heterophylla*, I 163
Miscanthus japonicus, X 3515
japonicus, VIII 2926
sacchariflora, VI 2080
sinensis, VI 2136
Mischocarpus ELLIPTICUS, I 210
ENDOTRICHUS, V 1615
sundaicus, X 3809
Mitragyne diversifolia, I 12
diversifolia, VI 2087
speciosa, I 12
Mitrephora AVERSA, V 1719
basilanensis, X 3687
ELLIPANTHOIDES, V 1721
ferruginea, V 1718
merrillii, V 1718
MULTIFOLIA, X 3685
pictiflora, X 3688
PICTIFLORA, V 1718
SORSOGONENSIS, X 3687
VIRIDIFOLIA, V 1716
Mniodendron *korthalsii*, VI 1976
MINDANENSE, VI 1975
Mollisia copelandii, VII 2500
ravida, VI 2142: VII 2500
Monachosorum subdigitatum, III 823
Monenteles *redolens*, I 119
Monocera *isotricha*, II 638
Monogramma paradoxa, IX 3164
paradoxa, IX 3144
trichoidea, II 406: III 834
Monophrynium *fasciculatum*, I 277
SIMPLEX, I 276
Monotospora parasitica, IX 3138
Morenoella breviuscula, VI 2137
breviuscula, VII 2440: VIII 2931
gedeana, VI 2137: VII 2440: VIII 2931
irregularis, VII 2442
memecyli, VII 2442
pothoidei, VII 2442
transversalis, VII 2442
Morinda *bartlingii*, V 1539: VI 2087
BARTLINGII, IV 1340
bracteata, VI 2166: VII 2528
citrifolia, I 12
longifolia, IV 1341
microcephala, I 12
microcephala, III 1045
philippinensis, IV 1339
PHILIPPINENSIS, III 1044

umbellata, III 1045
Moringa *pterygosperma*, VII 2507
Morus *albus*, VI 2090, 2150, 2154, 2216, 2231: VII 2484, 2503, 2504, 2512
Mucor racemosus, VI 2147
Mucuna CURRANII, I 230
longipedunculata, I 232: VIII 2738
lyoni, VI 2077
MACMILLANI, VIII 2736
pruriens, VI 2077
Munkiella melastomata, VI 2103: VII 2454
melastomata, VII 2454
Munkiodothis melastomata, IX 3174
Munronia humilis, IX 3385
Murraya BANATI, VIII 2812
crenulata, X 3809
elongata, VIII 2813
exotica, VIII 2813
Musa *paradisiaca*, VI 2152
sapientum, VI 2118, 2152, 2166: VII 2501, 2527
textilis, II 405
Mussaenda albiflora, III 991
anisophylla, I 13
anisophylla, III 991, 992, 994, 997: X 3781
ATTENUIFOLIA, V 1874
BENGUETENSIS, I 13
grandiflora, I 13
grandiflora, III 992
grandifolia, III 991
grandifolia, III 994
GRANDIFOLIA, I 12
lanata, III 992
MAGALLANENSIS, III 996
MILLERI, X 3780
NERVOSA, III 994
philippica, III 992: IV 1341
philippica, III 993: IX 3211
philippinensis, III 991
philippinensis, III 996
PINATUBENSIS, IX 3210
SCANDENS, III 992
vidalii, III 991
VIDALII, III 993
villosa, III 992
Mussaendopsis *multiflora*, III 971, 982
MULTIFLORA, I 14
Mycosphaerella alocasiae, VI 2117: VII 2473
aristolochiae, VI 2117: IX 3135
brideliae, VII 2474
caricae, VI 2118: VII 2474
CASSIAE, IX 3120
creberrima, VI 2118: VII 2474
LEUCOSPILA, IX 3121
musae, VI 2118
oculata, VI 2118: VII 2474
pericampyli, VI 2118: VII 2474: IX 3135
ptychospermatis, VII 2474
reyesii, VII 2474
roureae, VI 2118: VII 2474
Myiocopron bakerianum, VI 2095
conjunctum, VII 2442
Myriactis humilis, I 129
MINDANAENSIS, VII 2589
Myrica *javanica*, II 533
Myriogyne *minuta*, I 139
Myristica *agusanensis*, VIII 2775: X 3809
AGUSANENSIS, VIII 2775
ardisiaefolia, III 1061
bracteata longifolia, III 1064
cumingii, III 1058: VIII 2775. 2776
guatteriaefolia, III 1062
guatteriaefolia, III 1064
mindanaensis, III 1064
mindoroensis, III 1058
paniculata, III 1059
philippinensis, III 1064
PLUMERIAEFOLIA, III 1063
simiarum, X 3809
UMBELLATA, V 1816
Myrmecodia *antoinii*, III 1041
apoensis, V 1877
APOENSIS, III 1040
echinata, I 15
sibuyanensis, IX 3254
SIBUYANENSIS, III 1041
SORSOGONENSIS, IX 3253
tuberosa, III 1042
URDANETENSIS, V 1876
Myrmephytum BECCARII, III 1037
celebicum, III 1038
Myxopyrum PHILIPPINENSIS, IV 1483

N

Naravelia ANTONII, VIII 2800
uncinata, VIII 2801
Nauclea ATEGII, V 1877
bartlingii, I 16

clavisepala, III 985
cumingiana, I 16
FORMICARIA, III 989
forsteri, III 988
forsteri, III 1134
gracilis, III 988
gracilis, III 989
jagori, III 989
kentii, V 1878
media, I 16: V 1879
media, IV 1272
mindanaensis, V 1878
philippinensis, I 16: III 989: V 1879
purpurascens, I 16: IV 1342
reticulata, I 16
strigosa, I 15
strigosa, IV 1358
VIDALII, I 16
Nectria ambigua, VI 2276: VII 2447
bulbophylli, VIII 2923
discophora, VIII 2922
episphaeria, VI 2275: VII 2447
FLAVIDO-CARNEA, VIII 2922
LEUCAENEA, VIII 2923
manilensis, VI 2097
peziza reyesiana, VII 2448
pityrodes, VIII 2922
sanguinea, VI 2276: VII 2448
striatospora, VIII 2922
subcoccinea, VIII 2923
subfurfuracea, VIII 2922
theobromae, VIII 2922
TJIBODENSIS GLIRICIDIAE, VIII 2922
viticola, VI 2276
Nectriella philippina, VI 2099
PHILIPPINA, VI 1935
ptychospermatis, VII 2450
PTYCHOSPERMATIS, VI 2275
Nelumbium *nelumbo*, VIII 3080
speciosum, VIII 2908
Nematothecium vinosum, VI 2090
VINOSUM, V 1534
Neolitsea APOENSIS, II 727
INCANA, V 1794
intermedia, II 727
INTERMEDIA, II 382
vidalii, II 726
vidalii, II 383
villosa, II 726
villosa, II 727
zeylanica, II 383
Neonauclea *barnardoi*, VIII 3100
calycina, VIII 3100
KOBBEI, VIII 3100
Neopeckia *diffusa*, VI 2264: VII 2465: VIII 2947
diffusa atrata, VI 2113
diffusa rhodosticta, VI 2201
nobilis, VIII 2947
rhodosticta, VI 2264: VII 2465: VIII 2946
rhodosticta, VI 2201
RHODOSTICTA MAGNIFICA, VIII 2947
Neottia *longifolia*, V 1553
Neottiopteris *elliptica*, III 819
stenocarpa, III 819
musaefolia, III 819
Nepenthes *alata*, IX 3143
graciliflora, IV 1521
GRACILIFLORA, IV 1494
merrillii, VIII 2787
rajah, VII 2382
sibuyanensis, IV 1311, 1521
SURIGAOENSIS, VIII 2785
truncata, VII 2382: VIII 2787
Nephelium chryseum, V 1616
intermedium, X 3808
lappaceum, V 1616
melanomisco, V 1608
mutabile, IX 3118
ROBUSTUM, V 1607
XEROSPERMOIDES, V 1608
Nephrodium *angustifolium*, IX 3158
Nephrolepis barbata, II 394: III 829
biserrata, IX 3164
biserrata laurifolia, II 394
cordifolia, IX 3164
hirsutula, IX 3165
laurifolia, II 394
Nertera DENTATA, I 15
depressa, I 15
depressa, III 876
Nicotiana *tabaccum*, VI 2162: VII 2522
Nigrofomes melanoporus, I 270
Nigroporus vinosus, I 266
Nipa *fruticans*, VI 2113, 2138: VII 2441, 2464, 2466: VIII 2953
Niptera GREWIAE, VIII 2928
Nitschkea BAMBUSARUM, VIII 2956
recedens, VIII 2956
Normanbya merrillii, VIII 3009
Norrisia PHILIPPINENSIS, IV 1482
Notothixos PHILIPPINENSIS, II 471
rubaureus, II 472

Nummularia anthracina, VI 1943, 2130, 2208: VII 2489
anthracodes, VI 1943, 2130, 2208: VII 2489
anthracodes gliricidiae, VII 2490
ANTHRACODES GLIRICIDIAE, VI 2209
bulliardi, VI 2130, 2208
CITRINCOLA, VIII 2961
clypeus, VI 1943, 2130: VII 2490
cookeana, VI 2273: VII 2490
diatrypeoides, VIII 2960
FRAGILLIMA, VIII 2959
glycyrrhiza, VI 1926, 2131: VII 2490
gracilenta, VI 2131, 2209: VII 2490
gracilenta, VII 2490
LIANAE, VIII 2959
MEMORABILIS, VIII 2960
minuta, VIII 2960
papyracea, VII 2491
PAPYRACEA, VI 2208
philippinensis, VI 2131: VII 2491
placentiformis, VI 2131: VII 2491
REYESIANA, VIII 2960
scutata, VI 2131: VIII 2961
scutata, VII 2490
suborbicularis, VI 2273
suborbicularis cookeana, VII 2490
urceolata, VI 2131: VII 2491
Nymanomyces aceris-laurini, IV 1159: VI 2146

O

Oberonia *cylindrica*, V 1564
elmeri, V 1564
ELMERI, V 1564
Ochna FOXWORTHYI, V 1823
Ochrosia *acuminata*, IV 1462
apoensis, IX 3132
APOENSIS, IV 1461
Octospora *cratere'la*, VI 2281
Odontosoria chinensis, II 397: III 829
retusa, II 397
Oidium erysiphoides, VI 2167: VII 2529
Oldenlandia *apoensis*, III 976, 1133
APOENSIS, I 17
auricularia, I 20
banksii, III 976
BANKSII, I 19
benguetensis, III 976
BENGUETENSIS, I 18
CILIATA, I 20
corymbosa, I 21
FILIFOLIA, I 64
heynii, I 21
horneriana, I 21
lineata, I 20
lineata, I 360
nudicaulis, I 20
paniculata, I 20: IV 1342
prainiana, I 17
prainiana, I 360
pterita, III 974
stylosa, I 19
tenelliflora, I 21
tenelliflora, I 360
yoderi, III 976
YODERI, I 17
Oleandra colubrina, II 394
colubrina nitida, III 828
whitmeei, III 828
Ombrophila helotioides, VI 2140
helotioides, VII 2500, 2501
sanguinea, VI 2140: VII 2500
sanguinea, VII 2500
Oncocarpus *densiflora*, X 3809
Oncosperma filamentosa, VIII 3016
gracilipes, VIII 3017
horrida, VIII 3017
horrida, VII 2455
Oospora gilva, VI 2167
obducens, VI 2167
Operculina *turpetum*, VI 2076
Ophiobolus graffianus, VII 2466
javanicus, VIII 2954
licualae, VII 2466
livistonae, VI 2113: VII 2466
nipae, VI 2113: VII 2466
seriatus, VI 2114
seriatus, VIII 2954
vorax, VII 2454
Ophiodothella TRICHOCARPA, IX 3126
Ophiodothis paspali, VI 2103
thanatospora, VIII 2924
vorax, VI 2102
vorax pilulaeformis, VI 2102
Ophioglossum pedunculosum, II 424: III 795
pendulum, II 424: III 795
Ophionectria erinacea, VI 2099
theobromae, VI 2226: VII 2450
trichospora, VI 2099

Ophiorrhiza acuminata, I 22
ARGOSTEMMOIDES, IX 3254
BICOLOR, IX 3211
biflora, III 973
biflora, IX 3259
BIFLORA, I 21
caespitulosa, V 1884: IX 3261
CAESPITULOSA, II 523
caespitulosa fulva, V 1907
CAESPITULOSA FULVA, V 1880
CAMIGUINENSIS, V 1881
CILIATA, IX 3256
curtiflora, V 1181: IX 3260
CURTIFLORA, V 1882
elmeri, IX 3213
harrisiana, I 22
INAEQUIFOLIA, IX 3257
involucrata, III 973
involucrata, IX 3257
INVOLUCRATA, I 351
lancilimba, IX 3212
macgregorii, IX 3255
MAQUILINGENSIS, IX 3258
mungos, I 22
mungos, IV 1344: V 1882
oblongifolia, I 22
oblongifolia, V 1884: IX 3212, 3213
ovata, IX 3213, 3258
pubescens, V 1884
pubescens, II 524: IX 3256
PUBESCENS, I 68
PULGARENSIS, IV 1342
SORSOGONENSIS, IX 3260
tenuis, IX 3259
venosa, III 973
zambalensis, IX 3212
ZAMBALENSIS, IX 3212
Ophiurus exaltatus, X 3516
Opilia *amantacea*, V 1825
FRAGRANS, V 1824
javanica, V 1825
Oplismenus compositus, X 3516
compositus, VI 2089
undulatifolius, X 3516
undulatifolius, VI 2164
Orania DECIPIENS MONTANA, VIII 3018
PHILIPPINENSIS SIBUYANENSIS, VIII 3017
Orbilia curvatispora, VI 2235: VII 2500
Orophea *bracteata*, V 1723
cumingiana, V 1725
maculata, V 1724
PALAWANENSIS, V 1721
SUBMACULATA, V 1723
unguiculata, V 1720
UNGUICULATA, V 1724
VULCANICA, X 3688
Oroxylum *indicum*, VI 2150: VII 2505
Oryza *latifolia*, X 3517
minuta, X 3517
sativa, X 3517
sativa, VI 2100: VII 2428
Osbeckia chinensis, X 3671
Osmelia *conferta*, X 3809
EUSPICATA, VII 2653
SUBROTUNDIFOLIA, VII 2655
Osmunda banksiifolia, II 424: III 797: IX 3150
Ostodes serrato-crenata, III 926
Otthiella cyathoidea, VII 2466
CYATHOIDEA, VI 2259
Oxymitra *auriculata*, V 1728
AURICULATA, V 1725
cuneifolia, I 295
filipes, I 294
glauca, I 294
lagunensis, I 295
LAGUNENSIS, I 293
OBTUSIFOLIA, I 294
paucinervia, V 1727
urdanetensis, V 1727
URDANETENSIS, V 1727

P

Pachyrrhizus *angulatus*, VII 2422
Paederia foetida, I 28
foetida, III 1043
tacpo, III 1021
tomentosa, III 1042
tomentosa, VI 2069
verticillata, III 1043: V 1884
verticillata, V 1885
VERTICILLATA TOMENTELLA, V 1885
Paesia ELMERI, III 826
Pahudia *rhomboidea*, VI 2108, 2219: VII 2459, 2523
Palaquium *ahernianum*, X 3789
AUREUM, X 3788
barnesii, X 3790
bataanense, III 867
cuneatum, III 868, 870

CUPRIFOLIUM, VIII 2817
DUBARDII, III 868
gigantifolium, VIII 2819, 2820
lanceolatum, III 870: X 3809
latifolium, VI 2116: VIII 3103
merrillii, III 870
MONTANA, VIII 3102
PINNATINERVIUM, VIII 2819
SORSOGONENSE, X 3789
tenuipetiolatum, X 3809
THEOIDEA, III 868

Palawania cocoes, VII 2454
grandis, VII 2454

Pandanus APOENSIS, III 1129
BANAHAENSIS, I 80 a
BARAI, III 1126
brevistipes, X 3776
CALCEIFORMIS, III 1127
copelandii, III 1132
copelandii, I 77
dubius, III 1122
glauciphyllus, III 1124
lateralis, III 1125
luzonensis, VI 2150: VII 2506
MAPOLA, III 1124
MARTELLII, I 272
merrillii, VII 2453, 2482
MINDANAENSIS, III 1121
MURICATUS, I 76
paloensis, III 1123
paloensis, I 76
PALOENSIS, I 75
polycephalus, I 76
POLYGLOSSUS, III 1130
radicans, I 74
radicans, I 74, 77: VII 2372: IX 3135
reclinatus, V 1546: VI 2154
sabotan, VIII 2947, 2954: X 3811, 3812, 3813
SIBUYANENSIS, III 1120
simplex, X 3814, 3815, 3816, 3817
tectorius, III 1118, 1119
tectorius, VI 2119, 2158: VII 2515: X 3812, 3813
URDANETENSIS, X 3775
utilissimus, VII 2453: VIII 2954: X 3811, 3813, 3814, 3815, 3816, 3817
UTILISSIMUS, I 80 b
veitchii, VI 2156
whitfordii, I 76

Panicum amplexicaule, X 3517
auritum, X 3518
auritum, VI 2100
carinatum, VI 2102, 2220, 2227: VII 2453, 2456
colonum, X 3518
crus-galli, X 3519
cumingianum, X 3518
flavidum, VI 2077
indicum, X 3519
indicum, VI 2080
latifolium, VII 2435
malabaricum, X 3519
nodosum, VI 2227: VII 2453
palmifolium, VI 2221: VII 2457: IX 3122: X 3524
patens, X 3520
patens, VI 2110
pilipes X 3520
repens, VI 2077
reptans, VI 2077

Papualthia *bakeri*, X 3690
BAKERI, VIII 3069
flava, VIII 3070
IROSINENSIS, X 3689
lanceolata, VIII 3070
loheri, VIII 3070

Parabaena denudata, IV 1164
elmeri, IV 1164
philippinensis, IV 1164

Paraboea ridleyi, III 947
RIDLEYI, III 949
vulpina, III 950

Paralstonia *clusiacea*, V 1537: VI 2086

Paramapania rostrata, X 3538
rostrata, X 3538

Paramigyna *longipedunculatae*, VI 1941, 2123, 2145

Paranectria luxurians, VII 2448
LUXURIANS, VIII 2924

Parashorea *plicata*, VI 1954, 1955
warburghii, VI 1954
warburghii, VI 1955

Parasterina IROSINENSIS, IX 3128

Paratrophis *caudata*, V 1815
GRANDIFOLIA, V 1814
philippinensis, V 1815

Parinarium *coccineum*, V 1621
COCCINEUM, II 578

Parkia HARBESONII, V 1804
roxburghii, VI 2108: VII 2459

timoriana, V 1805: VI 2108: VIII 2958
Parmelia latissima, II 436
nilgherrensis, II 436
Parmularia hymenolepidis, VI 2137: VII 2445
javanica, VIII 2933
Parodiella grammodes, VI 2090: VII 2437
perisporioides, VI 2090
pumila, VII 2437
puncta, VI 2090: VII 2437
spegazzinii, IX 3135
Parsonsia ATERINERVIA, X 3695
confusa, VIII 3072: X 3696
magnifolia, X 3696
MAGNIFOLIA, VIII 3071
philippinensis, X 3698
URDANETENSIS, X 3696
Paspalum conjugatum, X 3520
longifolium, X 3521
longifolium, VI 2078
scrobiculatum, VI 2078
Passiflora *edulis*, VII 2513
PHILIPPINENSIS, I 326
quadrangularis, VI 1935, 1945, 2095, 2096, 2099, 2136, 2231, 2232: VII 2496, 2502
Pavetta *barnesii*, III 1015
BARNESII, I 27
dolichostyla, III 1015
eucrantha, V 1886
eucrantha, IX 3136
EUCRANTHA, III 1015
indica, I 27
indica, III 1016: IX 3133
indica polyantha, I 27
indica polyantha, IV 1345
indica tomentosa, IV 1345
manillensis, I 26
meyeri, III 1015
meyeri, V 1898
PALAWANENSIS, IV 1344
parvifolia, I 27
Payena FUSICARPA, VIII 2820
Pegia PHILIPPINENSIS, VIII 3100
Pellionia *laciniata*, VIII 2863: IX 3241
LACINIATA, VIII 2862
sinuata, VIII 2863
sordida, IX 3240
SORDIDA, VIII 2862
Peltigera polydactyla microcarpa, II 436
Peltosoma *freycinetia*, IX 3175
FREYCINETIA, IX 3130
Pennisetum macrostachyum, X 3521
Pentacme *contorta*, VI 1949
Pentaphragma *aurantiacum*, VII 2574
PULGARENSE, VII 2572
Peperomia AGUSANENSIS, VI 2294
ELMERI, III 761
exigua, III 759
MARIVELESANA, III 762
NEGROSENSIS, III 760
PALLIDIBACCA, III 763
PELLUCIDO-PUNCTULATA, III 760
reflexa subsessilifolia, III 759
RIVULORUM, III 762
Perae *liandri*, VI 1946
Perdicum *tomentosa*, I 128
Pericampylus incanus, IV 1165
incanus, IV 1167: VI 2118: VII 2474: IX 3135
Periconia pycnospora, VII 2527
Peroneutypa *corniculata*, VI 2268
discriminis, VII 2482
DISCRIMINIS, VI 2267
heteracantha, VI 2268
philippinarum, VII 2482
PHILIPPINARUM, VI 2268
philippinarum gliricidiae, VII 2482
PHILIPPINARUM GLIRICIDIAE, VI 2268
Peroneutypella adelphica, VII 2482
adelphica, VI 2269
ADELPHICA, VI 2268
arecae, VII 2483
cocoes, VI 1942, 2124
cocoes, VI 2214: VII 2481
comosa, VI 2125
cyphelioides, VII 2483
CYPHELIOIDES, VI 2269
cyphelioides lignicola, VI 2269: VII 2483
CYPHELIOIDES LIGNICOLA, VI 2269
graphidioides, VII 2483
Persea *leytensis*, VIII 2729
LEYTENSIS, II 383
philippinensis, II 384
pyriformis, VI 1921, 2082
PYRIFORMIS, VIII 2727
STERCULIOIDES, I 295
SURIGAOENSIS, VIII 2728

Pestalozzia funerea, VII 2517
microspora philippinensis, VI 2158: VII 2517
palmarum, VI 2158: VII 2517
pauciseta, VII 2517
Petunga longifolia, V 1886
racemosa, III 1007: IV 1345
Peziza *craterella*, VI 2281
deformis, VI 2234
palmicolam, VI 2234
phyllogena, VIII 2931
repanda, VI 2234
Pezizella OMBROPHILACEA, VIII 2929
Phaeanthus *acuminatus*, V 1732
NIGRESCENS, V 1728
Phaedothis gigantochloae, VI 2275: VII 2455
GIGANTOCHLOAE, VI 2223
Phaeomeria imperialis, VIII 2907
Phaeosphaerella donacina, VIII 2948
Phakospora pachyrhiza, VII 2422
phyllanthi, VII 2422
Phaleria AXILLARIS, VIII 2840
cumingii, VIII 2841
Phaseolus *calcaratus*, VI 2108
lanatus, VI 2164: VII 2507, 2522
semierectus, VI 2122: VII 2477
Phellinus williamsii, VI 2249
Phellostroma hypoxyloides, VII 2509
Phialea cyathoidea ciliatula, VI 2142
Phoeba sterculioides, II 727
Pholidota ELMERI, V 1557
imbricata, V 1571
Phoma bakeriana, VII 2509
fallaciosa, VII 2509
herbarum, VII 2509
oleracea, VII 2509
sabdariffae, VII 2510
sesamina, VII 2510
Phomatospora MIGRANS, VIII 2936
Phomopsis arecae, VII 2510
bakeri, VI 2152
cinerascens, VII 2510
dioscoreae, VII 2510
gliricidiae, VI 2152
myriostica, VII 2510
Photinia URDANETENSIS, VIII 2802
Photinopteris speciosa, II 415: III 846
Phragmites *karka*, VI 2085, 2114
vulgaris, X 3521
vulgaris, IX 3133
Phragmothyriella bakeri, VII 2445
BAKERI, VI 2230
Phreatia *caulescens*, V 1581
elmeri, V 1581
ELMERI, V 1581
luzoniensis, V 1581
luzoniensis, V 1581, 1582
microtidis, V 1581, 1582
minutiflora, V 1582
negrosiana, V 1582
NEGROSIANA, V 1582
secunda, V 1581, 1582
Phrynium *capitatum*, II 571
malaccense, II 571
PHILIPPINENSE, II 570
Phyllachora afzeliae, VI 2103
aggregatula, VI 2103: VII 2454
andropogonis, VI 2103
apoensis, VI 2103: VII 2455
APOENSIS, IV 1157
ardisiae, VI 2103: VII 2455
atrofigurans, VI 2104
atro-maculans, VI 2221
ATRONITENS, VI 2221
canarii, IV 1156: VI 2104, 2220: VII 2455: IX 3136
catervaria, IX 3174
circinata, VI 1936, 2104: VII 2455
circinata sanguinea, VI 2274: VII 2456
coicis, VI 2104: VII 2456
congruens, VII 2456
CONGRUENS, VI 2220
connari, VII 2456
cynodontis, VI 2104, 2221: VII 2456
cyperi, VI 2222
dalbergiae, VI 1936, 2105
dalbergiicola, VI 2219
dalbergiicola, VI 1936
dalbergiicola leguminum, VI 2219: VII 2456
dioscoreae, VI 2105
dioscoreae, VII 2460
dischidiae, VI 2105
diversa, VI 2220
donacina, VII 2457
DONACINA, VI 2222
elmeri, VI 2105, 2219: VII 2457
ELMERI, IV 1157
fici-fulvae, IV 1158: VI 2105, 2219: VII 2457

fici-minahassae, VI 2106: VII 2457
ficium, V 1545: VI 2106
ficium spinifera, VI 2110
glochidii, VI 2106
GLOCHIDII, IV 1157
graminis, IV 1158: VI 1929, 2106, 2221: VII 2457
graminis, VI 2104, 2222
graminis panici, VI 2221: VII 2457
infectoria, VI 2106: VII 2458
kaernbachii, VI 1928, 2107: VII 2458
lagunae, VI 2107
lagunae, VII 2461
lagunensis, VI 2107
lepida, VI 1929, 2107
lepida, V 1545
luzonensis, IV 1157: VI 2107, 2220: VII 2458
macarangae, VI 2107: VII 2458
merrillii, VI 2107
minuta, VI 2108: VII 2458
minutissima, VI 2221
oblongispora, VI 2108
OBLONGISPORA, VI 1928
ochnae, VII 2458
orbicula, VII 2459
ORBICULA, VI 2221
pahudiae, VI 2108, 2219: VII 2459
parkiae, VI 2108: VII 2459
pazschkeana, VI 2220
phaseolina, VI 2108
pongamiae, VI 2108: VII 2459
pongamiae, VII 2459
pseudes, VI 2108, 2219: VII 2459
pterocarpi, VI 1936, 2109, 2274: VII 2459
rehmiana, VII 2460
rottboelliae, VI 2109: IX 3136
roureae, VI 2109: VII 2460
sacchari, VI 2109
sacchari, VI 2109
sacchari-spontanei, VI 2109
schoenicola, VI 2109: VII 2460
shiraiana, VI 2109: VII 2460
sorghi, VI 2110, 2220: VII 2460: IX 3136
spinifera, VI 2110: VII 2460
sporoboli, VII 2460
stenospora, VI 2110: VII 2461
tjankorreh, VII 2461
topographica, VI 2110: VII 2461
urophylla, IX 3174
valsiformis, VI 2110, 2275: VII 2461
yapensis, VI 2110, 2218: VII 2461: IX 3136
yapensis, VII 2461
yapensis rhytismoides, VII 2461
YAPENSIS RHYTISMOIDES, VI 2218
Phyllactinia *guttata*, VII 2431
suffulta, VI 2090: VII 2431
Phyllanthus *benguetensis*, VII 2650
blancoanus, I 308
buxifolius, III 927
distichus, VII 2422
erythrotrichus, III 928
GLOCHIDIOIDES, IV 1302
GREENEI, III 929
lamprophyllus, IV 1302
LEYTENSIS, I 307
mindorensis, III 929
reticulatus, VI 2069: VII 2420
RUPICOLUS, III 927
SIBUYANENSIS, III 928
triphlebius, III 930
URDANETENSIS, VII 2650
VERRUCOSUS, VII 2649
Phyllitis pinnata, III 823
Phyllosticta acoridii, VI 2153: VII 2510
bakeri, VI 2153
circumsepta, VII 2511
cocophila, VI 2153: VII 2511
graffiana, VI 2153: VII 2511
manihoticola, VI 2153
siphonodontis, VI 2153: VII 2511
Physalospora bambusae, VI 2121
bambusae, VIII 2937
DINOCHLOAE, VIII 2937
euryae, VI 2122
hoyae, VI 2122: VII 2477: VIII 2037
hoyae, VII 2477
PERIBAMBUSINA, VIII 2937
ramosii, VI 2122: VII 2477
vanillae, VIII 2935
Physcia picta, II 436
Picrasma *javanica*, VI 1927, 2092
javensis, V 1838
nepalensis, V 1838
philippinensis, V 1541: VI 2092
PHILIPPINENSIS, V 1837

Pilacre orientalis, VI 2159: VII 2519
orientalis, VII 2519
Pilea *angulata*, III 880
APOENSIS, III 882
robinsonii, III 875
ROBINSONII, III 880
SYLVATICA, III 879
Pilocratera celebica, VI 2142: VII 2501
hindsii, VI 2143
sulcipes beccariana, VI 2143
tricholoma, VI 1931, 2143
Pimeleodendron DISPERSA, I 308
Pinanga barnesii, VIII 3002
copelandii, VIII 3002
elmeri, VIII 3004
insignis, VIII 3004
insignis, VIII 3008: IX 3133
negrosensis, VIII 3006
negrosensis, II 643, 645
NEGROSENSIS, II 642
philippinensis, VIII 3003
philippinensis, VIII 3009
rigida, VIII 3005
rigida, II 643, 644
RIGIDA, II 644
sclerophylla, II 645
SIBUYANENSIS, VIII 3006
speciosa, VIII 3005
URDANETENSIS, VIII 3008
woodiana, VIII 3003
woodiana, II 645
Pinus *insularis*, VI 2160, 2244, 2251: VII 2520
Piper abbreviatum, III 775
AGUSANENSE, VI 2291
albidirameum, III 771
APOANUM, III 785
AURILIMBUM, III 768
BAGUIONUM, III 775
bathycarpi, III 773
betle, III 774
betle, III 773
BREVISTIGMUM, VI 2292
CABADBARANUM, VI 2292
CACUMINUM, III 765
CANINUM LATIBRACTEUM, III 787
CARNISTILUM, III 774
cilibractei, VI 2292
corylistachyon, III 776
corylistachyon, VI 1930, 2102: VII 2453
COSTULATUM, III 764
CRASSINODUM, III 780
CRISTATUM, III 770
davaoense, III 785
DELICATUM, III 778
elmeri, IX 3411
forstenii, III 768
interruptum, III 1133: IX 3173
INTERRUPTUM MULTIPLINERVUM, III 785
korthalsii, III 763
LAGENIOVARIUM, III 767
LAXIRAMEUM, III 779
LONGISTIGMUM, III 770
LUCBANENSE, VI 2293
marivelesanum, III 787
methysticum, III 767
miniatum, III 766
miniatum hirtellum, III 766
myrmecophilum, IX 3412
NEGROSENSE, III 786
OBLONGIBACCUM, III 777
OBOVATIBRACTEUM, III 784
OVATIBACCUM, III 782
PARCIRAMEUM, III 781
PENDULIFOLIUM, III 772
pseudo-chavica, III 769
PUBERULINODUM, III 773
rectrofractum, III 776
rhombophyllum, III 775
STRIATUM, III 776
TOPPINGII, III 783
umbellatum glabrum, III 789
URDANETANUM, VI 2293
varibracteum, IX 3412
VARIBRACTEUM, III 764
VILLILIMBUM, III 788
Pipturus *arborescens*, IX 3137
aspera, III 899
MINDANAENSIS, III 898
repandus, III 898: IX 3222
SUBALPINUS, IX 3221
SUCCULENTUS, III 897
Pirostomella raimundoi, VII 2515
Pistia stratiotes, X 3627
Pithecolobium *apoense*, IV 1154: VI 2083
APOENSE, II 694
dulce, VI 2098: VII 2450
saman, VII 2359
scutiferum, II 695
WILLIAMSII, I 223
Pittosporum *clementis*, IV 1155: VI 2091
odoratum, V 1826: VIII 2796: IX 3173, 3174

pentandrum, V 1537: VI 2085
PULGARENSE, V 1825
SUBVERTICELLATUM, VIII 2795
Placosphaeria durionis, VI 2153: VII 2511
DURIONIS, IV 1159
merrillii, VI 2153: VII 2511
tiglii, VI 2153: VII 2511
Plagiochila ELMERI, II 385
Plagiogyria christii, III 831
glauca, III 830
TUBERCULATA GRACILIS, II 405
Plagiostachys CORRUGATA, VIII 2908
escritorii, VIII 2989
ESCRITORII, VIII 2910
LATA, X 3805
philippinensis, VIII 2989
philippinensis, VIII 2912
PHILIPPINENSIS, II 572
ridleyi, VIII 2989
RIDLEYI, VIII 2911
Planchonia *spectabilis*, VIII 2925
Platea *apoensis*, IV 1155: VI 1928, 2091: VIII (3107)
APOENSIS, VIII 2789
FULIGINEA, VIII 2790
latifolia, VIII 2790
Platycerium grande, III 850
Plectocomia elmeri, VIII 3029
Plectranthus *diffusus*, X 3809
Plectronia AMPLIFOLIA, IX 3261
arborea, I 28
arborea, I 360
CYANEA, V 1887
didyma, I 28: IV 1346
didyma, I 360
GRACILIPES, III 1008
horrida, I 28
horrida, I 360
lycioides, I 28
lycioides, I 360
MABESAE, VIII 3099
megacarpa, III 1008
mites, I 28
mites, I 360
pedunclaris, I 28: IV 1346
pedunclaris, I 360: VI 2069
sessilifolia, IX 3261
umbellata, III 1009
villarii, I 28
villarii, I 360
viridis, III 1008: V 1888
Pleocnemia cumingiana, II 392
cumingiana, IX 3171
Pleosphaerulina phaseoli, VII 2477
phaseolina, VI 2122
Pleurogramme *intermedia*, II 408
loheriana, II 406: III 834
Pleuropus *fenestrato*, II 658
LUZONENSIS, II 657
Plicaria bananincola, VII 2501
BANANINCOLA, VI 2234
cateras, VIII 2931
tropica, VIII 2931
TROPICA, VIII 2931
Plocoglottis BICALLOSUM, V 1571
LUCBANENSIS, V 1572
Plowrightia *basiruta*, IV 1158
derridis, IV 1158: VI 2110
koordersii, IV 1158
placida, IV 1158
Pluchea hirsuta, I 107
hirsuta, I 106, 107
INCISA, I 358
indica, I 106
indica, I 106: VI 2069: VII 2420
scabrida, V 106
scabrida, I 106, 107, 358
Podocarpus *costatus*, VI 2116
Podochilus *elmeri*, V 1567
ELMERI, V 1565
LONGILABRIS, V 1565
lucbanensis, V 1907
LUCBANENSIS, V 1566
LUZONENSIS, V 1567
malindangensis, V 1567
malindangensis, V 1568
microphyllus, V 1565
NEGROSIANUS, V 1568
PERPLEXUS, V 1569
xytriophorus, V 1566, 1569, 1570
Podoscypha glabra, VI 2241
obliqua, VI 2241
obliqua, VI 2241
Podosporium gigasporium, VI 2159: VII 2519
Pogonanthera reflexa, X 3672
Pogonatherum paniceum, X 3522
Pogostemon *velatus*, IX 3198
WILLIAMSII, IX 3197
Poinciana *pulcherrima*, VII 2509, 2510, 2521
Pollia PHILIPPINENSIS, I 275

Polyalthia *dumosa*, V 1732
GRANDIFOLIA, I 291
klemmei, V 1735
KLEMMEI, V 1735
lanceolata, V 1730
MINDANAENSIS, V 1734
MINUTIFLORA, X 1730
nickersonii, V 1735, 1738
NICKERSONII, V 1733
PACIFICA, X 3690
PINNATINERVIA, V 1736
pulgarensis, V 1731
PULGARENSIS, V 1731
RETICULATA, I 292
romblonensis, V 1739: X 3691
ROMBLONENSIS, V 1729
suberosa, V 1730
URDANETENSIS, V 1738
Polybotrya *appendiculata*, IX 3160
neglecta, IX 3160
osmundacea, IX 3160
serrulata, IX 3160
Polychroa PLATYPHYLLA, IX 3240
sinuata, IX 3241
URDANETENSIS, IX 3241
Polycias *nodosa*, VIII 2958: X 3809
Polygala *venenosa*, II 532
Polygonum APOENSE, VIII 2796
chinense, VI 2080: VII 2429
MEARNSII, I 289
minus, VI 2079
tomentosum, VI 2070
Polyosma *apoensis*, X 3791
APOENSIS, V 1633
cyanea, VI 1932, 2155
CYANEA, V 1637
gitingensis, V 1634
GITINGENSIS, V 1634
lagunensis, X 3791
philippinensis, V 1633
philippinensis, V 1633, 1634, 1636
piperi, V 1633
piperi, V 1638
PULGARENSIS, V 1636
retusa, V 1633
sorsogonensis, IX 3137
SORSOGONENSIS, X 3790
URDANETENSIS, V 1638
verticillata, V 1633
verticillata, V 1634
Polypodium accedens, II 411: III 843: IX 3165
albido-squamatum, II 414: III 846
albido-squamatum, IX 3166
albido-squamatum variens, IX 3167
alternidens, III 839
angustatum, II 414: III 845
anomalum, I 79
barathrophyllum, II 410
blumeanum, IX 3163
caespitosum, III 837
caudiforme, II 414: III 844
caudiforme, III 844
celebicum, II 410: III 839: IX 3165
christii, III 836
clavifer, III 839
commutatum, II 413
congenerum, II 409: III 837
crassifrons, II 410
cucullatum, II 409: III 838
diplosorum, II 409: III 836
dolichopterum, II 414: III 844
dolichosorum, III 838
dolichosorum, III 837
DURUM, III 837
ellipticum, III 845
ellipticum pothifolium, IX 3165
erythrotrichum, III 840
fasciatum, III 837
fasciatum, III 838
feei, III 844
fuscatum, III 840
glauco-pruinatum, II 413
gracillimum, III 838
gracilimum, III 839
halconense, V 1684
heracleum, III 846
heterocarpum, II 413: III 844: IX 3165
incurvatum, III 845
insigne II 414
jagorianum, II 409
khasayanum, II 410
lagunense, II 411
LEPIDOSORUM, IX 3166
LONGICUSPE, IX 3167
longifolium, II 413
longissimum, IX 3167
macrophyllum, III 844
macrum, III 840
minutum, II 410
mollicomum, III 840
mollicomum, III 840, 841
MONSTROSUM, I 78

MONSTROSUM INTEGRIORE, I 78
MONSTROSUM LEUCOPHLEBIUM, I 78
multicaudatum, III 839
musaefolium, III 846
musaefolium, I 79
MUSCOIDES, III 839
myriocarpum, IX 3167
myriocarpum, III 843
NEGROSENSE, II 409
nigrescens, III 845
nummularium, II 411
nutans, III 841
obliquatum, II 410: III 840: IX 3168
oodes, III 843
palmatum, II 144: III 845
papillosum, II 411: III 842
persicifolium, III 842
phymatodes, II 413: III 845
pleiosoroides, II 409: III 838
productum, II 412
pubinerve, III 837
pulcherrimum, III 842
PULCHERRIMUM, III 841
punctatum, III 843: IX 3168
revolutum, II 411
revolutum, II 411, 412, 413
rhynchophyllum, IX 3168
rudimentum, III 843
rupestre, IX 3168
rupestre, IX 3166
sublanianum, III 843
setigerum, III 837
setosum, II 409
setosum calvum, III 837
solidum, III 839
stenophyllum, V 1684
stenopteron, II 410
subauriculatum, II 411: III 842: IX 3168
subauriculatum, III 842
subfalcatum, II 410: III 840
subfalcatum, II 410
subpleiosorum, III 838
sumatranum, II 409: III 838
tamariscinum, III 842
tenuisectum, II 410: III 841: IX 3168
tenuisectum, V 1684
validum, II 413: III 843
varians, VI 2137
venulosum, III 840
vulcanicum, III 844
vulcanicum, III 844
yoderi, III 839, 841
zippelii, IX 3169
zippelii, I 79
zollingerianum, IX 3165
Polyporus *affinis*, I 267
anebus, I 262
asper, VI 2247
atypus, I 263
aureo-marginatus, I 265
australis, I 269
badius, VI 2248
bicolor, I 263
bivalvis, I 264
breviporus, I 265
brunneolus, I 263
caliginosus, I 270
carneo-niger, I 267
cervino-gilvus, I 263
cinereo-fuscus, I 270
confundens, VI 2243
CORACINUS, I 266
corrugatus, I 264: VI 2247
dermatodes, I 263
discipes, I 265
fusco-badius, I 264
grammocephalus, VI 1919
holosclerus, I 265
incomptus, I 267
laccatum, VI 2249
lenziteus, VI 2244
lingua, VI 2250
lutescens, VI 2248
mariannus, I 264
meleagris, VI 2243
meyenii, I 263
microcyclus, I 264
murinus, I 263
PALENSIS, I 266
pectinatus, I 270
peradeniae, I 263: VI 2247
persoonii, VI 2247
perula, I 267
perversus, VI 2243
pinicola, VI 2250
polychrous, I 267
polyzonus, VI 2248
rhodophaeus, VI 1919
scabrosus, I 264
spadiceus, I 265
surinamensis, I 267
tornatus, I 269
trigonus, VI 2243
tristis, VI 2248
umbilicatus, VI 2243
vernicipes, I 263

vulneratus, VI 2250
wightii, I 264
xanthopus, I 267
zonalis, I 267
zonalis semilaccatus, I 263
Polystichum aculeatum, III 811: IX 3169
amabile, III 811
aristatum, III 811: IX 3169
aristatum, III 811
carvifolium, II 392
carvifolium, III 811
horizontale, III 811
HORIZONTALE SORDIDUM, II 392
obtusum, IX 3169
Polystictus affinis, VI 1920
confundens, VI 1920
didrichsenii, I 263
luteum, VI 1920
meleagris, VI 1920
persoonii, I 264
sanguineus, VI 1920
Polytrema IROSINENSIS, X 3676
MACGREGORII, X 3677
philippinensis, X 3677
Pometia *pinnata*, VI 2230: VII 2445 2502
Pongamia *glabra*, VI 2108: VII 2459
mitis, VI 2165: VII 2459
Poria *setulosa*, VI 2246
Porogramme fuligo, VI 2242
Porolaschia RAIMUNDOI, VI 2254
Poronia hypoxyloides, VII 2491
HYPOXYLOIDES, VI 2209
pileiformis, VI 2131
ustorum, VI 2132: VII 2491
ustorum, VI 2209
Porophyllum cacalioides, I 137
Pothoidium lobbianum, X 3627
lobbianum, VI 2138: IX 3137
Pothos *clemensii*, X 3628
inaequilaterus, X 3630
ovatifolius, X 3628
PENINSULARIS, X 3628
philippinensis, X 3630
rumphii, X 3628
rumphii, X 3628
Pouzolzia indica, III 894
indica, III 895
Pratia OVATA, II 593
Premna *cumingiana*, VI 2076, 2258: VII 2433
membranacea, X 3809
nauseosa, VI 2093: VIII 2875: X 3808
odorata, VI 2100, 2118, 2141, 2192, 2235: VII 2433, 2474, 2499: VIII 2948
tomentosa, VII 2425
vestita, VI 2213: VII 2481
Prillieuxina loranthi, IX 3137
microspila, IX 3174
PUMILA, IX 3128
Prismatomeris tetrandra, III 1044
Procris *frutescens*, VIII 2865
FRUTESCENS NERVOSA, VIII 2863
pseudostrigosa, III 883
pseudostrigosa, VIII 2865
PSEUDOSTRIGOSA, I 284
URDANETENSIS, VIII 2865
VOLUBILIS, VIII 2867
Propolidiopsis arengae, VIII 2927
Propoliopsis arengae, VII 2502
ARENGAE, VI 2279
Prosaptia ANCESTRALIS, III 835
contigua, II 408: III 836
Prosopis *vidaliana*, VI 2145
Protium PHILIPPINENSE, VII 2571
Pseuderathemum bicolor, V 1686
Pseudomelicla placida, VI 2114
PLACIDA, IV 1154
Pseudotrype rehmiana, VI 2277
Psidium *guajava*, VI 2097, 2125: VIII 2930
Psorotheciopsis decipiens bispora, VI 2142: VII 2500
Psychotria *acuminatissima*, I 357
ACUMINATISSIMA, I 353
AGUSANENSIS, V 1888
angulata, III 1031
arborescens, IX 3265
ARBORESCENS, III 1030
banahaensis, III 1027
BANAHAENSIS, I 26
bataanensis, I 355
BATAANENSIS, I 23
celastroides, I 24
cephalophora, III 1022
cervina, III 1022
cervina, III 1134
crispipila, III 1022
crispipila, I 354
cuernosensis, V 1891
CUERNOSENSIS, II 521
CUNEATA, IX 3261
diffusa, V 1889: IX 3266

diffusa cervina, III 1022
DIFFUSA CERVINA, II 592
elliptica, V 1891
elliptifolia, II 522
ELLIPTIFOLIA, I 66
EPIPHYTICA, V 1890
ERYTHROTRICHA, V 1891
GITINGENSIS, III 1024
IROSINENSIS, IX 3262
IWAHIGENSIS, IV 1351
ixoroides, III 1021
ixoroides, III 1021
kunstleri, III 1029
LIANOIDES, III 1029
linearis, III 1022
loheri, V 1892
LOHERI, I 356
longipedicellata, I 355: IX 3262
LONGIPEDICELLATA, I 22
longipedunculata, III 1032
LONGIPEDUNCULATA, III 1027
luzoniensis, III 1021: V 1892
luzoniensis, II 521: VI 2136, 2137, 2236
macgregorii, III 1023
malayana, I 24: IV 1347
malayana, II 521
manillensis, I 24: IV 1347
manillensis, IX 3263
membranifolia, III 1032
MICROPHYLLA, II 522
MINDORENSIS, III 1031
NEGROSENSIS, II 520
ovalis, V 1889
OVALIS, III 1023
ovoidea, III 1024
palawanensis, IX 3264
PALAWANENSIS, IV 1348
pallidifolia, IX 3263
paloensis, III 1021
PALOENSIS I 65
pauciflora, III 1021
phanerophlebia, III 1021
philippinensis, I 22
pilosella, V 1892
PILOSELLA, I 353
pinnatinervia, III 1025
PINNATINERVIA, I 26
plumeriaefolia, IV 1349: V 1895
PLUMERIAEFOLIA, III 1026
PYRAMIDATA, IV 1350
ramosii, III 1022
ramosissima, III 1030
RAMOSISSIMA, I 355
REPENS, IV 1349
RUBIGINOSA, I 25
sarmentosa, I 24
sarmentosa, II 522
sibuyanensis, IV 1352
SIBUYANENSIS, III 1028
similis, IV 1354
SIMILIS, III 1025
serpens, IV 1348
SORSOGONENSIS, IX 3264
subalpina, I 353, 357: III 1024, 1026
SUBALPINA, I 64
SUBSESSILIFLORA, I 24
tacpo, I 25
tacpo, II 521: III 1021
tayabensis, III 1021, 1022
TAYABENSIS, I 354
URDANETENSIS, V 1893
VELUTINA, V 1894
VERSICOLOR, IV 1352
VOLUTA, IV 1347
VULCANICA, IX 3265
Pteridium aquilinum, II 406
Pteris caesia, III 831
ensiformis, II 405
excelsa, II 405: III 831
glauco-virens, IX 3169
glauco-virens, IX 3170
longifolia, IX 3170
longipes, III 831
longipinnula, IX 3169
opaca, V 1684
radicans, III 831
radicans, III 832
taenitis, V 1684
tripartita, II 405: IX 3170
vittata, IX 3170
Pterocarpus *indicus*, VI 1936, 2102, 2109, 2137, 2274: VII 2459, 2497
Pterocaulon cylindrostachum, I 119
redolens, I 119
Pterocymbium GIGANTIFOLIUM, I 320
Pterospermum PERRINII, V 1840
Ptychoraphis *angusta*, VIII 3013
elmeri, VIII 3010
intermedia, VIII 3013
INTERMEDIA, VIII 3011
microcarpa, VIII 3013
philippinensis, VIII 3014
singaporensis, VIII 3013
Ptychosperma *macarthurii*, VI 2199, 2275: VII 2450, 2474, 2517

Puccinia citrata, VI 2070
congesta, VI 2070: VII 2423
convolvuli, VI 2070
convolvuli, VI 2068: VII 2419
engleriana, VII 2423: VI 2071
erebia, VI 2071
heterospora, VI 2071: VII 2423
kuehnii, VII 2423
leochroma, VI 2071
LEOCHROMA, V 1533
merrillii, VI 2071: VII 2423: IX 3133
mesomorpha, VI 2072: VII 2423
paululа, VI 2072
phaeosticta, VII 2424
phaseoli-trilobi, VII 2426
philippinensis, VI 2072: VII 2424
purpurea, VI 2072: VII 2424
romagnoliana, VI 2072: VII 2424
rufipes, VI 2072: VII 2424
solmsii, VI 2070: VII 2423
thwaitesii, VI 2073: VII 2424
Pucciniostele clarkiana, VI 2073: VII 2424
Pueraria *phaseoloides*, VII 2523
Pycnarrhena elliptica, IV 1163
manillensis, IV 1163
merrillii, IV 1163
Pycnoporus sanguineus, I 267
Pycnothyrium lobatum, VI 2156
pandani, VII 2515
Pycreus *odoratus*, VI 2072
Pygeum APOENSE, V 1623
clementis, V 1621
coccineum, V 1621
coccineum, V 1628
fragrans, V 1622
fragrans, V 1625, 1626
FRAGRANS, II 475
gitingense, V 1627
GITINGENSE, V 1625
glandulosum, V 1621
glandulosum, II 476: V 1621, 1625, 1626
lanceolatum, V 1626
latiphyllum, V 1621
LATIPHYLLUM, V 1622
maingayi, V 1627
megaphyllum, V 1621
MICROPHYLLUM, V 1626
persimile, V 1628
preslii, V 1621
preslii, II 476: V 1622, 1625, 1626
pubescens, X 3809
PULGARENSE, V 1627
reticulatum, V 1621
RUBIGINOSUM, V 1624
Pyrenacantha *repanda*, X 3808
Pyrethrum *indicum*, I 138
Pyropolyporus caliginosus, I 270
lamaensis, VI 2249
pectinatus, I 270
WILLIAMSII, I 271

Q

Quadrasia EUPHORBIOIDES, VII 2656
Quercus *acuminatissima*, III 942
apoensis, III 934, 935: VI 1985
APOENSIS, III 945
apoensis ulayan, III 935
APOENSIS ULAYAN, III 946
benettii, III 937
benettii, III 934: IX 3141
BICOLORATA, VI 1985
blancoi, VI 1984
BULUSANENSIS, X 3736
cagayanensis, IX 3189
caudatifolia, III 939
caudatifolia, III 934, 935
celebica, III 938
celebica, III 934
clementis, VI 1984
COPELANDII, VI 1984
curranii, III 944
cyrtorhyncha, III 939
cyrtorhyncha, III 934
glauca, VI 2165
ilex, III 943
jordanae, VI 1982
LIPACON, VI 1983
llanosii, VI 1984
luzonensis, VI 2165
merrillii, IV 1372
merrittii, III 945: VI 1985
minahassae, III 941
minahassae, III 934
mindanaensis, III 942
mindanaensis, III 934, 939
monticola, III 942: VI 1982
monticola, III 934, 943
ovalis, VI 1984
philippinensis, III 942: X 3738
pinatubensis, IX 3141
PINATUBENSIS, IX 3188
pruinosa, III 940
pruinosa, III 934, 1076: X 3566

pseudo-molucca, III 937
pseudo-molucca, III 934, 935
reflexa, III 940: VI 1981
reflexa, III 934
soleriana, VI 1983
submonticola, III 934, 935
SUBMONTICOLA, III 943
sundaica, III 941
sundaica, III 935
tasystachya, III 938
tasystachya, III 934, 935
vidalii, VI 1981
vidalii, VI 1966
zschokkei, III 934, 935
ZSCHOKKEI, III 944
Quisqualis *indica*, VI 2092

R

Radermachera *biternata*, V 1547: VI 2155
brachybotrys, X 3809
elmeri fragrans, X 3711
ELMERI FRAGRANS, VII 2561
PUNCTATA, X 3709
SIBUYANENSIS, IV 1485
Ramularia catappae, VI 2165: VII 2527
Randia ALVEOLATA, IX 3266
angatensis, I 28
arborea, IV 1359
ARBOREA, III 1005
bakeri, IX 3267
cumingiana, I 32
densiflora, I 32
ebracteata, V 1898
EBRACTEATA, IV 1354
fasciculiflora, III 1007
FASCICULIFLORA, I 31
fitzalani, I 31
fitzalani, III 1004
loheri, IX 3269
mindorensis, II 519: V 1896
MINDORENSIS, I 28
olaciformis, V 1856
olaciformis, III 986
PUBIFOLIA, V 1895
pulcherrima, III 1003
PURPURICARPA, IX 3267
RIGIDAEFOLIA, I 352
rostrata, IX 3269
SAMALENSIS, I 29
stenophylla, III 1004
ticaensis, III 1004
ticaensis, III 1134: V 1896
UMBELLATA, I 31
uncaria, IV 1354
UNCARIA, I 30
wallichii, III 1004
wallichii, IV 1355
whitfordii, III 1004: V 1896
WILLIAMSII, III 1004
Rapanea APOENSIS, II 669
avenis, II 671
buxifolia, II 670
fastigiata, II 673
FASTIGIATA, II 670
GLANDULOSA, VIII 2784
MINDANAENSIS, II 671
myricifolia, II 673
philippinensis, II 672: VIII 2785
VENOSUS, II 672
Rauwolfia *madurensis*, IV 1463
PALAWANENSIS, IV 1462
Reifferscheidia *speciosa*, VII 2613
Reinwardtia *merrillii*, IX 3385
Reinwardtiodendron celebicum, IX 3385
Rhaphidophora *acuminata*, VIII 3073
BULUSANENSIS, X 3630
elmeri, X 3631
grandifolia, VIII 3074
LAGUNENSIS, VIII 3072
merrillii, X 3621
monticola, X 3631
perkinsae, VIII 3073
rigida, X 3632
RIGIDA, VI 2284
STENOPHYLLA, VIII 3073
TODAYENSIS, VI 2284
TRINERVIA, VIII 3073
Rhipidocarpon javanicum, VIII 2933
Rhizopus *artocarpi*, VI 2148: VII 2503
nigricans, VI 2148
Rhododendron apoanum, III 1107
apoanum, III 1091, 1107
copelandii, III 1105
copelandii, III 1091
kochii, III 1105
kochii, III 1090
leytense, X 3809
marivelesense, IX 3143
mindanaense, III 1106
mindanaense, III 1091
nortonae, III 1107
quadrasianum, III 1106

schadenbergii, VI 2137: VIII 2931
spectabile, III 1106
spectabile, III 1090
Rhodomyrtus SURIGAOENSIS, VII 2344
tomentosa, VII 2346
Rhopographella reyesiana, VII 2462
REYESIANA, VI 2224
reyesiana gigantochloae, VII 2462
REYESIANA GIGANTOCHLOAE, VI 2224
taquarae, VI 2224
Rhopographus blumeanus, VI 2110: VII 2462
BLUMEANUS, VI 1936
hysterioides, VI 2224
Rhynchoglossum klugioides, III 948
klugioides, III 947
obliquum, II 564
SPUMOSUM, II 564
Rhynchostoma *piriforme*, VI 1939
sanguineo-atrum, VI 2115
SANGUINEO-ATRUM, VI 1938
Rhyncotechum *tenue*, III 949
Rhytidhysterium *guaranticum*, VI 2145
javanicum, VI 2145
Rhytisma *constellatum*, VIII 2932
lagerstroemiae, VI 2146: VII 2503: VIII 2926
pongamiae, VIII 2926
spurcarium, VIII 2932
viburni, VI 2146: VII 2503
Ricinus *communis*, VII 2504, 2507, 2508
Rigidoporus surinamensis, I 267
Rinorea FASCICULATA MINOR, VIII 2877
PULGARENSIS, V 1849
Rivea *apoensis*, VII 2606
APOENSIS, VII 2604
CINEREA, I 335
glabrata, X 3721
GLABRATA, I 334
LEUCOCARPA, X 3720
luzonensis, VII 2605: X 3721
SORSOGONENSIS, X 3721
URDANETENSIS, VII 2605
Rosellinia aucklandia, VI 2114
bambusae, VI 1940, 2120, 2198: VII 2471, 2472
bogoriensi, VIII 2942
bunodes, VIII 2941
calami, VI 2114
cocoes, VI 2114: VII 2466
CRUSTACEAE, VIII 2941
dolichospora, VI 2114
emergens, VI 2114, 2198: VII 2467
emergens, VI 2261: VII 2467: VIII 2942
fuscomaculans, VI 2114
FUSCOMACULANS, VI 1937
gigantea, VI 1941
gigaspora, VI 1940, 1941
hemisphaerica, VI 2198
HORRIDA, VIII 2941
lamprostoma, VI 2115, 2261: VII 2467: VIII 2942
lamprostoma, VIII 2941
MAQUILINGIANA, VIII 2942
megalosperma, VI 2115
merrillii, VI 2115
moelleriana dispersa, VI 2115
MOELLERIANA DISPERSA, VI 1937
molleriana, VIII 2942
perusensis, VII 2467
procera, VI 2115, 2261: VII 2467: VIII 2942
procera, VI 2198
pulveraceae, VIII 2942
rachidis, VII 2467
RACHIDIS, VI 2198
subaenea, VI 1938
truncata, VII 2467
umbilicata, VII 2468
Rottboellia *compressa*, VII 2457
exaltata, X 3522
exaltata, VI 2080, 2087, 2109, 2112, 2193: VII 2436, 2463, 2478: IX 3134, 3136
ophiuroidea, VI 2089: VII 2681
tongcalingii, IV 1158: VI 2106: X 3516
TONGCALINGII, VII 2680
Roumegeria ichnanthi, VI 2116: VII 2462
Rourea *erecta*, VI 2094, 2109, 2118, 2229: VII 2444
heterophylla, VII 2601
IMBRICATA, VII 2597
MICROCARPA, VII 2599
SUBVOLUBILIS, VII 2600
volubilis, VII 2600
Rubia cordifolia, I 32
cordifolia, IX 3215
PHILIPPINENSIS, IX 3214

Rubus *acuminatus*, V 1618
alceaefolius, II 454
APOENSIS, V 1618
benguetensis, II 449
benguetensis, II 446, 449, 451: X 3778
BENGUETENSIS, I 296
brevipetalus, II 446
BREVIPETALUS, II 450
buergeri, II 448
calycinus, II 448
celebicus, II 460
clementis, II 458
clementis, II 447
comintanus, II 462
copelandii, II 457
copelandii, II 447
cumingii, II 453, 454
edanoi, X 3778
ellipticus, II 456
ellipticus, II 445, 447
fraxinifolius, II 460
fraxinifolius, II 447, 462
fraxinifolius haightii, II 447
FRAXINIFOLIUS HAIGHTII, II 461
glomeratus, II 453
horsfieldia, II 459
jamaicensis, II 462
lasiocarpus, II 459
lasiocarpus, II 445, 447
luzoniensis, II 452
luzoniensis, II 446, 449, 452
mearnsii, II 446
MEARNSII, II 448
moluccanus, II 453
moluccanus, II 446, 454
pectinellus, II 448
pectinellus, II 446
PHILIPPINENSIS, V 1617
rolfei, II 454
rolfei, II 447, 454: VI 2069
rosaefolius, II 462
rosaefolius, II 447, 460, 461: V 1619: IX 3145
rugosus, II 455
rugosus, II 445, 447, 454
SORSOGONENSIS, X 3777
sundaicus, II 453
tagallus, II 461
tagallus, II 447, 462: V 1619
zambalensis, II 446
ZAMBALENSIS, II 451
Ruellia PHILIPPINENSIS, V 1690
nudispica, V 1700

S

Sabia *philippinensis*, II 580
RETICULATA, II 579
Saccharum *officinale*, VII 2463
officinarum, VI 2075, 2081, 2109, 2160, 2164, 2199: VII 2525
spontaneum, X 3523
spontaneum, VI 2109
Saccoloma *moluccanum*, II 396: III 827
Saccopetalum ARBOREUM, V 1739
longipes, V 1740
Sagittipetalum *mindanaensis*, V 1831
palawanensis, V 1907
PALAWANENSIS, V 1830
Salacia CYMOSA, V 1792
integrifolia, V 1794
prinoides, X 3809
SUBSCANDENS, V 1793
Sandoricum indicum, IX 3386
indicum, VI 2088, 2097
koetjape, IX 3134
vidalii, IX 3387
Santiria *samarensis*, X 3809
Sapindus *pubescens*, X 1616
saponaria, VII 2474
turczaninowii, VI 2087
Sapium CRASSIFOLIUM, II 485
lateriflorum, IV 1303
lateriflorum, III 931
SUBROTUNDIFOLIA, III 930
Saprosma PHILIPPINENSIS, III 1035
ternatum, III 1036
Sararanga philippinensis, III 1110
Sarcinella raimundoi, VII 2527
Sarcocephalus cordatus, I 32
FLUVIATILIS, IV 1357
horsfieldii, III 990
horsfieldii, V 1897
junghughnii, I 32
MULTICEPHALUS, V 1896
OVATUS, I 33
subditus, V 1897
undulatus, I 32
Sarcoscypha *melastoma*, VI 2281
Sarcosoma *javanica*, VI 1947
Sarcostemma brunonianum, X 3592
Sarcostigma *philippinensis*, X 3750
SURIGAOENSIS, X 3749
Saurauia AVELLANA, II 498
BULUSANENSIS, X 3726
clementis, I 321: VII 2616

confusa, X 3810
COPELANDII, VII 2613
cumingiana, VII 2617: X 3728
elegans, IX 3143
ERYTHROTHRICA, VII 2614
ferox, II 500
IROSINENSIS, X 3727
latibractea, VII 2617: X 3728, 3810
luzoniensis, I 321
MERRILLII, I 321
NEGROSENSIS, II 499
oligantha, X 3727, 3810
PANDURIFORMIS, II 580
SAMPAD, VII 2616
SIBUYANENSIS, IV 1492
sparsiflora, II 581: X 3727
SPARSIFLORA, I 322
subglabra, I 322
succulenta, VII 2367
SUCCULENTA, VII 2617
URDANETENSIS, VII 2619
whitfordii, II 581
Sauropus *robinsonii*, IX 3173
Scaevola MERRILLII, IV 1491
micrantha, IV 1492
pedunculata mollis, IV 1492
Schefflera AGUSANENSIS, VII 2340
ALBIDO-BRACTEATA, VII 2339
angustifolium, VII 2340
APOENSIS, VII 2334
auranticarpa, X 3641
bordeni, VII 2337, 2341
BULUSANENSIS, X 3637
catanduanensis, X 3639
CATENSIS, VII 2336
caudatifolia, X 3639
chartacea, X 3638
cumingii, X 3640
cumingii, VII 2337
decidua, X 3641
elliptifoliola, X 3640
foetida, II 586
insularum, X 3641
longifructescens, X 3641
longifructescens, X 3705
LONGIFRUCTESCENS, I 331
longispicata, X 3642
luzonensis, X 3638, 3647
mellifera, X 3639
MERRILLII, VII 2335
mindanaensis, IV 1154: VI 2119
multicaulis, X 3640
MULTIRAMOSA, VII 2332
obliqua, X 3645
oblongifolia, VII 2335
PANICULATA, II 585
pentaphylla, IX 3131, 3136
PENTAPHYLLA, X 3642
PERLUCIDA, VII 2333
piperoidea, X 3643
PIPEROIDEA, I 330
POPULNEA, X 3644
simplicifolia, IX 3131: X 3645, 3647
SORSOGONENSIS, X 3646
TODAYENSIS, X 3704
trifoliata, X 3643
urdanetensis, X 3639
URDANETENSIS, VII 2337
Schima *noronhae*, V 1844
PULGARENSIS, V 1843
Schismatoglottis HASTATA, X 3701
irosinensis, X 3634
IROSINENSIS, X 3632
latifolia, X 3634
luzonensis, X 3634
mindanaoana, X 3702
minor, X 3702
Schistomitrium *robustum*, VI 1976
SUBROBUSTUM, VI 1976
Schizaea dichotema, II 423
Schizochora elmeri, VI 2111: VII 2462
ELMERI, VI 1929
STENOSPERMA, IX 3125
Schizophyllum commune multifidum, VI 1919
Schizostachyum *acutiflorum*, IV 1368: VI 2095, 2109, 2119: VII 2446
blumei, VII 2525
longispiculatum, V 1545: VI 2111
lumampao, X 3523
Schizothyrium aceris, VI 1930, 2138: VII 2497
Schneepia *javanica*, VIII 2933
Schoenus *apogon*, VI 2109: VII 2460
Schroeteriaster cingens, VI 2078: VII 2428
Scindapsus curranii, X 3635
FRAGILIS, X 3702
hederaceus, X 3635
Scirpus erectus, X 3539
grossus, X 3539
grossus, VII 2434, 2529
mucronatus, X 3539

Scirrhia bambusina, VI 1936, 2111: VII 2462
gigantochloae, VII 2462
GIGANTOCHLOAE, VI 2223
luzonensis, V 1545: VI 2111: VII 2462
luzonensis, VI 2224
seriata, VI 2111: VII 2463
Scirrhiella *currispora*, VI 2199
Scleria *bulusanensis*, X 3540
hebecarpa, X 3539
lithosperma, X 3540
motleyi, X 3542
multifoliata, X 3540
purpureo-vaginata, X 3540
scrobiculata, X 3540
SORSOGONENSIS, X 3541
subrostrata, X 3542
trigona, X 3542
Sclerococcus *angustifolius*, III 980
laevigatus, III 981
lineatus, III 975
radicans, III 980
Sclerodiscus nitens, IX 3175
Sclerotinia NERVISEQUIA BAMBUSACEA, VIII 2930
Sclerotium *stipitatum*, VI 2210: VII 2494
Scolecopeltis *dissimulis*, VI 1946
garciniae, VI 2095
GARCINIAE, VI 1946
quindecim-septata, VI 1946
tropicalis, VI 1946
Scolopia FRAGRANS, V 1780
luzonensis, V 1781: IX 3177
roxburghii, V 1781
Scutellaria *luzonica*, II 517
MARIVELENSIS, II 516
Scutinanthe *brunnea*, I 299
engleri, IX 3382
ENGLERI, I 298
Scyphiphora hydrophyllacea, I 32
Secamone multiflora, X 3592
rectinervis, X 3592
URDANETENSIS, X 3592
Securidaca ATRO-VIOLACEA, V 1671
Selaginella *agusanensis*, VI 2000
AGUSANENSIS, VI 1998
alligans, VI 1998, 2006, 2017, 2018
ALLIGANS, VI 2012
apoensis, VI 2025, 2026
APOENSIS, VI 2023
arbuscula, VI 2003
aristata, VI 2043
aristata, VI 2026, 2044, 2045, 2046, 2048
ARISTATA BREVIFOLIA, VI 2045
ARISTATA OBTUSIFOLIA, VI 2046
atro-viridis, VI 2007, 2012, 2018
auriculata, VI 2015
belangeri, VI 2026
belangeri, VI 2023, 2026, 2027, 2045
bellula, VI 1989
bellula, VI 1989, 1990
benguetensis, VI 2043
biformis, VI 2001
biformis, VI 2002, 2003, 2004, 2005
bisulcata, VI 2018, 2021
boschai, VI 1991
brausei, VI 1991
canaliculata, VI 2048
caulescens, VI 1988, 1989, 2005
cuernosensis, VI 2029
CUERNOSENSIS, VI 2027
cumingiana, VI 1998, 2006, 2007, 2012, 2017, 2018, 2029
cupressina, VI 1992
cupressina, VI 1989, 1993, 2001, 2002, 2003
CUPRESSINA ARISTULATA, VI 1994
cyatheoides, VI 2052, 2053
DAVAOENSIS, VI 2053
d'urvillei, VI 2055, 2057
elmeri, VI 1994
elmeri, VI 1994, 1995
engleri, VI 2059
engleri, VI 2060, 2061, 2062, 2063
eschscholzii, VI 2043
ESCHSCHOLZII, VI 2041
fallax, VI 1997
flabellata, VI 2005
flagellata, VI 2003, 2025
furcillifolia, VI 2061
gastrophylla, VI 2055, 2057, 2058, 2061
gregoryi, VI 1995, 1996
heterostachys, VI 2043
hewettii, VI 2061
hirticaulis, VI 2001, 2003, 2005
hombroni, VI 2040
HOMBRONI, VI 2037
intermedia, VI 2009, 2010, 2012
involvens, VI 1989, 2005

involventis, VI 1998
jagori, VI 1995
kurzii, VI 2039
lacerata, VI 2052
latifrons, VI 1997, 2000
leytensis, VI 1991
LLANOSII, VI 2039
magnifica, VI 2005
magnifica, VI 2005, 2006, 2017: VII 2382
maquilingensis, VI 2029
mearnsii, VI 2020, 2021, 2023
MEARNSII, VI 2018
meyeni, VI 1994, 1995
microstachya, VI 1988, 1989
moseleyi, VI 2038, 2040, 2041
MOSELEYI, VI 2034
myosuroides, VI 2026
neei, VI 1995
neei, VI 1995, 1996, 1997
negrosensis, VI 2009, 2012
NEGROSENSIS, VI 2007
nummularia, VI 2029
opaca, VI 2018, 2020, 2021, 2023
pennula, VI 1992, 1993
PERKINSIAE, VI 2010
PERVAGA, VI 2021
philippina, VI 2029
philippina, VI 1988, 2030, 2031, 2034, 2036, 2038, 2040
philippina khasiensis, VI 2030
PHILIPPINA LONGICILIATA, VI 2032
PICKRINGII, VI 2046
plumosa, VI 2001, 2005
polyura, VI 1990
pouzolziana, VI 2048
pouzolziana, VI 2049, 2050, 2051
pouzolziana punctata, VI 2050
presliana, VI 1992
proniflora, VI 2026
pteriphyllos, VI 1991, 1992
punctata, VI 2050, 2051
quadrasii, VI 1997
quadrasii, VI 1992, 1997, 2000, 2017, 2018
radicata, VI 2003
ramosii, VI 1995
remotifolia, VI 2064
reticulata, VI 2026
rotbararna, VI 2016
rubricaulis, VI 2027
sancti-antonii, VI 1995, 1996, 1997
selaginoides, VI 2027
sibuyanensis, VI 1996
sibuyanensis, VI 1997
striolata, VI 1990
suberosa, VI 2030, 2032, 2034, 2037, 2039, 2041, 2046
tenera, VI 2043, 2044
usteri, VI 2055
usteri, VI 2057, 2058
vidalii, VI 2036, 2038
VIDALII, VI 2032
vitensis, VI 2025, 2026
wallichii, VI 2052, 2053, 2055, 2060, 2061
warburgii, VI 1988
warburgii, VI 1989
WHITFORDII, VI 2061
willdenowii, VI 2059, 2060, 2061, 2063
WORMSKIOLDII, VI 2064
Semecarpus *cuneiformis*, VI 2095: IX 3180
glauciphylla, IX 3180
GLAUCIPHYLLA, IV 1501
OBTUSATA, V 1752
paucinervia, V 1754
perrottetii, IV 1154: VI 2114
philippinensis, IX 3180
subsessilifolia, X 3683
TESTACEUS, X 3682
THYRSOIDEA, IV 3179
Senecio *benguetensis*, I 151
BENGUETENSIS, I 152
cacaliaster, I 146
confusus, I 151
CONFUSUS, I 153
luzoniensis, I 154
luzoniensis, I 152
mindoroensis, I 152
MINDOROENSIS, I 155
rubiginosus, I 152
RUBIGINOSUS, I 154
scandens, I 154
vagans, I 156
walkeri, I 155
Septobasidium *atratum*, VI 2240
BAKERI, VI 2239
bogoriense, VI 2239
molliusculum, IX 3133
MOLLIUSCULUM, VI 1920
minutulum, IX 3133
Septogloeum arachidis, VII 2518
arachidis, VII 2523
aureum, VI 2158

Septoria bakeri, VI 2154
moelleriana, VI 2154: VII 2511
palmarum, VI 2154: VII 2512
Serratula *multiflora*, I 93
Sesamum *indicum*, VI 2162: VII 2510, 2513, 2516
Setaria *flava*, IX 3133: X 3524
geniculata, X 3523
palmifolia, X 3524
Seynesia alstoniae, VII 2442
ALSTONIAE, VI 2227
calamicola, VII 2455
clavispora, VI 2096
clavispora, IX 3175
grandis, VII 2454
ipomeae, VI 2096
scutellum, VI 2096: VII 2442
Shorea *balangeran*, VI 1956
curtisii, VI 1956
MALIBATO, VI 1955
negrosensis, VI 1949
polysperma, VI 2094
squamata, VI 1957
squamata, VI 1949
vidaliana, VI 1956
vidaliana, VI 1956
Sida *acuta*, IX 3134
glutinosa, VI 2071
javensis, VI 2071, 2089: VII 2436
mysorensis, VI 2071: VII 2423
veronicaefolia, VI 2071
Sideroxylon ACUMINATUM, IV 1487
angustifolium, III 874: VI 2092: VIII 2824
apoense, VI 1928, 2092
APOENSE, VIII 2821
attenuatum, III 870
coriaceum, IV 1488
ferrugineum, VI 2092
FOXWORTHYI, V 1836
FRAGRANS, III 871
GITINGENSE, III 873
glomeratum, V 1836
PITTOSPORIFOLIUM, III 872
stenophylla, III 870
stenophylla, III 873: IV 1488
URDANETENSE, VIII 2823
velutinum, X 3810
VELUTINUM, V 1834
Siegesbeckia orientalis, I 162
Sigmatomyces bakeri, VI 2159: VII 2518
Siphonodon *celastrineus*, VI 2153: VII 2511
Sirosphaera botryosa, VI 2154
Smilax *bracteata*, VI 2071: VIII 2741
reticulata, IX 3133
RETICULATA, VIII 2740
vicaria, VI 2071: VII 2423
williamsii, VIII 2741
Smithia *ciliata*, VI 2090: VII 2437
Solanum *angatii*, II 729
ANGATII, II 731
ANISOPHYLLUM, VIII 2830
apoense, II 729
APOENSE, II 730
banahaense, I 342, 363
BANAHAENSE, I 341
biflorum, V 1839: VIII 2833
blumei, I 341, 342: II 733
crassipetalum, II 730
crassipetalum, II 729: VIII 2833
denticulatum, VIII 2833
ferocissimum, I 343
lagunense, VIII 2832
LAGUNENSE, I 341
lianoides, II 729
LIANOIDES, II 733
manucaling, II 729: IV 1156: VI 2091
MANUCALING, II 732
melongena, VII 2527
MINDANAENSE, VIII 2832
parasiticum, I 342: II 732
RETRORSUM, I 342
SPARSIFLORUM, V 1838
verbascifolium, II 729
verbascifolium, II 729: VII 2507
Solidago virgaurea, I 126
Sonchus oleraceus, I 185
Sonerila LILACINA, VIII 2765
woodii, VIII 2767
Sorghum *halepensis*, VII 2424
halepense propinquum, VI 2103
vulgare, VI 2072, 2220: VII 2460, 2526
Spathoglottis *aurea*, V 1573
chrysantha, V 1572, 1573: VI 2078
elmeri, V 1573
ELMERI, V 1572
Spatholobus *apoensis*, IV 1158: VI 2110
APOENSIS, II 698
gyrocarpus, VI 2097: VIII 3088
SANGUINEUS, VIII 3087

Spegazzinia meliolae, VI 2166
Spermacoce hispida, I 34
meyeniana, III 981: IV 1356
ocymoides, I 34
philippensis, III 981
Sphaceiotheca hydropiperis, VI 2079: VII 2429
Sphaeranthus africanus, I 118
alatus, I 118
elongatus, I 118
indicus, I 118
microcephalus, I 118
Sphaeria *annulata*, VI 1944
bunodes, VIII 2941
clypeus, VI 1943
coenopus, VI 2206
emergens, VI 2198
erythrococcos, VII 2447
eschscholzii, VI 2206
insitiva, VI 2216
lata, VI 2214
micraspis, VI 2116
micraspis, VI 2197: VIII 2938
nigripes, VI 2210
orthogramma, VIII 2951
polymorpha, VI 2211
pulicaris, VI 2225
rhodosticta, VI 2201: VII 2465
rubiginosa, VI 2272
telphairii, VI 2211: VII 2495
zonata, VI 1943
Sphaerodothis arengae, IX 3136
Sphaeromorphaea russeliana, I 140
Sphaeropsis pandani, VII 2512
pandani, VI 2119
Sphaerulina smilacincola, VI 2118: VII 2474
Sphenoclea *zeylanica*, VI 2163
Sphenomeris chinensis, IX 3170
Spilanthes acmella, I 169
acmella, I 168
grandiflora, I 168
grandiflora, I 168
lobata, I 169
ovata, I 169
ovata, I 168
peregrina, I 166
Spinifex *squarrosus*, VI 2079
Spiraeopsis *celebica*, VIII 2828
philippinense, X 3810
PHILIPPINENSE, VIII 2826
Spondias ROMBLONENSIS, X 3683
Spongipellis LUZONENSIS, I 267
Sporobolus *elongatus*, VI 2165
indicus, X 3524
Sporocybe philippinensis, VI 2159: VII 2520
Sporodesmium bakeri, VI 2166: VII 2527
Stachys *rubisepala*, I 340
RUBISEPALA, I 338
Stagonospora varians, VII 2512
Stauranthera *ecalcarata*, III 951
philippinense, III 947
PHILIPPINENSE, III 950
Staurogyne CILIATA, VII 2548
debilis, VII 2549
OPHIORRHIZOIDES, IV 1488
Stemmodontia *biflora*, I 166
Stemonurus AGUSANENSIS, VII 2689
APOENSIS, VII 2690
cumingianus, VII 2693
FLAVICARPUS, VII 2691
Stenochlaena *brackenridgei*, III 822
laurifolia, I 234
leptocarpa, IX 3170
leptocarpa, III 822
milnei, I 234
sorbifolia, III 822
Stenosemia aurita, III 813
Stephania catosepala, IV 1166
exigua, IV 1167
forsteri, IV 1167
japonica, IV 1166
merrillii, IV 1166
Stephanotheca micromera, VII 2445
Sterculia *foetida*, IV 1367: VI 2194: VII 2473
HUMILIS, II 681
MULTISTIPULARIS, II 497
obovata, II 498
stipularis, II 498
Stereocaulon nesacum, II 435
Stereum *amaenum*, VI 2242
concolor, VI 1920
cyathiforme, VI 2255
duriusculum, VI 2242
fasciatum, VI 2242
friesii, VI 2242
glabrum, VI 2241
involutum, VI 2242
kalchbrenneri, VI 2242
lobatum, VI 2242
lobatum concolor, VI 2242
obliquum, VI 2241
spectabile, VI 2242

Sticta caperata javanica, II 437
ciliare, II 438
clathrata, II 437
dissimulata, II 437
ELMERI, II 437
filicina, II 438
quercifolia, II 436
tomentosa, II 437
Stictis stellata philippinensis, VI 2144
thelotremoides, VI 2144
Stigmatea bullata, VI 2119
BULLATA, IV 1154
cinereo-maculans, VI 2119
Stigmatodothis palawanensis, VII 2463
Stigmella manilensis, VI 2166: VII 2527
palawanensis, VII 2527
Stilbella cinnabarina, VII 2520
Stilbonectria lateritia, VI 1935, 2099
Stilbum cinnabarinum, IV 1159: VI 2160
Stizolobium *deeringianum*, VII 2523
Streblosa glabra, IV 1356
Streblus *asper*, VI 2115, 2154, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2275: VII 2448, 2478, 2484, 2485, 2480, 2482, 2483: VIII 2942, 2957
Streptocaulon baumii, X 3594
CORYMBOSUM, X 3594
cumingii, X 3594
Strigula babingtonii, VI 2236
Strobilanthes ANTONII, VII 2550
BULUSANENSIS, X 3678
pachys, VII 2551
PALAWANENSIS, V 1686
Strombosia MINOR, X 3770
philippinensis, X 3771
Strongylodon AGUSANENSIS, VIII 2732
coerulea, II 698
elmeri, I 228
mindanaensis, VIII 2740
MINDANAENSIS, II 696
pulcher, VIII 2740
ZSCHOKKEI, I 227
Strychnos *angustiflora*, I 333
luzonensis, X 3810
LUZONENSIS, I 332
multiflora, I 333: IX 3125
Stylocoryne *fragrans*, III 1006
incerta, I 33, 360
macrophylla, I 33
pubescens, I 33
webera, I 33
Sumbaviopsis albicans, IV 1304
albicans, VI 2117: V 1544
Swintonia FOXWORTHYI, V 1751
schwenkii, V 1752
Sycopsis *philippinensis*, I 363
Symphorema *luzonicum*, VI 2200, 2229, 2236: VII 2445, 2465
Symphysodon *neckeroides*, II 655
SUBNECKEROIDES, II 655
Symphysodontella *convolutae*, II 655
ELMERI, VI 1977
subulatae, VI 1978
SUBULATAE, II 654
Symplocos *acuminatissima*, X 3793
adenophylla merrittii, IV 1478
AGUSANENSIS, VII 2321
ANGULARIS, II 510
APOENSIS, VII 2319
betula, II 509, 510
BRANDII, IV 1477
BULUSANENSIS, X 3792
cumingiana, VII 2323
curtiflora, VII 2321, 2323
CURTIFLORA, II 509
depauperata, VII 2321
ferruginea, II 511
floridissima-serrata, VII 2320
fragrans, VII 2321
FRAGRANS, II 508
LAEVIRAMULOSA, VII 2323
luzonensis, VII 2321
merrillii, VII 2321
MINUTIFLORA, VII 2320
polyandra, V 1842: X 3794
PULGARENSIS, V 1841
salix, X 3793
VERDIFOLIA, X 3793
villarii, X 3794
whitfordii, VII 2324, 2512
Synchytrium aecidioides, VI 2149: VII 2504
decipiens, VII 2504
fulgens decipiens, VII 2504
Synedrella nodiflora, I 171
nodiflora, VI 2094: VII 2477, 2507, 2512
Syngramma alismaefolia, II 404
Syrrhopodon MACRO-TRISTICHUS, II 652
tristichus, II 653

T

Tabernaemontana BIFLORA, IV 1463
CONGESTIFLORA, IV 1464
coronaria, VI 2075
mucronata, IV 1465
pandacaqui, VI 2071, 2163
Tacca *elmeri*, VI 2284: X 3795
ELMERI, VI 2283
palmata, VI 2164: VII 2524
rumphii, VI 2284
WEBERI, X 3794
Taeniophyllum *arachnites*, V 1588
ELMERI, V 1588
Tagetes erecta, I 136
patula, I 136
Tainia ELMERI, V 1570
Talauma *gitingensis*, V 1810
GITINGENSIS, IV 1479
PULGARENSIS, V 1809
villariana, V 1537: VI 2085, 2200: VII 2465: VIII 2953: IX 3134
Tamarindus *indicus*, VI 2089, 2130, 2207, 2210, 2240, 2245, 2248, 2251: VII 2485, 2493
Tanneria mariana, II 436
Tapeinidium pinnatum, II 395: III 827
Tarachia *truncatiloba*, IX 3152
Tarenna *arborea*, IV 1359
cumingiana, V 1898
ebracteata, V 1898
fragrans, IV 1358
incerta, I 360
meyeri, V 1898
Taxotrophis *ilicifolia*, V 1814: VII 2446
mindanaensis, V 1815
OBTUSA, V 1813
Tectaria *adenophora*, IV 1152
ADENOPHORA, IV 1151
ambigua, III 812
christii, IV 1151
christii, IV 1151
crenata, III 812
decurrens, I 234: II 392: III 812
devexa, III 812
irregularis brogniartii, II 392
leuzeana, III 813: IX 3171
leuzeana, II 392: IX 3171
malayensis, III 813
melanocaulon, II 392: III 812
polymorpha, III 812: IX 3171
Telosma CRISPIPETALA, X 3595
parviflora, X 3596
procumbens, X 3596
procumbens, VI 2068, 2089
Tephrosticta ficina, VI 2122
Terminalia *catappa*, VI 2083, 2165: VII 2483, 2527
COPELANDII, V 1759
IWAHIGENSIS, V 1760
MERRILLII, VII 2581
pellucida, VII 2582
polyantha, X 3810
Ternstroemia GITINGENSIS, IV 1480
Tetracera *borneensis*, VII 2622
macrophylla, V 1772
OBLIQUINERVIA, VII 2621
rigida, VII 2622
sarmentosa, VII 2497
SUBROTUNDATA, V 1771
Tetractomia *majus*, VIII 2815
PHILIPPINENSE, VIII 2813
roxburghii, VIII 2815
Tetralopha *motleyi*, III 1044
PHILIPPINEŃSIS, III 1043
Tetrastigma *harmandii*, X 3803, 3810
lanceolarium, X 3803
SILVESTREI, X 3802
sorsogonense, IX 3134
strumarum, X 3803
Thamnopteris *musaefolia*, II 402
Thea MEGACARPA, V 1842
RETICULATA, VIII 2838
Theissenula clavispora, VII 2446
Thelephora *concolor*, VI 2242
surinamensis, VI 2241
Themeda gigantea, X 3525
triandra, VI 2080
Theobroma *cacao*, I 188: III 1070: VI 2151, 2152, 2166, 2226: VII 2450, 2528
Thunbergia fragrans, V 1685
grandiflora, VII 2528
Thyridaria CALAMINCOLA, VIII 2957
crocosareae, VIII 2957
EMINENS, VIII 2957
tarda, VI 2152
Thysanolaena maxima, X 3525
Tilletia opaca, VI 2079
oryzae, VI 2100
sorghi-vulgaris, VII 2430
Timonius appendiculatus, III 1010
arborea, III 1013

ARBOREA, I 72
attenuatus, III 1009: IV 1329
ATTENUATUS, I 34
benguetensis, III 1009
BENGUETENSIS, I 35
CAUDATIFOLIUS, V 1898
epiphyticus, V 1899
EPIPHYTICUS, III 1011
gammillii, IV 1359
GAMMILLII, III 1013
hirsutiusculus, IV 1329
macrophyllus, III 1010
obovatus, III 1009
obovatus, V 1900
OBOVATUS, I 36
PALAWANENSIS, IV 1360
philippinensis, I 37: III 1010
PULGARENSIS, IV 1360
quadrasii, III 1010
QUADRASII, I 36
rumphii, I 37
rumphii, III 1014
sericeus, III 1014
ternifolia, I 36
URDANETENSIS, V 1899
valetonii, IV 1362
VALETONII, III 1012
Tinomiscium philippinense, IV 1161
philippinense, X 3809
Tinospora HASTATA, X 3760
merrilliana, IV 1164
merrilliana, IV 1164
negrotica, IV 1164
negrotica, X 3762
reticulata, IV 1164
Tmesipteris tannensis, III 851
Tolyposporium philippinensis, VI 2080
Toona calantas, IX 3388
calantas, IX 3390
paucijuga, IX 3390
philippinense, IX 3388
PHILIPPINENSE, IX 3388
Torula herbarum quaternella, VII 2528
Torulinium ferax, X 3542
Toxocarpus glaucus, X 3597
glaucus, X 3597
gracilis, X 3597
loheri, VIII 3076
merrillii, X 3597
rubricaulus, X 3597
RUBRICAULUS, VIII 3075
sorsogonensis, X 3598
Trabutia IROSINENSIS, IX 3122
NEUROPHILA, IX 3123
PACIFICA, IX 3124
Trachelospermum *fragrans*, II 489
PHILIPPINENSE, II 488
Trametes aspera, VI 2247
aurora, I 263
bicolor, I 264
CAESPITOSA, I 267
cinnabarina, VI 2248
colliculosa, I 271
corrugata, VI 2247
dermatodes, VI 2247
dermatodes, I 263
flava, VI 2247
LUZONENSIS, I 268
nitida, I 264
rhizophorae, VI 2247
scopulosa, VI 2247
Traversoa dothioreloides, VI 2154: VII 2512
excipuloides, VI 2154: VII 2512
excipuloides distans, VI 2154: VII 2512
Trema *amboinensis*, VI 2093
PHILIPPINENSIS, IX 3218
vulcanica, IX 3219
Trematosphaeria *fendlerae*, VIII 2952
MAQUILINGIANA, VIII 2952
MAQUILINGIANA SCHIZOSTACHYI, VIII 2952
palaquii, VI 2116: VII 2468
Tricalysia *fasciculiflora*, IX 3269
fasciculiflora oblongifolia, IX 3270
negrosensis, V 1896
NEGROSENSIS, II 518
PURPUREUM, I 70
SORSOGONENSIS, IX 3269
tinagaoensis, II 519
TINAGAOENSIS, I 34
Trichadenia *philippinensis*, X 3809
Trichaleurina polytricha, VII 2502
POLYTRICHA, VI 2234
Trichobelonium MELIOLOIDES, VIII 2929
Trichocolea STRIOLATA, II 386
Trichomanes apiifolium, II 422: III 801: IX 3149
apiifolium, I 234
auriculatum, III 802
bauerianum, I 234
cumingii, II 422
cupressoides, II 422: III 801

gemmatum, II 422: III 801
javanicum, II 422
maximum, II 422: III 801
pallidum, II 422: III 802: IX 3150
parvulum, II 421
pyxidiferum, II 422
Trichonectria bambusicola, VII 2450
bambusicola, VII 2468
BAMBUSICOLA, VI 2226
Trichopeltopsis reptans, VI 2096
Trichosanthes *quinqangularis*, VI 2084
Trichospermum CUNEATA, V 1643
DISCOLOR, V 1641
involucrata, V 1644
INVOLUCRATA, V 1641
mindanaense, V 1641
mindanaense, II 496: V 1643
negrosense, V 1641
negrosense, V 1644
trivalvis, V 1641
Trichosphaeria bambusicola, VII 2468
regulinoides arengae, VI 2116
Trichosporium olivatrum, VI 2166: VII 2528
Trichosporum *asclepioides*, III 948
ASCLEPIOIDES, III 952
cardinale, III 952
cardinale, III 947: VII 2670
clementis, II 567
crassifolium, II 565
CRASSIFOLIUM, I 343
CUERNOSENSE, II 566
everettiana, VII 2671
GRANDIFLORUM, VII 2667
irigaense, X 3810
MINIATUM, VII 2668
negrosense, II 566
nervosum, II 566
NERVOSUM, I 344
philippinense, III 952
philippinense, III 947
truncatum, VII 2668
TRUNCATUM, II 567
urdanetense, X 3810
URDANETENSE, VII 2670
Trichostomum PERVAGINATUM, VI 1978
subduriuscula, VI 1979
Trichothyrium orbiculare, VI 2096: IX 3136
Trigonachras *brachycarpa*, X 3810
BRACHYCARPA, V 1614
membranacea, IX 3114
Trigonostemon BULUSANENSIS, X 3735
heteranthe, I 206
longipedunculata, IV 1306
MERRILLII, IV 1304
philippinensis, X 3736
PHILIPPINENSIS, I 206
Trigonotis APOENSIS, VII 2562
philippinensis, VII 2564
Triphasia *trifoliata*, IX 3126
Tristiropsis OVATA, V 1605
Triumfetta *semitriloba*, VI 2083
Trogia partita, VI 2252
Tropidia MINDANAENSIS, V 1553
Tryblidiella *balansae*, VI 2145
elevata, VI 2231
guaranaticum, VI 2145
LUZONENSIS, VII 2502
mindanaensis, VI 2144, 2231: VII 2502
mindanaensis, VII 2502
rufula, VI 1931, 1946, 2145 2231: VII 2502
rufula ellisii, VI 1947, 2145
rufula glabrata, VI 1947, 2145
rufula microspora, VI 1947
Tubercularia persicina, VI 2159
versicolor philippinensis, VI 2159: VII 2519
Tuberculina persicina, VII 2518
Turpinia *nepalensis*, II 491
ovalifolia, IX 3218
OVALIFOLIA, II 490
pomifera, II 491: IX 3218
SAMBUCIFOLIA, IX 3217
Turraea *humilis*, IX 3385
Tylophora clemensiae, X 3598
clemensiae, IX 3489
elmeri, X 3598
floribunda, IX 3134, 3489: X 3598
lucida, X 3598
luzonica, X 3598
merrillii, X 3599
perrottetiana, X 3599
setosa, X 3599
Tympanopsis *coelosphaerioides*, VI 2274: VII 2452
Tyromyces ELMERI, I 268

U

Uleothyrium clavisporum, IX 3175
Uncaria BREVICARPA, IX 3270
BULUSANENSIS, IX 3271

canescens, I 37
canescens, V 1903
clavisepala, III 985
CLAVISEPALA, I 350
florida, I 37
hookeri, I 37
LAEVIFOLIA, V 1902
longiflora, IX 3272
NERVOSA, III 985
pedicellata, I 37
perrottetii, VI 2192: VII 2436: IX 3271
philippinensis, V 1903
PHILIPPINENSIS, I 38
pteropoda, I 37
sclerophylla, I 37
velutina, III 985
Ungulina atro-alba, VI 2250
bicolor, VI 2250
contracta, VI 2251
ungulata, VI 2250
Unona AGUSANENSIS, V 1743
dehiscens, V 1750
ebracteolata, V 1745
LEYTENSIS V 1744
MINIATA, V 1740
PALAWANENSIS, V 1742
rubra, V 1741
Urandra FULIGINEA, II 491
GITINGENSIS, IV 1476
hallieri, IV 1477
luzonensis, VII 2691
sorsogonensis, X 3749
Uredo abri, VI 2073: VII 2424
antidesmae-dioicae, VI 2073
appendiculatus phaseoli, VII 2426
arthraxonis-ciliaris, VI 2073: VII 2425
castaneae, VI 2073: VII 2425
davaoensis, VI 2074: VII 2425
desmium, VI 2074
desmium, VII 2422
dioscoreae, VI 2074: VII 2425
dioscoreae-alatae, IV 1153
dioscoreae-alatae, VI 2074
dolichi, VII 2426
fici, VI 2075
fici, VII 2422
gossypii, VI 2074: VII 2422
hygrophilae, VI 2075: VII 2425
knoxiae, VI 2075
kuehnii, VI 2075
manilensis, VI 2075: VII 2425
nerviseda, VI 2075
ngamboensis, VI 2075
operculinae, VI 2076
phaseoli, VII 2426
phaseolorum, VII 2426
philippinensis, VII 2425
premnae, VI 2076: VII 2425
rostrupii, VI 2076: VII 2425
wedeliae-biflorae, VI 2076: VII 2426
Urnula philippinarum, VII 2503
PHILIPPINARUM, VI 2281
Uromyces appendiculatus, VI 2076: VII 2426
deeringiae, VI 1920, 2076: VII 2426
hewittiae, VI 2076: VII 2426
hewittiae, VI 2159
linearis, VI 2077: VII 2426
malloti, VI 2077: VII 2427
mucunae, VI 2077: VII 2427
setariae-italicae, IX 3133
sidae, VII 2423
sojae, VI 2077: VII 2427
Urophyllum *arboreum*, V 1902
BANAHAENSE, I 70
BATAANENSE, I 40
elliptifolium, III 998
glabrum, I 39
glabrum, III 999, 1000: V 1902
LUCBANENSE, I 71
memecyloides, V 1902
negrosense, III 998
PLATYPHYLLUM, III 999
RETICULATUM, III 999
sablanense, III 1000
sablanense, III 971, 1000
SABLANENSE, I 39
streptopodium, I 40
URDANETENSE, V 1900
Urostigma *apiocarpum*, I 249: II 539
caulocarpum, I 244: IV 1246
haematocarpum, IV 1246
odoratum, IV 1263
tsjela, IV 1243
Urtica bullata, III 876
Usnea florida, II 436
Ustilaginoidea ochracea, VI 2099: IX 3138
oryzae, VI 2100
virens, VI 2100: VII 2451
Ustilago andropogonis-aciculati, VII 2429
bursa, VI 2080: VII 2439
emodensis, VII 2429

emodensis, VII 2429, 2430
flagellata, VI 2080
isachnes, VI 2080
kusanoi, VI 2080: VII 2430
manilensis, VI 2080
rosulata, VI 2080
sacchari, VI 2081: VII 2430
sorghi, VI 2081: VII 2430
tonglinensis, VI 2080: VII 2430
treubii, VII 2429
tulasnei, VII 2430
virens, VII 2451
Ustulina macrosperma, VI 1943, 2132: VII 2491
maxima, VI 2132: VII 2491
placentiformis, VII 2492
PLACENTIFORMIS, VI 2207
placentiformis magnifica, VII 2492
PLACENTIFORMIS MAGNIFICA, VI 2207
tessellata, VI 1943, 1944, 2132: VII 2491
zonata, VI 1943, 2132: VII 2492
Uvaria *alba*, I 292
CARDINALES, V 1748
concava, V 1745
larep, I 293
littoralis, V 1749
NUDISTELLATA, V 1746
ovalifolia, V 1749
PENINSULA, X 3691
rubra, X 3810
rufa, VI 2069
scandens, V 1746: X 3692
SIBUYANENSIS, V 1747
stellata, V 1747
SUBVERRUCOSA, V 1745
zschokkei, X 3692
ZSCHOKKEI, I 292

V

Vaccinium AGUSANENSE, VII 2630
alvarezii, III 1099
apoanum, III 1091
apoanum, III 1097, 1098
barandanum, X 3731
benguetense, IX 3142
calelanum, III 1098
CALELANUM, III 1096
coriaceum, IV 1491
ELEGANS, III 1093
gitingense, IV 1311
GITINGENSE, IV 1490
hasseltii, III 1094
igorotorum, IX 3142
malindangense, III 1096
MEARNSII, III 1098
MEDINILLOIDES, III 1097
microphyllum, III 1092
microphyllum, III 1089, 1090, 1093
mindorense, III 1093
palawanense, III 1099
palawanense, III 1090
PERRIGIDUM, III 1094
philippinense, X 3731
SORSOGONENSE, X 3730
SYLVATICUM, III 1095
villarii, III 1092
villarii, III 1090: IV 1491
whitfordii, IV 1491
Valsa *clavata*, VI 2209
stenospora, VI 2214
Valsaria *aethiops*, VI 2216: VII 2484
citri, VII 2484
CITRI, VI 2270
colludens, VII 2484
COLLUDENS, VI 2217
consors, VI 2125
discoidea, VII 2484
DISCOIDEA, VI 2216
hypoxyloides, VI 2217
insitiva, VI 2216: VII 2484
massarioides, VI 2270
strebli, VII 2485
STREBLI, VI 2270
Valsella pinangae, VI 2125: VII 2483
Vanda sanderiana, VI 2158
Vaniera *cochinchinensis*, IX 3175
Vanoverberghia *diversifolium*, VIII 2991
DIVERSIFOLIUM, VIII 2913
sepulchrei, VIII 2913, 2990
Vatica *blancoana*, VI 1958
BLANCOANA, IV 1473
bureavi, VI 1958
mangachapoi, IV 1474
MINDANENSIS, VI 1957
obtusifolia, V 1541: VI 2092
OBTUSIFOLIA, IV 1471
Vavaea amicorum, IX 3390
ardisioides, IX 3391
ARDISIOIDES, VIII 2767
harveyi, IX 3390
luzonensis, IX 3390
sorsogonensis, IX 3390

surigaoensis, IX 3191
SURIGAOENSIS, VIII 2768
Ventilago PALAWANENSIS, V 1829
Venturia litseae, VI 2116: VII 2468
Verbesina *alba*, I 164
Vermicularia breviseta, VII 2512
capsici, VII 2513
fallax, VII 2513
horridula, VII 2513
merrilliana, VII 2513
pandani, VI 2154
PANDANI, V 1546
sesamina, VII 2513
Vernonia ACUMINATISSIMA, VIII 3076
andersoni, I 95
APOENSIS, II 687.
arborea, I 90, 95
arborea, I 89, 91, 95: II 687, 688: VII 2593
arborea vestita, I 91
benguetensis, I 94
BENGUETENSIS, I 361
celebica, VII 2593
chinensis, I 93
chinensis, I 89
cinerea, I 94
cinerea, I 89
cinerea rotundifolia, I 94
cumingiana, I 90, 95
cuneata, I 92
cuneata, I 89: VII 2594
eupatorioides, I 95
FLORESCENS, II 685
javanica, I 90
lancifolia, VII 2593
lenticellata, I 89
LENTICELLATA, I 91
pectiniformis, I 95
philippinensis, I 89
philippinensis, I 89
PULGARENSIS, VII 2590
scandens, I 92: VII 2591
urdanetensis, VIII 3077
URDANETENSIS, VII 2591
vestita, I 91
vialis, I 94
vialis, I 89, 361
vidalii, I 91
vidalii, I 89
VILLARII, VII 2593
Viburnum LAXUM, VII 2576
luzonicum, VII 2577, 2578
LUZONICUM APOENSE, VII 2577
odoratissimum, VI 2083: VII 2432: IX 3182
propinquum, VII 2579
VALERIANICUM, VII 2578
ZAMBALENSE, IX 3181
Vigna *lutea*, VI 2076
sesquipedalis, VI 2076
unguiculata, VII 2509
Villaria acutifolia, III 1007
littoralis, III 1007
philippinensis, III 1007
rolfei, III 1007
Viola APOENSIS, VIII 2878
RUPICOLA, I 324
serpens, II 505
TOPPINGII, II 504
Viscum LORANTHI, VIII 3089
Vitex BULUSANENSIS, X 3798
curranii, X 3799
CURTIFRUTESCENS, VIII 2873
negundo, VI 2257: VII 2432
PREMNOIDES, VIII 2874
Vittaria *alternans*, II 407: III 833
amboinensis, III 834
elongata, IX 3171
lineata, III 833
merrillii, II 407: III 833
scolopendrina, II 407: III 834
Vizella *hieronymi*, VI 1945
passiflorae, VI 2096
PASSIFLORAE, VI 1945
Voacanga *cumingii*, I 334
globosa, VI 2096: VII 2446
PLUMERIAEFOLIA, I 333

W

Wallastonia *biflora*, I 166
Wallichia *oblongifolia*, VIII 3023
Walsura aherniana, IX 3391
MONOPHYLLA, IX 3391
multijuga, IX 3395
PALAWANENSIS, IX 3393
Webera cumingiana, I 40
cumingiana, V 1898
ELMERI, II 654
INTEGERRIMA, II 653
involuta, II 653
longifolia, II 654
luzonensis, I 40
meyeri, III 1015
mucronifolia, II 653
rupestri, II 654

Wedelia biflora, I 166
biflora, VI 2075, 2076: VII 2426
calendulacea, I 166
Weinmannia BULUSANENSIS, X 3723
camiguinensis, X 3724, 3726
CAMIGUINENSIS VII 2607
IROSINENSIS, X 3725
luzoniensis, II 578: VIII 3079
LUZONIENSIS PUBERULA, VIII 3078
NEGROSENSIS, II 577
URDANETENSIS, VII 2608
Wendlandia brachyantha, III 983
glabrata, III 983
luzoniensis, I 41: IV 1362
luzoniensis, I 358
MEMBRANIFOLIA, I 357
nervosa, III 984
paniculata, I 41
Whitfordia SCANDENS, II 689
Whitfordiodron SCANDENS, II 743
Wikstroemia *indica*, II 681
LINEARIFOLIA, II 680
PULGARENSIS, V 1844
viridiflora, II 681
Williamsia *everettii*, IX 3216
MINDANAENSIS, V 1904
sablanensis, III 1000
sablanensis, V 1905
VIRIDESCENS, IX 3215
Wormia luzonensis, VII 2622
SIBUYANENSIS, V 1772
Wrightia *calycina*, X 3699
HANLEYI, IV 1465
SORSOGONENSIS, X 3698

X

Xanthochrous korthalsii, VI 2249
Xanthophyllum *affine*, X 3777
affine macrocarpum, V 1677
FLAVO-VIRENS, X 3776
FLORIFERUM, V 1674
glandulosum, V 1676
macranthum, V 1674
multiramosum, V 1677
MULTIRAMOSUM, V 1676
PALAWANENSE, V 1673
subglobosum, V 1678
SUBGLOBOSUM, V 1676
SUBGLOBOSUM LONGIFOLIUM, V 1677
vitellinum, V 1674
Xanthophytum fruticulosum III 973: V 1905
Xanthostemon *verdugonianus*, IV 1311
Xeranthemum stachelina, I 123
Xylaria allantoidea, VI 2132, 2272: VII 2492
anisopleura, VI 2132: VII 2492
bacillaris, VII 2492
BACILLARIS, VI 2212
bataanensis, VI 2132: VII 2492
botuliformis, VI 2133
botuliformis, VI 2212
capillaris, VI 2212
clavata, VI 2209: VII 2493
compuncta, VI 2133
copelandii, VI 2133: VII 2493
corniformis, VI 2133
dealbata, VI 2133: VII 2493
euglossa, VI 2133, 2210: VII 2493
exalbata, VI 2210: VII 2493
fulvo-lanata, VI 2133
fulvo-lanata, VI 2211
gigantea, VI 2134: VII 2493
gigantochloae, VI 2134
graci!enta, VI 2134: VII 2493
grammica, VI 2134: VII 2494
hypoxylon, VI 2134: VII 2494
involuta, VI 2211: VII 2495
janthino-velutina, VI 2212: VII 2494
juruensis, VI 1945, 2134: VII 2494
luzonensis, VI 2134
myosurus, VI 2135, 2211: VII 2494
nigripes, VI 2210: VII 2494
obovata, IV 1153: VI 2135: VII 2495
obtusissima, VI 2135: VII 2495
pallida, VI 2211
pallida luzonensis, VII 2495
PALLIDA LUZONENSIS, VI 2211
parasitica, VI 2272
plebeja, VI 2135
polymorpha, VI 2135, 2211: VII 2495
scruposa, IV 1154: VI 2135: VII 2495
tabacina, VI 2211: VII 2495: VIII 2961

tabacina, VII 2495
telfairii, VI 2211: VII 2495
tuberiformis, VI 1945, 2136, 2272: VII 2496
tuberosa, VI 2136
Xylocarpus granatum, IX 3395
Xylopia DENSIFOLIA, V 1749

Y

Youngia *japanica*, I 184

Z

Zalacca clemensiana, VIII 3028
Zanthoxylum *crenulatum*, V 1834
DIABOLICUM, II 477
integrifolium, IX 3404
IWAHIGENSE, V 1833
Zea *mays*, VI 2165: VIII 2924, 2951
Zignoella arengae, VI 2116
ARENGAE, VI 1938
lichenoides, VIII 2950
NOBILIS, VIII 2950
Zingiber *apoense*, VIII 2919
APOENSE, VIII 2914
BULUSANENSE, VIII 2993
gigantifolium, VIII 2963
GIGANTIFOLIUM, VIII 2916
mollis, II 607
mollis, VIII 2919
NEGROSENSE, VIII 2917
officinale, VIII 2991
sylvatica, VIII 2991
SYLVATICA, VIII 2919
zerumbet, VIII 2919, 2993
ZERUMBET MAGNUM, VIII 2992
Zinnia elegans, I 159
Zizyphus *cumingiana*, V 1829
cumingiana pilosa, X 3810
PALAWANENSIS, V 1828
Zygosporium oscheoides, VII 2528